

FARM & SHOP SUPPLIES

Fuel Transfer & Lubrication • Chain • Lighting
Tractor Accessories • Tools • Hardware



BOOK
4

Table of Contents Book 4

Fuel Pumps & Lubrication	Section 21
Automotive & Shop Supplies	Section 22
Chain, Cable, Rope & Accessories	Section 23
Lighting, Electrical Cables-Wiring-Fencing.....	Section 25
Seats, Canopies, Tractor Accessories	Section 27
Hand Tools, Coolers, Generators, Air Accessories,.....	Section 29
Hardware & Fasteners.....	Section 31

Table of Contents Section 21

Control Valves and Swivels	21-12
DEF Pump Parts and Accessories – AgSmart	21-7-21-8
DEF Pumps and Meter – AgSmart.....	21-6
Fuel Filters, Caps and Adapters	21-5
Fuel Line Hose	21-4
Fuel Pump Nozzles and Hoses	21-4
Fuel Pump Service Parts.....	21-2
Fuel Transfer Pumps.....	21-1-21-2
Fuel Transfer Pumps – AgSmart.....	21-3
Grease Fitting Cleaning Tool.....	21-14
Grease Fittings and Assortments	21-14-21-15
Grease Gun Accessories	21-13
Grease Gun Coupler and Pressure Relief Valve.....	21-11
Grease Guns	21-8-21-9
Grease Guns - Battery Powered.....	21-10
Grease Pumps and Accessories.....	21-12


FUEL TRANSFER PUMPS

FILL-RITE

For Gas and Diesel

12 VOLT PUMPS

PART NO.	DESCRIPTION
916-SD1202G	DC Rotary Vane, 13 GPM, 1/4 HP, 20 Amp, 3/4" x 10' Hose & Nozzle, One Year Warranty
916-FR1614	Portable DC Rotary Vane, For Anti-Freeze & Diesel, Up to 10 GPM, 3/4" x 8' Hose & Nozzle, 12 Volt 1/5 HP 20 Amp Motor, 3/4" NPT Inlet and Outlet, One Year Warranty
916-FR4210G	High-Flow Heavy Duty Fuel Pump for Gasoline & Diesel Fuel, Up to 20 GPM, 1/4 HP, 22 Amp, 1" x 12' Hose with Static Wire. Manual Nozzle
916-FR1210G	Professional Fuel Transfer Pump, Up to 15 GPM, 1 3/4" x 12' URL Rated Hose & Nozzle
916-FR1210GA	Professional Fuel Transfer Pump, Up to 15 GPM, 1 3/4" x 12' URL Rated Hose & Nozzle, Comes with Auto Nozzle
916-NX3210B	Fuel Pump Kit Includes: 1" Automatic Nozzle with Truck Stop Spout and Red Cover, 1" x 18' Hose, 2" Tank Mount with 1-1/4" Suction Port.
916-NX3204	Ultra High Flow Fuel Pump, 25 GPM, 12-24 Volt, NPT Ports, 20' 10 Gauge 2 Wire Battery Cable. No Accessories, Pump Only



SD1202G



FR1614



FR4210G



NX3210B



NX3204



AC PUMPS

PART NO.	DESCRIPTION
916-FR711VA	AC High Flow Pump with 900 Series Meter, 19 GPM, 1/3 HP, 115 Volt, 1" Outlet, 1" x 18' Hose with Automatic Diesel Nozzle
916-SD602	AC Rotary Vane, 13 GPM, 1/4 HP, 115 Volt, 3/4" x 10' Hose & Nozzle, One Year Warranty
916-FR700	AC Utility Rotary Vane, 20 GPM, 1/3 HP, 115 Volt, 3/4" x 12' Hose & Nozzle
916-FR700A	AC Utility Rotary Vane, 20 GPM, 1/3 HP, 115 Volt, 3/4" x 12' Hose & Nozzle, with Auto Nozzle
916-FR310V	AC Rotary Vane, 35 GPM, Diesel Only, 3/4 HP, 115-230 Volt, 1" x 12' Hose & Nozzle
916-FR311	AC Rotary Vane, 35 GPM, Diesel Only, 3/4 HP, 115-230 Volt, 1" x 12' Hose & Nozzle, with 900 Series Meter



SD602



FR711VA



FR700



FR311



WE SUPPLY SUCCESS

WWW.SMALINK.COM

FUEL TRANSFER PUMPS

FILL-RITE HAND PUMPS

Professional



- 20 GPM per 100 Strokes
- 8' Hose with Nozzle
- 1" Inlet, 3/4" Outlet

916-FR152

PISTON

For Use With Gas, Diesel & Light Oils



916-FR20V

Polypropylene

- 11 oz. per Stroke
- For Some Chemicals, ATF and Motor Oils
- Telescoping Suction Tube 36-1/2"
- Viton Seals

ROTARY

916-FR112



For Use With Gas, Diesel & Light Oils

- 10 GPM per 100 Revolutions
- 8' Hose with Nozzle
- 1" Inlet, 3/4" Outlet



- 7.5 GPM per 100 Revolutions

916-SD62

FLOW METERS

916-807CMK

916-807C1



- 5-20 GPM
- 3/4" In/Out
- Pipe Fittings Included to Fit All 3/4" Outlet Pumps
- 807C1 has 1" In/Out

- Liter Meter Available Order 915-807CMKL

**901 SERIES
FOR HIGH FLOW PUMPS**

- 6-40 GPM

916-901
(1" In/Out)

916-901112
(1-1/2" In/Out)



916-111

Counter for
Model FR112



820 DIGITAL METER

2-20 GPM, 50 PSI, 1" In/Out

916-820

Precalibrated digital flow meter. Compact, Durable, Accurate. It can handle a wide range of fluids and chemicals, including most automotive fluids (except gasoline), mild acids and many industrial chemicals.



825 DIGITAL CHEMICAL METER

2-20 GPM, 125 MAX PSI, 1" In/Out

- Nutating Disc, Positive Displacement
- Durable and Accurate Up to +/-2%
- Can Be Used In-Line or at End of Hose
- For Use with Most Fluids Including Some Chemicals, Pesticides, Fertilizers, Motor/Gear Oil, Diesel and Water
- Battery Powered (2AA)

916-825



FUEL PUMP SERVICE PARTS

PART NO.	DESCRIPTION
916-100KTF1214	Repair Kit - Model 112
916-5200KTF1828	Repair Kit - Model FR152
916-700KTF2659	Repair Kit - Model FR700
916-4200KTF8739	Repair Kit - Model 4210, 1200C
916-1200KTG8572	Repair Kit for SD602, SD1202
916-1200KTG9099	Telescoping Steel Pipe for 152, 1200, 4200 Series. Also fits AgSmart FW1215, FW1220, FS2100 and FS2000. Extends 20" - 34-3/4"



PART NO.	DESCRIPTION
916-KIT120ES	Switch Kit for 1200, 4200, SD
916-KIT1200P	Vanes & Key for 1200, 4200, SD
916-KIT700	Vanes & Key for 700
916-KIT12004200	POS, NEG Brush, Holder 1200, 4200
916-1200R9067	Power Cord for DC Pumps

FILL-RITE



To Order Call Toll Free 877-55 GO SMA 877-554-6762

FUEL TRANSFER PUMPS – AGSMART

RATED FOR ALL COMMON MOTOR FUELS


The pumps feature a UL listed manual nozzle with lockable holder, 16 ft. battery cable, clips not included, and 30 minute duty cycle. Built-in bypass valve, 2" bung adapter and steel telescoping suction tube. Built-in thermal protection, CSA Certified pump with heavy duty cast iron chamber and safe mechanical seal structure.

915-10305708

- 15 GPM
- 3/4" x 13 Ft. Hose
- Filter Screen at Inlet
- 1" MPT Fittings
- Replaces 915-FW1215



Note: Battery Clips not included, order part number 677-50APJ



915-10307605

- 20 GPM
- 1" x 13 Ft. Hose
- Filter Screen at Inlet
- 1" MPT Fittings
- Replaces 915-FW1220

HAND PUMPS

NOT FOR USE WITH GASOLINE

915-FS2100

- 24 GPM
- 100 Strokes
- 8' Hose
- 1" Inlet, 3/4" Outlet



915-FS2000

- 10 GPM per 100 Revolutions
- 8' Hose
- 1" Inlet, 3/4" Outlet



FUEL METERS

DIGITAL



915-FS3000

- 5-32 GPM
- 72 PSI
- 1" Inlet & Outlet

915-FS3100

- 3-26 GPM
- 1" Inlet & Outlet
- Installs Inline or at End of Delivery Hose
- Registers in Liter, Gal., Pint, & Quart
- 5-Digit LCD Read Out
- Simple, Reliable, Economical



MECHANICAL

915-FS3200

- 5-32 GPM
- 50 PSI
- 1" Inlet & Outlet
- Adapter 1" to 3/4" NPT
- 4-Digit Subtotal & 8-Digit Total
- For Light Viscosity Grease, Hydraulic & Motor Oil



WE SUPPLY SUCCESS

WWW.SMALINK.COM

FUEL PUMP NOZZLES AND HOSES



Not for Use with
E-85 Fuel

PART NO.	DESCRIPTION
150-18312002	Automatic Farm Fuel Nozzle, 1" NPT Inlet and 1-3/16" O.D. Fill Pipe. For 115 Volt Pumps, Green Cover.
150-18312009	Automatic Farm Fuel Nozzle, 1" NPT Inlet and 15/16" O.D. Fill Pipe. For 12 Volt Pumps. For use with Leaded Gas and Diesel Fuel.
150-18311002	Automatic Farm Fuel Nozzle, 3/4" NPT Inlet and 15/16" O.D. Fill Pipe. For 12 Volt Pumps. For use with Leaded Gas and Diesel Fuel.
150-NV90	Automatic Bulk Fuel Nozzle, 1-1/2" NPT Inlet and 1-3/8" O.D. Fill Pipe.
651-1537	Manual Nozzle, Aluminum Diecast Pressure Type for Farm & Industry. 1" NPT Inlet and 1" O.D. Fill Pipe for Leaded Gas and Diesel Fuel.
651-1538	Manual Nozzle, Aluminum Diecast Pressure Type for Farm & Industry. 3/4" NPT Inlet and 3/4" O.D. Fill Pipe for Unleaded Gas.
150-18311010	Nozzle, Service Station Type, 13/16" Fill Pipe, Black Cover. Unleaded
150-18311011	Nozzle, Service Station Type, 13/16" Fill Pipe, Green Cover. Unleaded
150-TW34	Swivel 3/4" Male x 3/4" Female
150-TW1X34	Swivel 1" Male x 3/4" Female
150-TW1	Swivel 1" Male x 1" Female
150-C076	Splash Guard
916-F9111	Automatic Nozzle Spout Hook
380-FH3408SW	3/4" x 8' Fuel Hose, 3/4" MPT Fitting and Static Wire
380-FH3410SW	3/4" x 10' Fuel Hose, 3/4" MPT Fitting and Static Wire
380-FH1010SW	1" x 10' Fuel Hose, 1" MPT Fitting and Static Wire
380-FRH07512	3/4" x 12' Fuel Hose, 3/4" MPT Fitting and Static Wire
380-FRH07520	3/4" x 20' Fuel Hose, 3/4" MPT Fitting and Static Wire
380-FRH10012	1" x 12' Fuel Hose, 1" MPT Fitting and Static Wire
380-FRH10014	1" x 14' Fuel Hose, 1" MPT Fitting and Static Wire
380-FRH10020	1" x 20' Fuel Hose, 1" MPT Fitting and Static Wire



**60 P.S.I.
Working
Pressure**


FUEL LINE HOSE

A fast economical way for replacing fuel lines, oil lines, vacuum lines, windshield washer hoses, transmission cooler hoses, power steering return lines and many other low pressure hose applications. Hose is gas resistant, soft and pliable so that it can be easily pushed over barb fittings and be held securely by spring or screw type clamps.



PART NO.	DESCRIPTION	ORDER MULT.
770-15232	1/4" I.D. 2 spiral	50'
770-15248	5/16" I.D. 2 spiral	50'
770-15254	3/8" I.D. 2 spiral	50'
256-H20108	1/2" I.D. Gen. Purp.	50'
770-25068	1/4" I.D. 2 spiral	250'
770-25084	5/16" I.D. 2 spiral	250'
770-25100	3/8" I.D. 2 spiral	250'

- Up To 25 P.S.I. Working Pressure
- Burst Pressure 175 P.S.I.
- Temperature: -40° to +257° F.
- Can Be Used With E-85 Fuel





To Order Call Toll Free 877-55 GO SMA 877-554-6762

FUEL FILTERS, CAPS AND ADAPTERS

Spin-on type filters for low volume power pumps and gravity flow applications. Will help prevent contaminants from entering your machinery, storage tanks and truck transport tanks.

PART NO.	DESCRIPTION
FUEL	
153-70002	200E 10-Micron with Draincock 3/4" Flow, 1"-12 Thread, 18gpm. O/M 6
153-70004	200AE 10-Micron with Draincock 1" Flow, 1-3/8"-12 Thread, 18gpm. O/M 6
153-70046	200E 30-Micron with Draincock 3/4" Flow, 1"-12 Thread, 18gpm. O/M 12
153-70819	200 2-Micron No Draincock 3/4" Flow, 1"-12 Thread, 18gpm. O/M 6
153-70010	300 10-Micron 3/4" Flow, 1"-12 Thread, 12 gpm. O/M 12
153-70012	300 30-Micron 3/4" Flow, 1"-12 Thread, 12 gpm. O/M 12
153-70020	800 30-Micron 1" Flow, 1-1/2"-16 Thread, 40 gpm. O/M 6
153-30004	E30 30-Micron Element for Centurion I, III, IV. O/M 6
153-70234	260BMG 10-Micron 3/4" Flow, 1"-12 Thread, 18 gpm, Biodiesel. O/M 12
153-70225	260ABMG 10-Micron 1" Flow, 1-3/8"-12 Thrd., 18 gpm, Biodiesel. O/M 12
153-70122	300MB 10-Micron 3/4" Flow, 1"-12 Thread, 25 gpm, Biodiesel. O/M 12
153-70059	300HS 10-Micron 3/4" Flow, 1"-12 Thread, 12 gpm, for Water. O/M 12
153-70061	260AHS 10-Micron, 18 gpm, for Water. O/M 12
153-70063	800 10-Micron 1" Flow, 1-1/2"-12 Thread, 40 gpm, for Water. O/M 6
153-70064	300HS 30-Micron 3/4" Flow, 1"-12 Thread, 12 gpm, for Water. O/M 12
153-70068	800HS 30-Micron 1" Flow, 1-1/2"-16 Thread, 40 gpm, for Water. O/M 6
ADAPTERS — CAST IRON & ALUMINUM	
153-50002	200H-1 C.I. for 200E, 300, 300HS 1" In/Out, 3/4" Flow, 1"-12 Thrd. O/M 6
153-50003	200H-3/4 C.I. - 200E,300, 300HS 3/4" In/Out, 3/4" Flow, 1"-12 Thrd. O/M 6
153-50004	200AH-1 C.I. for 200AE 1" In/Out, 1" Flow, 1-3/8"-12 Thread. O/M 6
153-50109	805-1 Alum. for 800, 800HS 1" In/Out, 1" Flow, 1-1/2"-16 Thread
153-50163	810-1-1/2 Alum. for 800, 800HS 1-1/2" In/Out, 1" Flow, 1-1/2"-16 Thrd.
153-50011	820-2 Alum. Double Cap for 800, 800HS 2" In/Out, 1" Flow 1-1/2"-16 Thrd.
FUEL TANK FILTERS & CAPS	
287-495	1" NPT Complete Fuel Filter - Nylon Bowl with Draincock. O/M 6
287-49534	3/4" NPT Complete Fuel Filter - Nylon Bowl with Draincock. O/M 6
287-4701	Top Cap for 495. 1" NPT. O/M 6
287-47034	Top Cap for 495. 3/4" NPT. O/M 6
287-4705	10 Micron Filter Element for 495. O/M 12
287-4707	Bowl Gasket for 495.
287-4954	Nylon Clear Bowl with Drain Includes Gasket. Fits 495. O/M 6
287-47015	40 Mesh Stainless Steel Strainer for 495. O/M 12
287-496	1" NPT Complete Fuel Filter with Water Block, Draincock. O/M 6
287-4965	Water-Block - A Water Absorbing Element. O/M 12
287-491	Fuel Filter Wrench. O/M 6
975-W173C	Heavy Duty Strap Filter Wrench
153-50	Fill Cap and Bung Nipple, Pressure Vacuum Vapor Control Cap
153-50C	Cap Only
153-60002	Theft-proof Fill Cap and Bung Adapter. O/M 6



REDUCES
EVAPORATION LOSS
WATER CONDENSATION




WE SUPPLY SUCCESS

WWW.SMALINK.COM

DEF PUMPS AND METER – AGSMART

PART NO.	DESCRIPTION
Transfer Pump Kits & Meter	
915-10302501	120V AC, 8 gpm Pump Kit for DEF and Urea. Includes manual nozzle made of plastic and stainless steel with holder that hangs on tote. 25-ft. x 3/4 in. special EPDM suction/discharge hose, 3/4 in. In/outlet and power cord.
915-10302506	12V DC, 6.6 gpm Pump Kit for DEF and Urea. Includes manual nozzle made of plastic and stainless steel, 25-ft. x 3/4 in. special EPDM suction/discharge hose, 3/4 in. In/outlet and power cord with battery clips.
Hand Pumps & Lid	
916-FRHP32V	For DEF, Urea and Other Chemicals. 11oz. per stroke with telescoping suction tube, polypropylene construction, drum bung-adaptor included. FILL-RITE
916-KITHA32V	3/4 in. x 8-ft. Hose and ball valve for FRHP32V
651-369	Hand Pump with Discharge Hose, Polyethylene Construction. Used for DEF, Glycol, Methanol and More. Fits 55 Gallon Drums. ZeeLine
909-TL652E	Poly IBC Tank Lid 6". Allows Connection of Hand Pumps to 275 and 330 Gallon Totes. 2" Plug, EPDM Gasket, Banjo.


See Catalog Section 22 for DEF/Fluid



To Order Call Toll Free 877-55 GO SMA 877-554-6762

DEF PUMP PARTS AND ACCESSORIES – AgSMART

PART NO.	DESCRIPTION
Hose, Nozzles, Valves & Accessories	
915-19136407	DEF Delivery Hose 3/4" x 20-ft., EPDM rubber seals, peroxide cured inner and outer tube.
915-18311009	Automatic Nozzle, plastic body and stainless steel spout. 16 gpm, 3/4" FNPT inlet.
915-18321006	Manual Nozzle, plastic body and stainless steel spout. 16 gpm, 3/4" FNPT inlet.
Couplers & Valves	
915-17940040	Poly Connection for 3/4" hose, DEF, SEC. Has 2-1/2" x 5" buttress thread and 1" inlet for plastic tube. Can be used on totes or drums with same size thread.
915-3713	Dispensing Valve, EPDM seals. For use with 4-key RSV/RPV container valves for closed system dispensing. 304 stainless steel, 3/4" barbed outlet.
915-3715	Dispensing Valve, EPDM seals. For use with 4-key RSV/RPV container valves for closed system dispensing. 304 stainless steel, 3/4" (19.05mm) BSPP female thread outlet.
915-5702	Poly Dispensing Valve, 3/4" Barbed Outlet, for use with 4-key container valves for closed system dispensing, RSV/RPV. Nylon exterior with polypropylene wetted parts.
915-3467	RSV Container Valve Assembly for 55 gal.drums, EPDM seals, straight down tube, 35" overall length.
915-5118	RSV Container Valve Assembly for 275 gal. tote, center top cap installation. EPDM seals, straight down-tube, 41" overall length.
915-5117	RSV Container Valve Assembly for 330 gal. tote, center top cap installation. EPDM seals, straight down-tube, 44.7" overall length.
915-743097	RSV Container Valve, EPDM seals. Has 2-1/2" x 5" buttress thread for use with 4-key RSV/RPV couplers.
915-744027	Fill Coupler, EPDM seals. For use with 4-key RSV/RPV container valves for closed system filling. 316 stainless steel, 1" (25.4mm) MNPT inlet, 1/4" (6.35mm) FNPT vapor recovery outlet.
Down Tubes, Caps & Tamper Proof Accessories	
915-743203810	Down Tube for 55 gal. drums, 31.9" long. Connects to RSV container valve to create RSV valve assembly. Also works with 17940040 poly SEC connection. Made with HDPE and stainless steel circlip.
915-743203960	Down Tube for 275 gal. tote, 37.8" long, center cap installation. Connects to RSV container valve to create RSV valve assembly. Also works with 17940040 poly SEC connection. Made with HDPE and stainless steel circlip.
915-7432031135	Down Tube for 330 gal. tote, 44.7" long, center cap installation. Connects to RSV container valve to create RSV valve assembly. Also works with 17940040 poly SEC connection. Made with HDPE and stainless steel circlip.
915-749326	6" Center Cap, blue with EPDM seals for IBC tote. Has 2-1/2" x 5" buttress thread for use with RSV/RPV and EPV valves.
915-5541	Container Valve Tool, connects to torque wrench with 1/2" drive. Tighten 4-key valve to 20-25 ft-pounds.
915-11618	Tamper Evident Wire Seal, secures 2.5" x 5" RSV container valve and 6" IBC center cap to container and protects container from unauthorized access. Galvanized steel construction
915-102081	Tamper Evident Shipping Cap. 4-Key, Red
915-102014	Dust Cover Yellow for RSV/RPV



DEF PUMP PARTS AND ACCESSORIES

PART NO.	DESCRIPTION
AgSmart DEF Pump Parts	
915-DEF104	Pump kit, includes diaphragm, o-rings, plate and bolts
915-DEF101	One-way pump diaphragm, 5-piece
915-DEF102	Pump diaphragm
915-DEF103	Fluid part
915-DEF100	Pump o-ring clip for inlet and outlet, 3/4" barbbbed
915-DEF112	Pump o-rings, plates, spring and valve
915-DEF105	Holder for nutating disk
915-DEF107	Pump shaft check rings
915-DEF108	Pump bearing
915-DEF109	Pump bearing
915-DEF111	Pump cover
915-DEF113	Pump switch seals
915-DEF114	Pump 12-volt cable with clips
915-DEF115	Pump switch for 12-volt or 115-volt
915-DEF106	Pump bolts
915-DEF110	Pump bolts



GREASE GUNS FOR 14 OZ CARTRIDGES



PROFESSIONAL
975-W54202
Air Bleeder Valve



PISTOL GRIP
975-W54204
Bulk, 3-Way Load,
Air Bleeder Valve



ALUMINUM PISTOL GRIP
975-W54291

- Extremely Lightweight Aluminum Anodized Barrell
- Pistol Grip style with PVC Grips
- Extra Heavy T-Handle and Internal Return Spring
- Four Jaw Coupler with Protective PVC Cap
- Textured Rubber Non-Slip Barrel Grip
- 3 Way Loading



LEVER ACTION
975-W54201



ECONOMY
975-W54203

- Heavy Duty Construction and Chrome Plated Finish for Long Service Life
- Knurled Thick Wall Barrel



SUCTION GUN
975-W54220

No priming necessary, perfect for transmissions, differentials, gear cases, lower units, crankcases. 12" flexible hose, 1 pint capacity



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Lincoln Grease Gun

PISTOL GRIP

One hand operation for easier greasing. Rugged die cast head and exclusive flip over follower.



**Mechanics Choice
With Rigid Tube**

506-1132



With Whip Hose

506-1133

**With Hose and Rigid Tube
506-1134**

- Develops Up to 7500 PSI
- Filler Nipple / Bleeder Valve Combination
- Three-way Loading: Cartridge, Suction or Bulk
- Includes Both Heavy-duty 18" Flexible Hose with Coupler and Rigid 4" Tube



LEVER OPERATED

Rugged, dependable and jam-proof high-pressure grease gun. First choice by all users. Delivers all pressure gun lubricants in the coldest weather. Holds 16 oz.

Heavy Duty with Rigid Tube

506-1142



With Whip Hose

506-1147



AIR OPERATED POWER LUBE GREASE GUN



- 6000 PSI Capability
- Flexible 18" High Pressure Hose*
- Air Operating Range 40 to 150 PSI: CE Certified

506-1162 Comes with 18" Hose

506-1218 18" Replacement Hose

* Longer hose lengths available separately
(24" P/N 1224, 30" P/N 1230, 36" P/N 1236)

GREASE GUNS - BATTERY POWERED



Lithium Ion Features:

- Flex Hose
- 2-Speed Digital Grease Output Selector
- Multi-Function LCD Shows Grease Output & Battery Charge
- LED Work Light Illuminates Dimly Lit Areas

PART NO.	DESCRIPTION
12 V Lithium Ion — 8,000 PSI	
<i>Kit Includes: PowerLuber, AC Charger, Two 12 Volt Li-Ion Rechargeable Batteries, 30" Flex Hose with Spring Guard, Carrying Case</i>	
506-1264	12 Volt Li-Ion PowerLuber Kit
506-1261	12 Volt Li-Ion Rechargeable Battery
506-1870	One Hour High-Output 110V AC Charger
506-1875A	One Hour High-Output 12/24V DC Field Charger
20V Lithium Ion — 10,000 PSI	
<i>Kit Includes: PowerLuber, AC Charger, Two 20 Volt Li-Ion Rechargeable Batteries, 36" Flex Hose with Spring Guard, Carrying Case</i>	
506-1884	20 Volt Li-Ion PowerLuber Kit
506-1871	20 Volt Li-Ion Rechargeable Battery
506-1870	One Hour High-Output 110V AC Charger
506-1875A	One Hour High-Output 12/24V DC Field Charger
18V NiCad — 7,500 PSI	
<i>Kit Includes: PowerLuber, AC Charger, Two 18 Volt NiCad Ion Rechargeable Batteries, 30" Flex Hose with Spring Guard, Carrying Case</i>	
506-1844	18 Volt NiCad PowerLuber Kit
506-1801	18 Volt NiCad Rechargeable Battery
506-1410	One Hour High-Output 110V AC Charger
506-1815A	One Hour High-Output 12/24V DC Field Charger



- Two-Speed Switch for High-Pressure or High-Volume Delivery
- Stroke Cycle Indicator Pin



To Order Call Toll Free 877-55 GO SMA 877-554-6762

GREASE GUN COUPLERS



PART NO.	DESCRIPTION
506-5852	Coupler with pressure grip jaws. Lubricant pressure actuated jaws form tight leak proof seal.
506-5845	Coupler with reversible jaws provides double the service life. Tapered cap and ball check.
975-W54212	Coupler 1/8" NPT fits most hand operated grease guns.
975-W54225	Grease Gun Coupler, 90° Swivel
975-W54226	Grease Gun Coupler, 360° Swivel
506-5834	Coupler extension - standard hydraulic, 5845 coupler & 62028 extension
506-91108	Loader nipple for use with most grease guns to Lincoln gun filler. 1/8" NPTM
506-5883	Special access coupler 90°, 1/8" NPT
975-W54227	Special access coupler 90°, 1/8" NPT, Performance Tool



GREASE GUN COUPLER AND PRESSURE RELIEF VALVE

REVOLUTIONARY

189-UC3102



LOCK ON GREASE COUPLER

WORLD GREATEST GREASE COUPLER



- **DOES NOT LEAK**
- **EASY TO CONNECT AND DISCONNECT**
- **UP TO 10,000 PSI**

189-UC310210

IT'S A MUST FOR ALL GREASE GUNS

189-UC3105



GREASE GUN PRESSURE RELIEF VALVE

FITS MOST GREASE GUNS AND ACCESSORIES



MAXIMUM PRESSURE 10,000 PSI

CONTROL VALVES AND SWIVELS



CONTROL VALVE
506-740

For use with High Pressure
Lubriguns 658 & 689
1/4 NPT Inlet x 1/8 NPT Outlet



UNIVERSAL SWIVEL

506-81387
High Pressure

For Lubriguns 658 & 689
1/2" -27 MPT x 1/4" MPT

506-83594
Medium Pressure

For Lubriguns 934 &
936, 1/4 NPT

GREASE PUMPS AND ACCESSORIES



Shown with Optional
Dolly 84191

506-689 Air Operated – For 35 lb. Bucket

Portable unit with 50:1 ratio pump. Includes air coupler, nipple, 7 ft. delivery hose, universal swivel, air motor muffler and control valve. Drum cover is rust-proofed and finished in red baked enamel. Follower plate 506-84775 and dolly 506-84191 not included.



506-658 Air Operated – For 120 lb. Drum

Stationary unit with 50:1 ratio pump. Includes air coupler, nipple, 7 ft. delivery hose, universal swivel, air motor muffler and control valve. Drum cover is rust-proofed and finished in red baked enamel. Follower plate 506-84780 not included.



506-G400 Lever Action Bucket Pump

Fits 25-50 lb. buckets. Includes pump, 12" drum cover and 4ft. delivery hose. Perfect for transferring transmission fluid or heavier fluids.



506-G401 Lever Action Barrel Pump

Fits 30-55 gallon drums. Delivers 10 oz. per stroke. Includes standard bung bushing. Designed for transfer of petroleum-based, non-corrosive liquids. Rugged, corrosive-resistant finish. Curved metal spout with threads to fit all garden hoses.



506-84775 Deluxe Universal Follower Plate

For use with 25-50 lb. bucket type containers with 1" to 1.5" pump tubes. All rubber, ensures complete grease dispensing, wipes pail clean.



506-84780 Follower Plate

Same as 84775 except for use with 120 lb. drum containers with 1" to 2.175" pump tubes. Series 20 and 40 air-operated grease pumps.

506-84191 Band Dolly For any 25-50 lb. bucket type containers



To Order Call Toll Free 877-55 GO SMA 877-554-6762

GREASE GUN ACCESSORIES

FLEXIBLE HOSE



- For Use with Hand Operated Grease Guns Only
- 1/8" NPT
- Max Working Pressure 3,000 PSI
- Burst Pressure 10,000 PSI

PART NO.	LENGTH
975-W54221	12"
975-W54222	18"



10" Flex Hose for Air Operated Grease Guns 975-M583C

- Working Pressure 3,000 PSI

GREASE GUN FLEX HOSE

Synthetic oil-resistant hose - with 1/8" threads to use in place of steel adapter tube. For high pressures on those hard-to-reach fittings. Fits all standard hand grease guns.



PART NO.	LENGTH
217-GW12	12"
217-GW18	18"
217-GW24	24"
217-GW30	30"
217-GW36	36"
217-GW48	48"


LINCOLN FLEX-0 GRIP WHIP HOSE EXTENSION



Rugged, long-life construction with push pull coil spring grip, stays flexible under highest working pressure. 1/8" NPT male fitting each end.

PART NO.	LENGTH
506-5812	12"
506-5818	18"


PART NO.	DESCRIPTION
GREASE INJECTOR NEEDLE	
515-131607	Injector needle with flexible tube attachment for hard to reach bearings
975-W54213	18 ga. tempered stainless steel needle for inserting under or through bearing seals. Includes protective cover.
975-W54216	Needle adapter for dispensing grease to confined areas. Includes large and small sleeve to fit standard couplers. Great for 4WD (CV) U-joints.
SEAL-OFF DISPENSER	
975-W54214	Use with grease plugs, fits standard grease gun hoses and extensions.
GREASE GUN HOLDER	
506-G160	Holds any standard grease gun. Zinc plated and carded.



W54213



W54216



G160



W54214



WE SUPPLY SUCCESS

WWW.SMALINK.COM

GREASE FITTINGS AND ASSORTMENTS

BASIC ASSORTMENT

189-GF100

6 items, 100 pieces.

Fastest moving grease fittings packed in a plastic box.



ASSORTMENT CONTAINS:

- 30 - 189-610 - 1/8" PT Straight
- 10 - 189-688 - 1/8" PT 45°
- 10 - 189-613 - 1/8" PT 90°
- 30 - 189-641 - 1/4-28 Straight
- 10 - 189-637 - 1/4-28 45°
- 10 - 189-638 - 1/4-28 90°

METRIC ASSORTMENT

189-GFM100

9 items, 100 pieces packed in a plastic box.



ASSORTMENT CONTAINS:

- 10 - 189-3637 - 6mm x 45° Angle
- 10 - 189-3638 - 6mm x 90° Angle
- 30 - 189-3641 - 6mm Straight
- 20 - 189-3610 - 8mm Straight
- 5 - 189-3613 - 8mm 90° Angle
- 5 - 189-3688 - 8mm 45° Angle
- 10 - 189-3710 - 10mm Straight
- 5 - 189-3737 - 10mm 45° Angle
- 5 - 189-3738 - 10mm 90° Angle



MERCHANDISER

12 plastic clamshells
in counter merchandiser.

144-60194

EACH CLAMSHELL CONTAINS:

- 3 - 189-610 - 1/8" Straight
- 1 - 189-688 - 1/8" 45°
- 1 - 189-613 - 1/8" 90°
- 3 - 189-641 - 1/4-28 Straight
- 1 - 189-637 - 1/4-28 45°
- 1 - 189-638 - 1/4-28 90°
- 2 - 189-616 - 5/16-24 Straight



8 Pc. GREASE FITTINGS

975-W54217 SAE

SAE 1/4" x 28 threads

975-W54218 Metric

Metric 6mm x 1 threads

Contains the following fittings:
4 - Straight, 2 - 45°, 2 - 90°

For use with grease plugs, fits all standard
grease gun hoses and extensions.



GREASE FITTING CLEANING TOOL

Fits both angled and straight fittings. Simply fill tool with
oil or grease, place on fitting and strike with a hammer.




975-W54209




To Order Call Toll Free 877-55 GO SMA 877-554-6762

GREASE FITTINGS

10 Per Bag Sold Full Bags Only




THREADED GREASE FITTINGS



METRIC GREASE FITTINGS

STRAIGHT DRIVE-IN TYPE GREASE FITTINGS



PART NO.	DESCRIPTION
189-728	3/16" Drive-in Fitting
189-743	1/4" Drive-in Fitting
189-608	5/16" Drive-in Fitting
444-H83200	Drive-in Tool for Straight Fitting

PART NO.	DESCRIPTION
189-610	1/8" Pipe Thread - Straight
189-667	1/8" Pipe Thread - Straight 1-1/4" long
189-688	1/8" Pipe Thread - 45° Angle
189-613	1/8" Pipe Thread - 90° Angle
189-641	1/4-28 Thread - Straight
189-637	1/4-28 Thread - 45° Angle
189-638	1/4-28 Thread - 90° Angle
189-698	1/4-28 Thread - Straight 1-1/16" long
189-627	1/4 NPT Thread - Straight
189-629	1/4 NPT Thread - 67-1/2° Angle
189-616	5/16-24 Thread - Straight
METRIC	
189-3637	6mm - 45° Angle
189-3638	6mm - 90° Angle
189-3641	6mm - Straight
189-3610	8mm - Straight
189-3613	8mm - 90° Angle
189-3688	8mm - 45° Angle
189-3710	10mm - Straight
189-3737	10mm - 45° Angle
189-3738	10mm - 90° Angle



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Table of Contents Section 22

Adhesives and Sealants.....	22-12
Automotive Fluids and Cleaners	22-4-22-5
DEF Fluid.....	22-11
Ducting Hose.....	22-16
Gasket Makers and Sealant.....	22-13
Graphite Based Coating	22-15
Grease – Lube – Oil Products.....	22-1-22-3
Hand Cleaner & Shop Towels.....	22-10
J-B Weld Epoxy Putty	22-14
Oil Cans.....	22-7
Penetrants - Lubricants	22-8-22-9
Plastic Funnels.....	22-6
Refrigerant.....	22-16
Tire Sealant.....	22-11
Wasp, Hornet and Flying Insect Spray	22-16

GREASE – LUBE – OIL PRODUCTS

MULTI-PURPOSE GREASE



A lithium base multi-purpose grease combining both high temperature characteristics and water resistance with excellent low temperature pump-ability. One all season grade where a multipurpose grease is recommended. 325° F rating.

770-SUS66

14 oz. Cartridge

ORDER MULTIPLE 10



HI-TEMP BEARING GREASE



Super S Hi-Temp Red Grease is a NLGI 2, lithium complex premium quality, multi-functional grease with outstanding high temperature and extreme pressure characteristics.

770-SUS67

14 oz. Cartridge

770-SUS674

4 lb. Tub



ORDER MULTIPLE 10

ORDER MULTIPLE 6



GEAR LUBE

770-SUS17

Quart Bottle

ORDER MULTIPLE 12

SAE 80W90 EP

Premium blend contains extreme pressure additives to provide heavy-duty protection. Outstanding for use in garden tillers and other equipment. Suitable for tractor, truck and industrial applications such as manual transmissions, differentials or other gear boxes which require heavy-duty multi-purpose lubricant.



770-SUS25

Quart Bottle

ORDER MULTIPLE 12

SAE 85W140 EP

Formulated with EP additives to exceed most extreme performance requirements. Withstands severe shock, high torque loads and wide temperature variations.

TWO-CYCLE OIL



Recommended for use in chain saws, trimmers, mowers, motorcycles, small outboard motors, snow blowers, snowmobiles and other air-cooled two-cycle engines.



770-SUS1816

8 oz Bottle

ORDER MULTIPLE 24



NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS

GREASE – LUBE – OIL PRODUCTS

LUCAS

LUCAS HEAVY DUTY OIL STABILIZER

A 100% petroleum product formulated to eliminate dry parts and reduce friction, heat, and wear in any type of engine. Allows motor oils a higher degree of lubricity which will reduce oil consumption and operating temperatures. Use in gear oil to stop leaks, reduce operating temperature, and increase life of gear oil.

PART NO.	SIZE	O/M
518-10001	Qt.	12
518-10002	Gal.	4



LUCAS SYNTHETIC OIL STABILIZER

Used to protect new and used heavy duty engines, transmissions, and gearboxes. Reduces friction for increased power and economy. Increases oil life at least 50%, reduces oil consumption, raises oil pressure.

PART NO.	SIZE	O/M
518-10130	Qt.	12
518-10131	Gal.	4



LUCAS CHAIN LUBE

A long-lasting, all-weather, all-temperature lubricant that protects chains, sprockets, cables, and open gears. Water resistant and contains moly.

PART NO.	SIZE	O/M
518-10014	Qt.	12



LUCAS FIFTH WHEEL & SLIDER LUBE

A clean, inexpensive alternative to grease. Waterproof, easy-to-use, eliminates greasy mess on chassis and hoses.

PART NO.	SIZE	O/M
518-10030	16oz.	12



LUCAS RED "N" TACKY GREASE

A smooth, tacky, red lithium grease fortified with rust and oxidation inhibitors. Has excellent mechanical stability and storage life with good water resistance and washout properties. Especially good for sliding surfaces and open gears.

PART NO.	SIZE	O/M
518-10005	14.5oz. cart.	30



LUCAS X-TRA HEAVY DUTY GREASE

Fortified with an extreme pressure additive package that exceeds OEM Lube for Life specifications. Virtually washout proof. Stands up to high temperatures and stays soft at very low temperatures.

PART NO.	SIZE	O/M
518-10301	14.5oz. cart.	30
518-10330	1 lb. tub	12



LUCAS HEAVY DUTY 80/90 GEAR OIL

Fortified with special anti-wear and lubricity agents to control wear plus special additives to control heat. Features not found in ordinary gear oils.

PART NO.	SIZE	O/M
518-10043	Qt.	12
518-10046	Gal.	4



LUCAS HUB OIL

Formulated to stop leaks in steering axles and trailer hubs. An excellent gear lube for heavy-duty applications. Extremely heat resistant.

PART NO.	SIZE	O/M
518-10088	Qt.	12



NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



To Order Call Toll Free 877-55 GO SMA 877-554-6762

GREASE – LUBE – OIL PRODUCTS

LUCAS

LUCAS TRANSMISSION FIX

A non-solvent formula that stops slip, hesitation, and rough shifting in worn transmissions. Eliminates most seal leaks. Use in any transmission for preventative maintenance.

PART NO.	SIZE	O/M
518-10009	24oz.	12



LUCAS POWER STEERING STOP LEAK

Stops seal leaks in power steering units. Reduces slack, squeal and hard spots in worn rack and pinion.

PART NO.	SIZE	O/M
518-10008	12oz.	12



LUCAS FUEL TREATMENT

For gas or diesel engines, carbureted or fuel-injected. Complies with federal low-sulfur content requirements. Cleans and lubricates fuel system, neutralizes low sulfur fuel problems, increases power and economy, increases pump and injector life. Recommended 2 to 3oz. per gallon of fuel. Higher rates not harmful.

PART NO.	SIZE	O/M
518-10003	Qt.	12
518-10013	Gal.	4
518-10020	5.25oz.	24



LUCAS FUEL STABILIZER

A better solution to prevent gasoline break-down during storage. Safe to use in all grades of gasoline and in all 2 and 4 cycle engines. Easy to use! Application rate, 1oz. to treat 1 gallon.

PART NO.	SIZE	O/M
518-10314	8oz.	12
518-10302	15oz.	12
518-10303	32oz.	12



LUCAS HYDRAULIC OIL BOOSTER & STOP LEAK

An additive formulated to renew hydraulic fluid, stop seal leaks, reduce operating temperatures, and increase life of hoses, valves, and cylinders.

PART NO.	SIZE	O/M
518-10019	Qt.	12
518-10018	Gal.	4



GAS LINE ANTIFREEZE Fuel Treatment

Heet Water Remover and Gas Line Antifreeze for Use in all 4 Cycle Engines Including Fuel Injected.

- Prevents gas-line freeze-up
- Removes water from fuel system
- Prevents rust and corrosion

770-28201



NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



DIESEL FUEL SUPPLEMENT

DIESEL KLEEN PLUS CETANE BOOST

- Improves Fuel Mileage
- Cleans Fuel Injectors
- Improves Fuel Combustion
- Increases Power and Torque
- Disperses Water
- Prevents Wax Formation

PART NO.	SIZE	TREATS	O/M
751-3016	16oz.	50 gal.	9
751-3025	32oz.	100 gal.	12
751-3080	80oz.	250 gal.	6



FUEL SUPPLEMENT PLUS ANTI GEL & CETANE BOOST

All the Same Features as
Diesel Kleen Above PLUS

- Prevents Fuel-filter Icing
- Prevents Fuel Gelling
- Reliquefies Gelled Fuel

PART NO.	SIZE	TREATS	O/M
751-10169	16oz.	50 gal.	9
751-1025	32oz.	100 gal.	12
751-1080	80oz.	250 gal.	6



AUTOMOTIVE FLUIDS AND CLEANERS

CARB-MEDIC CARBURETOR CLEANER



Carb-Medic Carburetor Cleaner is a combination of powerful solvents. Cleans carburetors "on the engine". Avoids gasoline waste, rough idling, stalling and hard starting.

AVAILABLE IN 12.5 OZ. AND 19 OZ.

PART NO.	SIZE
770-M4814	12.5oz.
770-M4824	19oz.

ORDER MULTIPLE 12

FUEL INJECTOR & CARBURETOR CLEANER



Helps reduce exhaust emissions,
reduces stalling and rough idling.
Removes varnish, gum and dirt.

THE PROFESSIONAL'S CHOICE

770-CB12
12 oz Bottle
ORDER MULTIPLE 12

BRAKE FLUID FADE FREE



Meets and complies with Dot 3 Federal Standard No. 116. Exceeds Federal Specification VV-B680B and SAE Specification J10703. For use on all U.S. and foreign cars and trucks.

PART NO.	SIZE	O/M
770-FH12	12oz.	24
770-FH32	Qt.	12
770-FH128	Gal.	4

POWER STEERING FLUID



Meets service requirements for all major auto manufacturers. Helps stop squeals and provides smoother operation. Keeps power steering system clean

770-PSF12
12 oz Bottle
ORDER MULTIPLE 12

NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



AUTOMOTIVE FLUIDS AND CLEANERS

BRAKE CLEANER VOC COMPLIANT



Fast drying, high solvency, fast evaporation spray instantly degreases both conventional and disc brake assemblies. Quickly dissolves and flushes away brake fluid, grease, oil and other contaminants without disassembly.

770-BC20
16 oz Aerosol
Order Multiple **12**

770-BCN20
14 oz Aerosol
Non-Chlorinated
Order Multiple **12**

ENGINE CLEANER VOC COMPLIANT



Removes grease and grime. Convenient ready-to-use aerosol can. For auto, truck, marine and aircraft engines as well as farm implements and power mowers. Simply apply, allow to penetrate soil and hose off.

770-EC16
15 oz Aerosol
Order Multiple **12**

ELECTRIC PART CLEANER THE PROFESSIONAL'S CHOICE



Removes oil, grease and dirt. Non-flammable, non-conducting cleaning solvent for alternators, generators, starters, contact relays and other electric components. Excellent for brake linings and CV joints as well, dries fast and leaves no residue.

770-EPC20
16 oz Aerosol
Order Multiple **12**

GLASS CLEANER



Ammonia activated for instant cleaning action. Cleans windshields, windows, mirrors, appliances, ceramic tile, chrome, stainless steel and aluminum.

Order Multiple **12**

770-GC33
32 oz Liquid Spray

770-GC1
19 oz Aerosol



NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS

RADIATOR GENIE

AIR & WATER CLEANING WANDS



See Section 29 for
This and Other Air Tools

574-RG1002

CONCENTRATED CLEANER AND DEGREASER



#1 selling certified biodegradable degreaser nationwide. This versatile cleaner and degreaser is effective for use in auto, home, industrial, farm and marine. The industrial strength concentrated formula penetrates grease, oil and dirt on contact, then forms a barrier between the stain and the surface. In just seconds you can wipe away even the toughest stains.

770-4320P
Order Multiple **4**

UTILITY CONTAINERS

Heavy-duty poly containers made with 30% more material than standard containers. 5 gallon capacity.

Excellent for Mixing and Dispensing Herbicides and Insecticides. Great for Storage and Transporting Water, Oil, Automotive and Industrial Fluids and Many Other Items.



Hose Sold Separately

4 Per Box – Sold Full Boxes Only

PART NO.	DESCRIPTION
112-3514	Red Utility Container, O/M 4
112-3524	White Utility Container, O/M 4
112-3534	Blue Utility Container, O/M 4
112-3844	Camo Utility Container, O/M 4
112-3554	Yellow Utility Container, O/M 4
112-3574	Orange Utility Container, O/M 4
112-3814	Pink Utility Container, O/M 4
112-3500	4-Pak Assortment of Containers, 1 ea. Red, White, Blue, Camo
112-3044	14" Hose Assembly with Cap

GALVANIZED FUNNELS

LOCK-ON



- 10.25" Dia. x 10.5" Ht.
- 1.875" Spout
- Removable Screen
- 6 per Carton
- Wt. 13 lbs.



OFFSET

- 8.75" Dia. x 14.25" Ht.
- 1.25" Spout
- Removable Screen
- 6 per Carton
- Wt. 10 lbs.

PART NO.	DESCRIPTION
112-TF123	Lock-On Tractor Funnel 8 qt.
112-51155	Locking Ring
112-50155	Replacement Screen
112-00159	Offset Spout Funnel 5 qt.

TRANSMISSION

975-W219

- Zinc Plated
- 12" Flex Spout
- Heavy Gauge Flexible Tubing
- 12" Extension, Will Not Crimp
- 24 per Carton
- Wt. 15 lbs.



PLASTIC FUNNELS

GIANT FILLER FUNNEL



975-W226

- Heavy Duty Unbreakable Polyethylene
- One Piece Tapered Construction
- Long Tube for Hard to Reach Spots
- 12 per Carton

PLASTIC

- Withstands Chemicals and Extreme Temperatures
- 12 per Carton
- Wt. 1 lb.



PART NO.	
975-W223	1/2 pint
975-W224	1 pint
975-W225	1 quart



To Order Call Toll Free 877-55 GO SMA 877-554-6762

OIL CANS

GOLDENROD®

287-600S 5oz. 5" RIGID SPOUT



These quality Goldenrod Pistol Pump Oilers feature a double seamed base and an excellent pump action for long life. The workmanship and materials are fully guaranteed. Seamless brushed aluminum body with red top.


Carton Quantity 12

287-606S 5oz. 6" FLEXIBLE SPOUT



287-120B3 24oz. 12" FLEXIBLE SPOUT Heavy Duty Pump Oiler

Built of heavy gauge steel that will stand up to rough use. Delivers either a drop or stream of fluid. Easy-to-use filler cap eliminates handling of messy pumps. Replaceable brass spout tip. Wrought iron spout. Copper bronze finish.



287-301025 – 12" Replacement Spout

287-700 12oz. 6-1/2" TAPERED SPOUT

Goldenrod Junior Pump Oilers are durably constructed for long, hard service. The containers are drawn steel with double seamed bases. The precision matched pumps and pistons guarantee that the oiler will maintain its prime. The spouts are of the highest grade for long service. The workmanship and materials are fully guaranteed. Copper bronze finish.



287-707 12oz. 8" FLEXIBLE SPOUT

Drawn steel container with a double seamed base. Zinc die cast high pressure pump with a ruggedly constructed precision ground piston. Spout is removable for quick replacement or conversion. All spouts in this series are interchangeable. Copper bronze finish.



287-727 16oz. 8" FLEXIBLE SPOUT

These large capacity Industrial Pump Oilers are durably constructed to meet Goldenrod standards and will give you long, hard service. They feature a removable spout for quick replacement or conversion. These oilers have many applications from home, farm, factory to all mechanical trades. Containers are drawn steel with double seam bases, precision matched pumps and pistons, oil cup cap lifter tips and highest quality tubing. Copper bronze finish.



287-301164 – 8" Replacement Spout



WE SUPPLY SUCCESS

WWW.SMALINK.COM

PENETRANTS - LUBRICANTS

PENETRATING CATALYST



118-PB16
11 oz Aerosol
Order Multiple 12

- Breaks Free Rusted Joints and Frozen Parts
- Non-evaporating Lubricant
- Displaces Moisture
- Protects Against Further Rust and Corrosion

"BLASTER"

AIR TOOL CONDITIONER

Cleans, Lubricates & Prevents Freezing



118-ATC16
12oz. Aerosol
Order Multiple 12

WD-40

New Smart Straw features a permanently attached straw that sprays two ways. Simply flip it up for a precision stream and down for a regular spray action.

Loosens Rusted Parts. Frees sticky mechanisms, penetrates deep to free up frozen or rusted metal parts and fasteners. Keeps controls and linkages working freely.

Displaces Moisture. WD-40 gets under water, drives it off and keeps it off. WD-40 is a nonconductor. Use it to dry out electrical and electronic equipment. **Stops Squeaks.** Finds squeaks and lubricates them in hard-to-get-at mechanisms. WD-40 is silicone-free - no messy, gummy residue.

Protects Metal. WD-40 lubricates and protects against moisture and corrosive elements with an invisible barrier.

Cleans. Removes tar, grease and adhesives.

50 State VOC Compliant


PART NO.	SIZE	O/M
951-490026	8oz. Aerosol	12
951-490040	11oz. Aerosol	12



MICRO MIST

Micro Mist is a heavy duty penetrating oil that has been on the market for over forty years. The special blend of lubricants, friction seekers and corrosion inhibitors make

Micro Mist a must for people who want the best.



566-1615
13 oz Aerosol
ORDER MULTIPLE 12

- Seeks Friction
- Stops Rust and Corrosion
- Cleans, Lubricates and Protects

NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PENETRANTS - LUBRICANTS

ORDER MULTIPLE 12

LIQUID WRENCH LOOSENS RUSTED NUTS, BOLTS AND PARTS . . . IN SECONDS!

There is nothing better
or faster than Liquid
Wrench . . . for the
home, shop or factory.

770-L112
11 oz Aerosol



INDUSTRIAL CHAIN LUBE WITH MOLY

- Withstands high temps
- Adheres to surfaces under high RPMs
- Sprays on & penetrates like oil
- Sets up like grease

770-L711
11 oz Aerosol



LIQUID WRENCH No. 2 *THE MIRACLE WORKER*

A multi-purpose product, it lubricates, protects, and penetrates. It drives moisture away and makes things work better, last longer. Does 1001 jobs around the home, auto, shop and boat. Stainless, odorless, harmless to fabrics and rubber.

770-L212
11 oz Aerosol



SILICONE SPRAY LUBRICANT

Stops squeaking, sticking,
prevents rust and corrosion.
Lubricates and conditions.
1001 uses for the car, home
and industry.

770-M914
11 oz Aerosol



NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



WE SUPPLY SUCCESS

WWW.SMALINK.COM

HAND CLEANER & SHOP TOWELS

WYP-ALL

One Step Quick Cleaning
of Oil, Grease or Paint

*Waterless
No Rinsing
Needed*



853-58310

50 Wipes per Container



853-91371

75 Wipes per Bucket

SCOTT® SHOP TOWELS



853-75130

Order Multiple **30**

55 towels
per roll
11" x 10.4"

- Absorbent, tough, disposable
- Absorbs grease and oil
- Wipes tools clean
- Handles tough jobs
- Won't scratch
- Cleaner and safer than rags



853-75190

Order Multiple **12**

Towel Size
10" x 14"

- Cloth-like strength
- Sponge-like absorbency
- More economical than cloth
- Remarkably lint free
- Consistent quality
- Blue color hides the dirt



All Purpose Hand Cleaner

Designed to clean hands without harsh acids or alkalis. Works equally well with or without water.

PART NO.	SIZE
397-JOES105	14 oz. Tube
397-JOES103	1 lb. Container
397-JOES101P	4 lb .5 oz Tub



Joe's Hand Scrub

For heavily soiled hands. Has a polyethylene bead for deep, gentle cleaning. The bead is not jagged and rough like sand or pumice.

PART NO.	SIZE
397-JOES405	14 oz Tube
397-JOES401P	4 lb .5 oz Tub



Joe's Citrus Blue

Along with its distinctive blue color and fresh citrus scent Citrus Blue contains the skin emollients to keep hands and skin feeling great.

PART NO.	SIZE
397-JOES505	14 oz. Tube
397-JOES501P	4 lb .5 oz Tub

397-JOESDISPLAY – Counter Top Display

GOJO Cream-Style Hand Cleaners quickly remove heavy-duty soils that can irritate or damage skin in automotive or manufacturing environments. Available in Original Formula or Natural Citrus-Enhanced Pumice. GOJO Hand Cleaners will keep your skin healthy in demanding environments without harsh solvents. Use with or without water.



PART NO.	DESCRIPTION	O/M
397-1109	14 oz. Can Original Formula	12
397-0957	14 oz. Bottle Orange™ Pumice Lotion Formula	12
397-1115	4.5 lb. Original Formula	6
397-0915	4.5 lb. Lemon Pumice	6
397-0945	1 gal. Pump Smooth Orange™	2
397-0955	1 gal. Pump Orange™ Pumice	2



1 Gal. with
Convenient
Pump Dispenser

TIRE SEALANT

For TUBELESS or TUBE TYPE TIRES

Prevents and Repairs Flat Tires. Permanently Seals 1/4"
Punctures in Tread Area and Larger in Heavy-Ply Tires. Stops
Most Rim and Bead Leaks, Effective for the Life of the Tire.
Coats Evenly and Seals All Interior Surfaces.



PART NO.	SIZE	O/M
307-10016	16oz. Tire Sealant	12
307-10032	32oz. Tire Sealant	12
307-10128	1 gal. Tire Sealant Includes 1oz. Pump	1
307-10640	5 gal. Tire Sealant	1
307-10105	Pump for 5 Gal. Bucket	1
307-10106	Hand Injector Pump	1



**NON-Flammable,
NON-Hazardous Material**

#1 SELLING TIRE SEALANT IN THE WORLD!

AMERSEAL® – THE ULTIMATE PREMIUM TIRE SEALANT

DEF FLUID



PART NO.	DESCRIPTION
770-SUS1602	2 Gallon DEF Fluid, Three per Case, 30 Cases per Pallet
770-SUS16055	55 Gallon Drum DEF Fluid



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ADHESIVES AND SEALANTS

BOLTLOCKER™

Dynatex®

1/4" – 3/4" diameter nut & bolt assemblies. Eliminates need for stocking lock nuts & washers. Apply prior to assembly and easily remove with hand tools for servicing. Use on pulley bolts, valve cover, drive shaft, oil pan, intake manifold bolts and more...

Locks and seals metal threaded assemblies where high strength is required. Fills gaps up to .008". Apply prior to assembly. Protects against thread corrosion.



Blue

**BLUE – MEDIUM STRENGTH
RED – HIGH STRENGTH**

PART NO.	DESCRIPTION	O/M
288-49441	Blue Medium Strength 6 ml Tube	12
288-49442	Blue Medium Strength 24 ml Bottle	6
288-49451	Red High Strength 6 ml Tube	12
288-49452	Red High Strength 24 ml Tube	6



Red



THREAD SEALANT



Economical general purpose pipe fitting sealant. Seals and resists pressure in air, oil, diesel fuel and hydraulic systems. Lubricates threads for easy assembly. Prevents galling and corrosion. Resists common shop fluids. Out performs tapes and pipe dopes. Temperature Range -65° F to 300° F

288-49494

4 oz Bottle

ORDER MULTIPLE 12

ANTI-SIEZE & LUBRICANT COMPOUND



Prevents seizing, fretting, pitting, galling and corrosion of metal parts at a wide range of temperatures. Prevents carbon fusion and seizure. Protects against corrosion between dissimilar metals. Resists water, salt solution, most shop and automotive fluids.

288-49558

8 oz Bottle

ORDER MULTIPLE 12

WEATHERSTRIP ADHESIVE



High strength, fast drying, waterproof adhesive for holding gaskets in place and for bonding weather-stripping. Parts can be repositioned while drying. Works well on seat trim, headliner trim and carpeting. Bonds rubber, vinyl, metal, fabrics and glass. Resists oil and most shop and automotive fluids. Holds sanding discs.

288-49430

ORDER MULTIPLE 12

GASKET MAKERS AND SEALANT

ORDER MULTIPLE 12

288-49203 RTV BLUE

Dynatex RTV Blue is sensor safe and manufactured to meet OEM specifications. Resist cracking, shrinking and migration, cures tough and flexible. Temperature resistant up to 500° F (260 C). Resist oil, water, antifreeze and transmission fluid. Excellent for valve covers, oil and transmission pans. Provides exceptional leak control and torque retention. 3oz. tube. 12 tubes per carton



288-49202 HI-TEMP RED

Dynatex Hi-Temp Red has an operating range to 650° F. Replaces most cut gaskets. Sensor safe and manufactured to meet OEM specifications. Resist cracking, shrinking and migration caused by thermal expansion. Resist oil, water, antifreeze and transmission fluid. Ideal for thermostat housings, water pumps and exhaust crossover pipes. 3oz. tube. 12 tubes per carton



288-49272 HI-TEMP RED – PRESSURIZED CAN

No need to squeeze and roll tube. Simply push nozzle to side and silicone feeds out to the work. Get continuous line of gasket material without stopping. 8oz. container. 12 per carton



288-49204 CLEAR ADHESIVE SEALANT

Dynatex clear silicone sealant forms a transparent, watertight silicone rubber seal for a wide range of applications. Bonds and seals metal, plastics, glass, fabric, vinyl, wood and rubber. Use on windshields, sun roofs, tail lights, interior panels, electrical wire insulation and dashboards. Cures at room temperature. 3oz. tube. 12 tubes per carton



288-49200 BLACK ADHESIVE SEALANT

Dynatex black adhesive sealant is formulated for gasket making applications. Sensor safe, low volatile and manufactured to meet OEM specifications. Makes instant, leak proof gaskets for all engines, drive train equipment and related components. High temperature resistant, cures tough and flexible. Resist oil, water, antifreeze and transmission fluid. Works well for timing gear housings, valve covers and differential housing covers. 3oz. tube. 12 tubes per carton



288-49358 HI-TACK GASKET SPRAY ADHESIVE

Seals Gaskets and Holds Them in Place During Assembly. Temperature Range 65°F to 450° F, Quick Drying. 10oz. aerosol. 12 per carton



NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



WE SUPPLY SUCCESS

WWW.SMALINK.COM

J-B WELD EPOXY PUTTY

BEST REPAIR OUTSIDE OF ACTUAL WELDING



J-B WELD (8265)

The original J-B Weld - the worlds finest cold weld compound. An easy, convenient, inexpensive alternative to welding. Will bond to most any clean, dry surface and sets in 4-6 hours. Cures in 16-24 hours at 70° F.



J-B PLASTICWELD (50132)

A specially formulated two-part adhesive and epoxy filler system that provides for strong, lasting repairs. Bonds a variety of surfaces, like metal, composites, fiberglass and others. Sets in 5 minutes and fully cured in 1 hour. Tensile strength of 3200 PSI and cures to an off-white color.



J-B KWIK (8276)

The fast set, fast cure version of the original J-B Weld Though not as strong as J-B Weld, Kwik will set in 4 minutes and cures in 4-6 hours. Like the original it can be drilled, tapped, machined and sanded.



J-B STEELSTIK (8267S)

A hand-mixable, steel-reinforced, non-rusting epoxy putty that quickly repairs or rebuilds anything made of metal. Sets in 3-5 minutes and after 60 minutes, can be drilled, tapped, machined, ground, filed and painted. Rated at a tensile strength of 900 PSI and withstands temperatures up to 300°F.



INDUSTRO WELD (8280)

The Original J-B Weld in larger economical size package containing two 5oz. tubes.

PART NO.	DESCRIPTION	O/M
471-8265S	J-B Weld 1oz. Tube -2/card	6
471-8280	Industro Weld 5oz. Tube -2/bx	1
471-8276	J-B Kwik 1oz. Tube - 2/card	6
471-8267S	J-B SteelStik 2oz. Stick - 1/card	6
471-50132	J-B PlasticWeld Syringe -1/card	6



To Order Call Toll Free 877-55 GO SMA 877-554-6762

GRAPHITE BASED COATING

EZ-SLIDE

EZ-Slide 9512 Series is an alkyd graphite based lubricating paint that bonds quickly to any clean metal, wood, concrete and most plastic surfaces. Use on gravity boxes, corn picker heads, bean combines, mowers, truck and wagon beds, buckets or blades, etc. EZ-Slide is lead free.

941-951232

1 Quart Can

ORDER MULTIPLE 6



941-9512128

1 Gallon Can

ORDER MULTIPLE 4



941-951213

12.8 oz Aerosol


ORDER MULTIPLE 6

NOTE: Gallon Can Not UPS Shippable

EZ-SLIDE

WATER CLEANUP

EZ-Slide has developed a “Water Borne” Graphite Based Coating. Tests have shown this new formula will dry quickly and be just as durable a coating as 9512128. The added benefits are water cleanup.




941-9511128

1 Gallon Can

ORDER MULTIPLE 4

UPS Shippable



NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



WE SUPPLY SUCCESS

WWW.SMALINK.COM

DUCTING HOSE

UFD Black
Polyurethane

PART NO.	SIZE
485-UFDB0325	3"
485-UFDB0425	4"
485-UFDB0525	5"
485-UFDB0625	6"
485-UFDB0725	7"
485-UFDB0825	8"

- Puncture and Abrasion Resistant
- Flex-Fatigue Resistant
- Reinforced with Wire Helix
- Weatherability
- Non-Directional
- Rated -65° to 200° F



RFH Black
Thermoplastic Rubber

PART NO.	SIZE
485-RFH0325	3"
485-RFH0425	4"
485-RFH0525	5"
485-RFH0625	6"
485-RFH0725	7"
485-RFH0825	8"

REFRIGERANT



12 - 12oz. Cans
513-R134A12
ORDER MULTIPLE 12

NOTE: Not UPS Shippable



30 lb.
Cylinder

513-R134A30

NOTE: Not UPS Shippable

WASP, HORNET AND FLYING INSECT SPRAY



INSTANT KNOCKDOWN WASP AND HORNET KILLER

Hit wasps and hornets hard, fast and from a safe distance. A combination of effective ingredients and a 22-ft range make sure that stinging pests don't come after you.

- Active ingredients: Tetramethrin, Permethrin & PBO
- Instant knockdown from up to 22 feet
- Non-conductive up to 47,300 volts
- Kills the entire nest
- For outdoor use only

771-EWHIK16
16oz. 12 per case
ORDER MULTIPLE 12



FLYING INSECT KILLER

Don't let pesky flies, mosquitoes and gnats spoil a good time. Use Flying Insect Killer indoors or out to kill those flying pest fast.

- Active ingredients: Tetramethrin and Sumithrin
- Kills flies, mosquitoes, gnats and other insects
- Effectively controls flying insects indoors and out

771-EFI16
16oz. 12 per case
ORDER MULTIPLE 12



FLY & MOSQUITO SPRAY

AUTOMATIC FLYING INSECT CONTROL SYSTEM

Insect control that operates every 15 minutes for a full 30 days. Specialized formula contains 0.975% pyrethrins to kill flies, mosquitoes and small flying moths.

321996CVA – Includes one each Beige Dispenser* and Metered Fly Spray..

*Uses two D-cell alkaline batteries, not included.
6 per case.



771-321996CVA
ORDER MULTIPLE 6

METERED FLY SPRAY REFILL

Contains 0.975% pyrethrins from chrysanthemum flowers to kill flying insects.
30 Day Refill, 6.9oz. 12 per case



771-342050CVA
ORDER MULTIPLE 12

MAXIMUM STRENGTH MOSQUITO & FLY SPRAY REFILL

Country Vet's maximum 1.76% synergized pyrethrins formula delivers maximum kill and repellency of flies and mosquitoes.

For use in food service and food processing industries as well as farms, dairies, stables and barns.

30 Day Refill, 6.9oz. 12 per case



771-342033CVA
ORDER MULTIPLE 12


CV-80D FARM & DAIRY

Excellent Performance, Affordable Price

Unique solvent-based formula specifically created for agricultural use. 0.50% pyrethrins and 4.0% PBO delivers instant knockdown and quick kill of flies and mosquitoes, including barn and stable flies.

Labeled for use in beef cattle operations, dairy farms, milkrooms, poultry houses, barns and stables. Use as a premise spray or directly on animal.

18.5 oz. 6 per case



771-348318CVA
ORDER MULTIPLE 6

NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS



WE SUPPLY SUCCESS

WWW.SMALINK.COM

FLEA AND ROACH SPRAY, GLUE TRAPS



EBMFOG2



EFF2



FS14

PART NO.	DESCRIPTION	O/M
771-EBMFOG2	3-Pack 2oz. BUGMAX Cans, Each Treats up to 2000 CuFt. Last Up to 12 Weeks. Water based, non-staining	12
771-EFF2	2-Pack 2oz. Cans, Each Treats up to 2000 CuFt. Kills Fleas and Their Eggs for 7 Months. Water based, non-staining	12
771-FS14	14oz. Flea Spray for Carpets and Furniture, Treats About 115 SqFt. Prevents Infestations for Up to 4 Months. Non-Staining Formula	12
771-RR16	16oz. Container, Controls Cockroaches, Ants and Silverfish. Long Lasting Protection and Easy to Use Applicator	12
771-RM2	2 Traps per Package, Disposable Pre-Baited Traps, No Mechanism to Set, Safe for Use Around Food and Humans.	12
771-ONC1	Economical, Ultra-Concentrate Makes Up to 2 Gallons Home Pest Control Solution for Residual and Contact Control of Cockroaches, Ants, Carpenter Ants, Mosquitoes, Crickets, Silverfish, Centipedes, Millipedes, Earwigs, Sowbugs, and Spiders. Kills on Contact	—



RR16



RM2



ONC1

NOTE: NOT ALL PRODUCTS STOCKED AT ALL LOCATIONS

Table of Contents Section 23

Aircraft Cable	23-5
Binder Chains	23-1
Chain & Hardware	23-2
Clevises	23-3
Dura Pullers	23-5
Industrial Chain	23-1
Load Binders	23-4
Rope and Displays	23-7-23-8
Turnbuckles – Drop Forged	23-6
Wire Cable and Accessories	23-5-23-6

INDUSTRIAL CHAIN



TRANSPORT CHAIN – GRADE 70

– DOT APPROVED –



PART NO.	DESCRIPTION		WORK L / LIMIT	BREAKING STRENGTH	PKG. WT.	ORDER MULTIPLE
511-TC14X400	1/4" x 400'	1/2 drum	3,150	12,600	286	400ft
511-TC516X275	5/16" x 275'	1/2 drum	4,700	18,800	281	275ft
511-TC38X200	3/8" x 200'	1/2 drum	6,600	26,400	302	200ft
511-TC12X100	1/2" x 100'	1/2 drum	11,300	45,200	271	100ft
511-TC14X135	1/4" x 135'	pail	3,150	12,600	104	1 pail
511-TC516X90	5/16" x 90'	pail	4,700	18,800	104	1 pail
511-TC38X63	3/8" x 63'	pail	6,600	26,400	104	1 pail
511-TC12X37	1/2" x 37'	pail	11,300	45,200	104	1 pail



HIGH TEST CHAIN – GRADE 43

PART NO.	DESCRIPTION		WORK L / LIMIT	PKG. WT.	ORDER MULTIPLE
511-HT14X400	1/4" x 400'	1/2 drum	2,600	307	400ft
511-HT516X275	5/16" x 275'	1/2 drum	3,900	312	275ft
511-HT38X200	3/8" x 200'	1/2 drum	5,400	321	200ft
511-HT12X100	1/2" x 100'	1/2 drum	9,200	281	100ft
511-HT14X135	1/4" x 135'	Snap top pail	2,600	104	1 pail
511-HT516X90	5/16" x 90'	Snap top pail	3,900	104	1 pail
511-HT38X63	3/8" x 63'	Snap top pail	5,400	104	1 pail
511-HT12X37	1/2" x 37'	Snap top pail	9,200	104	1 pail

BINDER CHAINS

GRADE 70

– DOT APPROVED –



GRADE 43

PART NO.	SIZE	WLL
511-HT516X20BC	5/16" x 20'	3900
511-HT516X25BC	5/16" x 25'	3900
511-HT38X14BC	3/8" x 14'	5400
511-HT38X20BC	3/8" x 20'	5400



TC516X20P
TC38X20P

PART NO.	SIZE	WLL
511-TC516X14BC	5/16" x 14'	4700
511-TC516X16BC	5/16" x 16'	4700
511-TC516X20BC*	5/16" x 20'	4700
511-TC516X20P (1 per Pail)	5/16" x 20'	4700
511-TC516X25BC	5/16" x 25'	4700
511-TC38X14BC	3/8" x 14'	6600
511-TC38X20BC*	3/8" x 20'	6600
511-TC38X20P (1 per Pail)	3/8" x 20'	6600
511-TC12X20BC	1/2" x 20'	11,300

* = Available in 1/2 Drum with O/M 10



WE SUPPLY SUCCESS

WWW.SMALINK.COM

CHAIN & HARDWARE

PROOF COIL CHAIN – GRADE 30



PART NO.	DESCRIPTION	WLL	PKG. WT.	Order/Multi.
511-PC316X250	3/16" x 250' Pail	750	90	1 Pail
511-PC14X141	1/4" x 141' Pail	1,250	90	1 Pail
511-PC516X92	5/16" x 92' Pail	1,900	90	1 Pail
511-PC38X63	3/8" x 63' Pail	2,650	90	1 Pail
511-PC12X36	1/2" x 36' Pail	4,500	100	1 Pail
511-PCR18X100	1/8" x 100' Reel	500	28	1 Reel
511-PCR316X100	3/16" x 100' Reel	750	41	1 Reel
511-PCR516X70	5/16" x 70' Reel	1,900	71	1 Reel
511-PCR38X45	3/8" x 45' Reel	2,650	68	1 Reel
DOUBLE LOOP SPECIAL WELL CHAIN				
511-WC20X250	2/0 Electro Galv. 250'	—	43	1 Ctn.



COLD SHUTS AND LINKS

MILD STEEL - ZINC PLATED



For maximum safety, use one size larger than chain size.



Double Clevis

PART NO.	SIZE
COLD SHUTS	
567-51093	3/16"
567-51193	1/4"
567-51293	5/16"
567-51393	3/8"
567-51493	7/16"
567-51593	1/2"
QUICK LINKS	
329-QL18	1/8"
329-QL316	3/16"
329-QL14	1/4"
329-QL516	5/16"
329-QL38	3/8"
329-QL12	1/2"
LAP LINKS	
567-84091	3/16"
567-84291	1/4"
567-84591	5/16"
567-84891	3/8"
MIDLINKS	
567-81180	1/4-5/16"
567-81380	3/8"
567-81480	7/16-1/2"

Grade 43



Grade 70



Grade 43



Grade 43
Zinc Plated



Grade 43

Grade 43
with Safety
Latch



CHAIN HOOKS

PART NO.	Size	WLL
Clevis Grab Hook Gr. 43		
511-G4314	1/4"	2,600
511-G43516	5/16"	3,900
511-G4338	3/8"	5,400
511-G43716	7/16"	7,200
511-G4312	1/2"	9,200
Clevis Grab Hook Gr. 70		
511-G7014	1/4"	3,150
511-G70516	5/16"	4,700
511-G7038	3/8"	6,600
511-G7012	1/2"	11,300
Clevis Slip Hook		
567-M904L	1/4"	2,600
567-M905L	5/16"	3,900
567-M906L	3/8"	5,400
Eye Type Grab Hook		
439-404	1/4"	2,600
439-405	5/16"	3,900
439-406	3/8"	5,400
Weld-On Grab Hook		
WH516	5/16"	3,900
WH538	3/8"	5,400
Safety Slip Hook		
329-HTSH250L	1/4"	2,600
329-HTSH312L	5/16"	3,900
329-HTSH375L	3/8"	5,400



To Order Call Toll Free 877-55 GO SMA 877-554-6762

CLEVISES

STRAIGHT

Extra strong - forged of hi-strength steel - extra tough

PART NO.	BODY DIA.	USEABLE DEPTH	PIN DIA.	WORK LOAD LIMIT
567-MB8134	3/4"	3-3/4"	5/8"	12,000
567-MB8878	7/8"	3-1/4"	3/4"	16,000
567-MB8178	7/8"	4-1/4"	3/4"	16,000
567-MB8190	15/16"	4-5/8"	7/8"	20,000
567-MB8195	1"	5-5/16"	1"	25,000



Heat Treated Pins and Hairpin Locks

TWIST

PART NO.	BODY DIA.	USEABLE DEPTH	PIN DIA.	WORK LOAD LIMIT
567-MB8234	3/4"	3-1/2"	5/8"	12,000
567-MB8078	7/8"	3"	3/4"	16,000
567-MB8278	7/8"	3-7/8"	3/4"	16,000
567-MB8290	15/16"	4-1/4"	7/8"	20,000
567-MB8295	1"	5"	1"	25,000



Heat Treated Pins and Hairpin Locks

SCREW PIN TYPE

PART NO.	BODY DIA.	USEABLE DEPTH	PIN DIA.	WORK LOAD LIMIT
567-MB1646	1/4"	1-1/8"	5/16"	1,000
567-MB1647	5/16"	1-1/4"	3/8"	2,000
567-MB1648	3/8"	1-7/16"	7/16"	3,000
567-MB1649	7/16"	1-11/16"	1/2"	4,000
567-MB1650	1/2"	1-15/16"	5/8"	6,500
567-MB1651	5/8"	2-1/2"	3/4"	9,000
567-MB1652	3/4"	3"	7/8"	13,000
567-MB1653	7/8"	3-1/4"	1"	15,000
567-MB1654	1"	3-3/4"	1-1/8"	17,000
567-MB1655	1-1/8"	4-1/4"	1-1/4"	24,000
567-MB1656	1-1/4"	4-1/2"	1-3/8"	28,000



Screw Pin Shackle Type. For use on Multiple Hitches Where 3 or 4 Implements are Pulled with One Tractor and Crawler Type Tractors.

UTILITY LOOSE PIN TYPE

PART NO.	BODY DIA.	USEABLE DEPTH	PIN DIA.	WORK LOAD LIMIT
567-MB1546	1/4"	7/8"	5/16"	1,000
567-MB1547	5/16"	1"	3/8"	1,500
567-MB1548	3/8"	1-1/4"	7/16"	2,000
567-MB1549	7/16"	1-1/2"	1/2"	3,000
567-MB1550	1/2"	1-11/16"	5/8"	6,000
567-MB1551	5/8"	2"	3/4"	9,000



Forged from Hi-Strength Steel with Heat Treated Pin. MB1548 and MB1549 are Used for Joining Hitch to Harrow Sections.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

LOAD BINDERS – RATCHET

LDR / DR FEATURES:

Uni-Steel, high carbon handle; heavy swaged barrel is cold-drawn tubing instead of welded pipe. Alloy forged heat treated hooks, electro welded links, and forged eyebolts. Double action handles have spring-loaded pawls which assures constant engagement of the pawl in the ratchet wheel. Steel Pawl will always be in the drive or reverse drive operating position at any angle.



QuickBinder

Easier to install than standard ratchet load binders. Three position pawl offers a choice of ratchet extension, take-up or “free spin” setting in either direction for fast adjustment. Loads can be secured in half the time. QuickBinder’s folding handle folds down after the load is secure for safety and allows for convenient storage as well. Faster, safer and more functional than standard ratchet binders. Vinyl coated barrel for a strong, comfortable grip.



0658, 0858



PART NO.	GR 43	GR 70	HANDLE LENGTH	TAKE-UP	WLL and BREAKING STRENGTH
285-LDR38	3/8"	5/16"	12-3/4"	6"	5,400/19,800 lb
285-DR11	3/8"	5/16"-3/8"	14"	6-1/2"	7,100/28,400 lb
285-DR22	1/2"	3/8"	14"	6-1/2"	9,200/33,000 lb
285-0658	3/8"	5/16"	14"	6"	7,100 (WLL) lb
285-0858	1/2"	3/8"	14"	6"	12,000 (WLL) lb

LOAD BINDERS

Easy to operate with more control features built in. The handle closes down away from the load with more leverage. Locks securely.



PART NO.	GR 43	GR 70	HANDLE LENGTH	TAKE-UP	WLL and BREAKING STRENGTH
285-DB1	5/16"	1/4"	11"	3"	2,600/10,400 lb
285-DB2	3/8"	5/16"	16"	4-1/2"	5,400/19,000 lb
285-DB3	1/2"	3/8"	18"	4-1/2"	9,200/28,000 lb

TIGHTENERS



285-DM11

2" Take up, 9" Long Handle, 250 Lb. Work Load Limit

NOTE: Tighteners are not D.O.T. rated



To Order Call Toll Free 877-55 GO SMA 877-554-6762

DURA PULLERS

285-DPT2
2000# capacity,
12 foot pull




285-DPT4

4000# capacity,
6 foot pull



PARTS and ACCESSORIES




REF.	PART NO.	DESCRIPTION
1	285-516HL	5/16" forged hook with latch
2	285-516HSB	5/16" forged hook with snatch block
3	285-516HSW	5/16" forged hook with swivel
4	285-WSG3	Wire stretcher grip with swivel for plain or barbed wire

AIRCRAFT CABLE

Galvanized, aircraft quality, flexible construction, high strength, and "measure marked" per foot, on reels.

Sold per Reel



7 x 19
Cross Section
Extra Flexible

PART NO.	SIZE	FEET/ REEL	BREAKING STRENGTH	WT. / REEL
329-GAC18	1/8"	250	2,000	7
329-GAC181000	1/8"	1,000	2,000	28
329-GAC316	3/16"	250	4,200	16
329-GAC14	1/4"	250	7,000	27
329-GAC516	5/16"	250	9,800	45
329-GAC38	3/8"	250	14,400	50
329-GAC316500	3/16"	500	4,200	33
329-GAC14500	1/4"	500	7,000	55
329-GAC516500	5/16"	500	9,800	87
329-GAC38500	3/8"	500	14,400	122




WIRE CABLE

6 x 19 and 6 x 25 wire rope made of improved plow steel. All constructions are preformed, regular, right lay.

Sold per Reel

Filler Wire
with Fiber Core



6 x 19
(5/16, 3/8")

6 x 25
(1/2, 5/8")

PART NO.	SIZE	FEET/ REEL	BREAKING STRENGTH	WT./ REEL
329-WR516	5/16"	100	8,200	16
329-WR38	3/8"	100	12,000	23
329-WR12	1/2"	100	21,000	42
329-WR58	5/8"	100	33,000	66



WE SUPPLY SUCCESS

WWW.SMALINK.COM

WIRE CABLE CLIPS

MALLEABLE SADDLE



PART NO.	SIZE	CLIPS REQUIRED FOR MAX. STRENGTH
567-86090	1/8"	3
567-86190	3/16"	3
567-86290	1/4"	3
567-86390	5/16"	3
567-86490	3/8"	3
567-86590	7/16"	4
567-86690	1/2"	4
567-86890	5/8"	4
567-86900	3/4"	5



TURNBUCKLES – DROP FORGED

HOOK & EYE



PART NO.	SIZE	O.A.L.
329-TB12X6HE	1/2" x 6"	13-1/2"
329-TB58X6HE	5/8" x 6"	15-1/2"
329-TB34X6HE	3/4" x 6"	17"
329-TB34X12HE	3/4" x 12"	23"
STUB END		
329-TB38X6SE	3/8" x 6"	16"
329-TB12X6SE	1/2" x 6"	16"
329-TB58X6SE	5/8" x 6"	16"
329-TB34X6SE	3/4" x 6"	17"
329-TB78X6SE	7/8" x 6"	18"
329-TB1X6SE	1" x 6"	19"



THIMBLES – WIRE CABLE

HOT GALVANIZED



PART NO.	SIZE	PART NO.	SIZE
329-TH18	1/8"	329-TH516	5/16"
329-TH316	3/16"	329-TH38	3/8"
329-TH14	1/4"	329-TH12	1/2"



To Order Call Toll Free 877-55 GO SMA 877-554-6762

ROPE

UNMANILLA®

Twice as strong but with same look and feel as natural manila. Unique construction ties like manila and holds knots well. Resistant to rot, mildew, marine growth and petroleum products.



PART NO.	SIZE x LENGTH	WLL
474-14176	1/4" x 1200 Ft.	81 Lb.
474-14195	1/2" x 300 Ft.	303 Lb.



TWISTED NYLON

Multi-purpose rope with maximum durability and shock absorbance. Can be spliced. Abrasion and mildew resistant. Color is white.



PART NO.	SIZE x LENGTH	WLL
474-10997	3/8" x 300 Ft.	292 Lb.

HOLLOW BRAID POLY

One of the most popular ropes in use today. The easiest to splice and floats on the surface of water. Resistant to rot, abrasion, mildew, marine growth, petroleum products and many chemicals. Color is yellow.



PART NO.	SIZE x LENGTH	WLL
474-10810	1/4" x 1000 Ft.	81 Lb.
474-10819	5/16" x 500 Ft.	144 Lb.



SOLID BRAID NYLON

Strong, soft, lightweight rope with solid braid construction which stays round. Works well in pullys and will not rotate under load. Resistant to gas, oil and most chemicals. Color is white.

PART NO.	SIZE x LENGTH	TENSILE STRENGTH	WORK L / LIMIT
474-10046	1/8" x 600'	600 Lb.	22 Lb.
474-10093	3/16" x 475'	975 Lb.	44 Lb.
474-10124	1/4" x 200'	1450 Lb.	75 Lb.
474-10131	1/4" x 1000'	1450 Lb.	75 Lb.
474-10146	5/16" x 175'	2000 Lb.	113 Lb.
474-10164	3/8" x 125'	2800 Lb.	23 Lb.
474-10172	3/8" x 500'	2800 Lb.	230 Lb.
474-10186	1/2" x 250'	4300 Lb.	270 Lb.



WE SUPPLY SUCCESS

WWW.SMALINK.COM


ROPE DISPLAYS

BULK ROPE

474-44173	Contains 1 Each:
474-10131	1/4 x 1000' Solid Braid Nylon
474-10172	3/8 x 500' Solid Braid Nylon
474-10186	1/2 x 250' Solid Braid Nylon
474-14176	1/4 x 1200' Unmanilla
474-14195	1/2 x 300' Unmanilla
474-10997	3/8 x 300' Twisted Nylon
474-10819	5/16 x 500' Hollow Braid Poly
474-10810	1/4 x 1000' Hollow Braid Poly
2 Foot Rack	#35001 (FREE order separately)

DROP SHIP ONLY
FREIGHT PREPAID
DISPLAY RACK IS FREE
ORDER #35001

Display shown with optional
rope counter (15462) and cutter (15463).
These are not included with display and
must be ordered seperately.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Table of Contents Section 25

Battery Ground Strap.....	25-7
Battery Post Cleaner, Protectors	25-7
Battery Terminals, Bolts, Nuts & Lugs.....	25-7-25-10
Booster Cables & Battrey Cables	25-7-25-8
Camera Vision Systems	25-1
Charging System	25-6
Circuit Testers.....	25-15-25-16
Electrical Tape	25-15
Electrical Wire Connectors.....	25-18-25-19
Electrical Wiring Accessories	25-15-25-21
Electrical Wiring Tools.....	25-17
Electric Fence Products	25-27-25-28
Extension Cords	25-12
Fuses and Harness Accessories.....	25-12-25-14
Lights – LED & Halogen.....	25-1-25-4
Safety Warning Lights	25-5
Speaker Wire	25-11
Switches	25-23-25-25
Towing & Trailer Lights	25-6
Trailer Wiring and Connectors	25-22
Wire - Electrical	25-11

AGSMART CAMERA VISION SYSTEMS

AVAILABLE IN WIRED OR WIRELESS MODELS

Systems Include 2 Waterproof Night-Vision Cameras, LCD 9-in. Monitor, Remote Control, Audio/Video Cables, Mounting Brackets and 12-VDC Power Adapter.

WIRELESS 811-SC209

- View Both Cameras Simultaneously on the Monitor and Can View Up to 4 Cameras at the Same Time
- Video Inputs for Up to 4 Cameras

WIRED 811-SC209W

- Switch Between 2 Cameras from Monitor's Front Panel
- Video Inputs for Up-to 3 Cameras
- Two Camera Cables (20-ft. & 65-ft.)



LIGHT BARS – LED FLOOD PATTERN

The light bars feature a shock resistant, waterproof black die-cast aluminum housing. High impact polycarbonate lens, prewired 36" lead and stainless steel mounting hardware. Attractive retail packaging.



PART NO.	DESCRIPTION
588-LBF11SE	12 LED's, 2700 Lumen, 11.50" Long. 3.0A at 12v
588-LBF14SE	20 LED's, 4060 Lumen, 14.50" Long. 3.0A at 12v
588-LBF17SE	24 LED's, 5500 Lumen, 17" Long. 6.0A at 12v
588-LBF24SE	40 LED's, 8800 Lumen, 24" Long. 10.0A at 12v
588-LBF35SE	60 LED's, 13200 Lumen, 35" Long. 15.0A at 12v
588-LBF43SE	80 LED's, 16,000 Lumen, 43" Long. 20.0A at 12v
588-LBF53SE	96 LED's, 18,000 Lumen, 53" Long. 24.0A at 12v




WE SUPPLY SUCCESS

WWW.SMALINK.COM

LIGHT BARS – LED

CURVED AND STRAIGHT



SPOT/FLOOD PATTERN

PART NO.	DESCRIPTION
Straight	
588-LBFS24SE	40 LED's, 8800 Lumen, 24" Long. 10.0A at 12v and 10.0A at 24v
588-LBFS35SE	60 LED's, 13200 Lumen, 35" Long. 15.0A at 12v and 15.0A at 24v
588-LBFS43SE	80 LED's, 16,000 Lumen, 43" Long. 20.0A at 12v and 20.0A at 24v
588-LBFS53SE	96 LED's, 18,000 Lumen, 53" Long. 24.0A at 12v and 20.0A at 24v
Curved	
588-LBFS24CE	40 LED's, 8800 Lumen, 24" Long. 10.0A at 12v and 10.0A at 24v
588-LBFS35CE	60 LED's, 13200 Lumen, 35" Long. 15.0A at 12v and 7.5A at 24v
588-LBFS43CE	80 LED's, 16,000 Lumen, 43" Long. 20.0A at 12v and 20.0A at 24v
588-LBFS55CE	96 LED's, 18,000 Lumen, 55" Long. 24.0A at 12v and 12.0A at 24v
Wiring Harness	
588-2401S303	Wiring Harness 9.9 ft. Long, On/Off Switch and Relay



The light bars feature a shock resistant, waterproof black die-cast aluminum housing. High impact polycarbonate lens, prewired 36" lead and stainless steel mounting hardware. Attractive retail packaging.

CUBE WORK LIGHTS – LED

PART NO.	DESCRIPTION
4 LED's Cast Aluminum Alloy Housing and Waterproof IP67 Rated	
588-CFL1200	Flood Pattern, 1200 Lumens, Mtg. Bracket. 3.22" W x 3.15" D x 3" H
588-CSP1200	Spot Pattern, 1200 Lumens, Mtg. Bracket. 3.22" W x 3.15" D x 3" H
588-CFL2000R	Flood Pattern, 2000 Lumens, 4-D Reflector, Mtg. Bracket. 3.22" W x 3.15" D x 3" H
588-CSP2000R	Spot Pattern, 2000 Lumens, 4-D Reflector, Mtg. Bracket. 3.22" W x 3.15" D x 3" H
588-CFL2000RFM	Flush Mount, Flood Pattern, 2000 Lumens, 4-D Reflector. 4.8" W x 3.11" D x 3.62" H
588-CSP2000RFM	Flush Mount, Spot Pattern, 2000 Lumens, 4-D Reflector. 4.8" W x 3.11" D x 3.62" H



CFL2000RFM



CFL2000R



CFL1200

LIGHTS – LED

Cast Aluminum Bodies with Heat Sink and Polycarbonate Lens. LED Lights Have a Longer Life and a Much Lower Amp Draw than HID, Halogen or Sealed Beam Lights.

PART NO.	DESCRIPTION
SQUARE / RECTANGLE	
588-SFL2150	4" Square Flood, 9-30V, Nine 3 Watt LEDs, 2150 Lumen
588-SFL5000	6" x 7" Rect. Flood, 10-75V, Six 10 Watt LEDs, 5000 Lumen
ROUND	
588-RSP1368	4.5" Round Spot, 9-30V, Six 3 Watt LEDs, 1368 Lumen
588-RFL1368	4" Round Flood, 9-30V, Six 3 Watt LEDs, 1368 Lumen
588-RFL2150	4" Round Flood, 9-30V, Nine 3 Watt LEDs, 2150 Lumen



RFL



SFL





LIGHTS – HALOGEN 12V & 24V ASSEMBLIES

HOBBS

High output lamps feature easily adjustable swivel mount and bulb replacement with a high impact polypropylene housing. Hobbs halogen lights have an average bulb life of 400 hours.



PART NO.	DESCRIPTION		PART NO.	DESCRIPTION
3 x 5 LIGHTS		 Trapezoid Pattern	REPLACEMENT BULBS - 3 x 5	
430-7376150	12V Flood 50 watt		430-7240850	12V Flood 50 watt
430-7376450	12V Spot 50 watt		430-7380450	12V Spot 50 watt
430-7376350	12V Trapezoid 50 watt		430-7280150	12V Trapezoid 50 watt
4 x 6 LIGHTS		 Flood Pattern	REPLACEMENT BULBS - 4 x 6	
430-7189850	12V Flood 50 watt		430-7101750	12V Flood 50 watt
430-7190250	12V Spot 50 watt		430-7179250	12V Trapezoid 50 watt
430-7191550	12V Trapezoid 50 watt		430-7254150	24V Flood 60 watt
430-7254050	24V Flood 60 watt		REPLACEMENT BULBS - PAR 36	
430-7254250	24V Trapezoid 60 watt		430-7051050	12V Flood (H7606)
ROUND — PAR 36			430-7072950	12V Trapezoid (H7610)
430-7346850	12V Flood			
430-7346950	12V Trapezoid			

LIGHTS – HALOGEN 12V

High Temp Nylon Body - Tempered Glass Lens - H3 Bulbs



J14600

PART NO.	DESCRIPTION
588-J14600	3 x 3 Flood, 55 Watt, Pivoting Bolt on Mounting Bracket
588-J14570	3 x 5.25 Trapezoid, 55 Watt, Bolt on Bracket
588-J14659	3.5 x 5.25 Flood, Dual 55 Watt Bulbs, Bolt on Bracket
933-H3	Halogen Replacement Bulb
SEALED BEAM — ROUND RUBBERIZED BODY	
588-64931	4-7/8" x 2-3/4" Sealed Beam in Rubberized Body. Import
933-4411	Sealed Beam Replacement Bulb



J14570
J14659



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SAFETY / WARNING LIGHTS

FLASHING OR STEADY – LED

18 Highly visible super bright LED's. They can be seen up to a mile away and attach securely to vehicle with built-in magnets. The lights can be set to flash or steady mode and operate on 4 AA batteries.

Available in red or amber.

- Dual Function
Flashing or Steady
- Approximately 4" x 6"
- Extra Strong Magnets
- Weather Resistant
- Uses 4 'AA' Batteries



201-HF18RHD Red

201-HF18AHD Amber

201-HF18WHD Clear

STROBE LIGHT – 12V

Compact & versatile, featuring advanced optics and lens design for intense bursts. Fully potted, completely sealed to resist dust, moisture and corrosion. Mounting flexibility with magnetic base or 3-hole bolt pattern and 3/4" self-tapping flange for pipe mount.

PART NO.	DESCRIPTION
Low Profile	
870-SL660A	Strobe with Amber Lens
9-ft. Cord & Magnetic Base	
870-0644115	Amber Strobe with 12V Power Plug



LED PORTABLE BEACON

24 Amber LEDs powered by 2 D-Cell batteries, magnetic base for quick mounting. Switch activated light sensor, Indoor/Outdoor use, 4" x 4.75"

588-SL475A



HAZARD FLASHER

Meets D.O.T. standards. Use on farm equipment, trucks, trailers, RV's and cars. Mounts using a magnetic base and requires no wiring or assembly, battery operated. Simply turn it on when needed.

- One Mile Visibility
- Powerful Magnetic Base
- Battery Operated, Requires 4 AA Batteries

PART NO.	DESCRIPTION
201-HF100A	Red / Amber
201-HF100AA	Amber / Amber



TURN SIGNAL / WARNING

Pedastal Mount Amber-Amber Dual Face



201-CP201A
4 inch, 12V



588-J755AA
12 LED's each face

TOWING & TRAILER LIGHTS

TOWING LIGHT KITS

RETAIL PACKAGED



PART NO.	DESCRIPTION
INCANDESCENT	
588-J2024KCD	Under 80" Wide, Includes Stop-Turn-Tail Lights, Marker Lights, Wiring Harness, License Bracket, Connectors in Clamshell Package – Non Submersible –
588-J2044KCD	Over 80" Wide, Includes Stop-Turn-Tail Lights, Marker Lights, Wiring Harness, License Bracket, Connectors in Clamshell Package – Submersible –
LED	
588-J24245KC	Under 80" Wide, Includes Stop-Turn-Tail LED Lights, Wiring Harness, License Bracket, Connectors, in Clamshell Package – Submersible –
588-J72KC	Over 80" Wide, Includes Stop-Turn-Tail LED Lights, Wiring Harness, License Bracket, Connectors in Clamshell Package – Submersible –

BRAKE / TAIL / TURN LIGHTS & EMERGENCY FLASHERS ALL-IN-ONE 12V



201-ATL20A

For use in any general towing application. Easily connects to vehicles in minutes. Includes 20 ft. cord, wiring harness, easy to follow directions and powerful magnetic base.

CHARGE SMART

POWERFUL, COMPACT & PORTABLE JUMP STARTER & CHARGING SYSTEM



588-CS3000

KIT INCLUDES EVERYTHING YOU NEED!

- Mini-Jumper Cables
- USB Multi-Port Cell Phone Chargers
- Assorted Charging Tips for Most
- Portable Electronics Like Tablets, Smartphones & Laptops
- Built-in LED Flashlight
- Wall & Car Charger for Jump Starter
- Convenient Carrying Case



To Order Call Toll Free 877-55 GO SMA 877-554-6762

BOOSTER CABLES



CONSUMER GRADE

- Copper Clad Aluminum is an Economical Alternative to Expensive Copper
- Color Coded Clamps & Cable
- Attractive Retail Packaging

500P
2 Per Bag




PART NO.	LENGTH	AMP	GAUGE
CONSUMER GRADE COPPER CLAD ALUMINUM CABLE			
677-412CCA	12 FT.	400	4
677-416CCA	16 FT.	400	4
677-420CCA	20 FT.	400	4
975-W1669	20 FT.	600	2
PROFESSIONAL GRADE 100% COPPER CABLE			
677-MTP416	16 FT.	500	4
677-MTP220	20 FT.	500	2
677-MTE120	20 FT.	600	1/0
975-W1667	20 FT.	500	4
CLAMPS FOR BOOSTER CABLES			
677-400LPJ	—	400	—
677-500P	—	500	—



MTE120

PROFESSIONAL GRADE

- 1/0 Ga. Welding Cable
- Tangle Proof Duplex Cable
- Flexible at All Temperatures
- Polarity Color Coded Clamps and Cable
- Attractive Retail Packaging



400LPJ
2 Per Card

BATTERY TERMINAL PROTECTORS

PREVENT:

- Loss of cranking power
- Loss of charge due to electrical leakage
- Increased water consumption from overcharging
- Increased fuel consumption from energy required for overcharging

PART NO.	DESCRIPTION
677-652TP	2 per card
677-643TP	100 per can



Post
Type
Terminal

BATTERY POST CLEANER

Contains 2 wire brushes, for battery posts and cable terminals.




975-W147C



975-W147FB
20 pc. Fishbowl

BATTERY JUMPER CABLE



1 GAUGE BLACK COVER

PART NO.	LENGTH
290-346212	12"
290-346224	24"
290-346236	36"

BATTERY GROUND STRAP 4 GAUGE



PART NO.	LENGTH
290-346306	6-1/2"
290-346309	9"
290-346311	11"
290-346313	13-1/2"

PART NO.	LENGTH
290-346316	16-1/2"
290-346319	19"
290-346323	24"
290-346327	27"



WE SUPPLY SUCCESS

WWW.SMALINK.COM

BATTERY CABLES

TOP POST 1-GAUGE WITH BLACK COVER

PART NO.	LENGTH
290-346110	10"
290-346114	14"
290-346117	17"
290-346119	19"
290-346124	24"
290-346127	27"
290-346131	31"
290-346134	34"

PART NO.	LENGTH
290-346138	38"
290-346142	42"
290-346148	48"
290-346153	53"
290-346158	58"
290-346165	65"
290-346172	72"




GENERAL PURPOSE

Copper stranded conductor with a smooth vinyl plastic insulation.
Resistant to abrasion, weather, oil and acids.
Meets or exceeds O.E.M. specifications.



PART NO.	GAUGE	LEN/ROLL	COLOR
290-C52425R	4	25'	Red
290-C52425B	4	25'	Black
290-C524B	4	100'	Black
290-C52225B	2	25'	Black
290-C52225R	2	25'	Red
290-C52125B	1	25'	Black
290-C52125R	1	25'	Red
290-C521B	1	100'	Black
290-C525B	1/0	100'	Black
290-C52525R	1/0	25'	Red
290-C52525B	1/0	25'	Black
290-C52625B	2/0	25'	Black
290-C52625R	2/0	25'	Red
290-C526B	2/0	100'	Black



BATTERY TERMINALS



677-7000U
STANDARD

FITS CABLE SIZE
#6 to 00 Cable
Come 10 Per Card
O/M 1 Card



677-7510
HEAVY DUTY

FITS CABLE SIZE
#1 to 4/0 Cable
Come 10 Per Card
O/M 1 Card



220-901045

FITS CABLE SIZE
#1 to 3/0 Cable
Order Multiple 1



677-999L1
EMERGENCY
TYPE
SIDE MOUNT

3/8" Bolt Size



To Order Call Toll Free 877-55 GO SMA 877-554-6762

BATTERY TERMINALS

SIDE TERMINAL CHARGING POST

677-STCP2J



(Card of 2)

QUICK DISCONNECT TERMINAL

Designed for top-post batteries. For use in passenger cars, light duty trucks, farm equipment, marine, recreational and all-terrain vehicles.

Cable easily detaches from battery with twist of knob for anti-theft protection and to help prevent electrical drain.

Fits both positive and negative posts.



677-8841

1 per card

BATTERY TERMINAL BOLT & NUT

Part No.	Description
677-823B	Zinc Plated 5/16" x 1-3/8" Square Head. Bag of 50
677-00324	Zinc Plated 5/16" x 1-3/8" Square Head. Card of 2
753-6014010	Tin Plated Box of 10



COPPER LUGS

PART NO.	GAUGE	STUD
677-115A	1	3/8"
677-115E	1	1/2"
677-808A	4	3/8"
677-808B	4	5/16"
677-125A	1/0	3/8"
677-125E	1/0	1/2"
677-150A	2/0	3/8"
677-150E	2/0	1/2"



CRIMP & CUTTING TOOLS



753-4255001
LEVER STYLE
CRIMPING TOOL
8 ga. - 6/0



753-4275001
CABLE CUTTER
8 ga. - 3/0




753-4266001
HAMMER STYLE
CRIMPING TOOL
8 ga. - 6/0

BATTERY TERMINALS

- Components are Tin Plated Twice as Thick as Industry Standards
- Clamps Include 5/16" Bolts and Nuts
- Nuts are Color Coded
- Compression Terminals Include Compression Nuts
- Resists Corrosion with Copper Alloy and Patented Silicon Additive

CRIMP – DIE CAST COPPER


ORDER MULTIPLE 1 BOX OF 5



Flag Terminal



Copper Lug



Elbow Terminal

PART NO.	TYPE	GAUGE
753-4310005N	1	1/0
753-4310005P	1	1/0
753-4320005P	1	2/0
753-4320005N	1	2/0
753-4804005F 3/8" Stud	2	4
753-4801005F 3/8" Stud	2	1
753-4810005F 3/8" Stud	2	1/0
753-4820005F 3/8" Stud	2	2/0
753-4820005H 1/2" Stud	2	2/0
753-4120005P RH	3	2/0
753-4120005N RH	3	2/0
753-4220005P LH	3	2/0
753-4220005N LH	3	2/0


PART NO.	TYPE	GAUGE
753-4004005N	4	4
753-4004005P	4	4
753-4001005P	4	1
753-4001005N	4	1
753-4010005N	4	1/0
753-4010005P	4	1/0
753-4020005P	4	2/0
753-4020005N	4	2/0



Straight Terminal

COMPRESSION

ORDER MULTIPLE 1 BOX OF 5



Flag Terminal




Elbow Terminal

PART NO.	TYPE	GAUGE
753-5320005P	1	2/0
753-5320005N	1	2/0
753-5804005F	2	4
753-5802005F	2	1
753-5820005F	2	2/0
753-5220005P LH	3	2/0
753-5220005N LH	3	2/0
753-5120005P RH	3	2/0
753-5120005N RH	3	2/0



Copper Lug

PART NO.	TYPE	GAUGE
753-5004005N	4	4
753-5004005P	4	4
753-5002005N	4	1
753-5002005P	4	1
753-5020005N	4	2/0
753-5020005P	4	2/0



Straight Terminal



Compression Terminal Assembly

WIRE - ELECTRICAL

The basic wire for autos, trucks and numerous other wiring projects.
Vividly colored vinyl insulation on flexible stranded copper.



PART NO.	DESCRIPTION	FT. / PKG.
PRIMARY WIRE - CARDED		
141-180F	Primary Wire 18 Gauge Black	30
141-182F	Primary Wire 18 Gauge Red	30
141-185F	Primary Wire 18 Gauge Green	30
141-186F	Primary Wire 18 Gauge Blue	30
141-187F	Primary Wire 18 Gauge Yellow	30
141-188F	Primary Wire 18 Gauge Brown	30
141-189F	Primary Wire 18 Gauge White	30
141-160F	Primary Wire 16 Gauge Black	20
141-162F	Primary Wire 16 Gauge Red	20
141-165F	Primary Wire 16 Gauge Green	20
141-166F	Primary Wire 16 Gauge Blue	20
141-167F	Primary Wire 16 Gauge Yellow	20
141-168F	Primary Wire 16 Gauge Brown	20
141-169F	Primary Wire 16 Gauge White	20
141-140F	Primary Wire 14 Gauge Black	15
141-142F	Primary Wire 14 Gauge Red	15
141-145F	Primary Wire 14 Gauge Green	15
141-146F	Primary Wire 14 Gauge Blue	15
141-147F	Primary Wire 14 Gauge Yellow	15
141-148F	Primary Wire 14 Gauge Brown	15
141-149F	Primary Wire 14 Gauge White	15
141-120F	Primary Wire 12 Gauge Black	12
141-122F	Primary Wire 12 Gauge Red	12
141-125F	Primary Wire 12 Gauge Green	12
141-126F	Primary Wire 12 Gauge Blue	12
141-127F	Primary Wire 12 Gauge Yellow	12
141-128F	Primary Wire 12 Gauge Brown	12
141-129F	Primary Wire 12 Gauge White	12
141-100F	Primary Wire 10 Gauge Black	8
141-102F	Primary Wire 10 Gauge Red	8
141-105F	Primary Wire 10 Gauge Green	8
141-106F	Primary Wire 10 Gauge Blue	8
141-107F	Primary Wire 10 Gauge Yellow	8
141-108F	Primary Wire 10 Gauge Brown	8
141-109F	Primary Wire 10 Gauge White	8

PART NO.	DESCRIPTION	FT.
WIRE - BULK SPOOL		
677-1254	Trailer Wire 14/4 Gauge	100
677-03200	Trailer Wire 16/2 Gauge	100
141-182C	Primary Wire 18 Gauge Red	100
677-116B	Primary Wire 16 Gauge Black	100
141-162C	Primary Wire 16 Gauge Red	100
677-11635BL	Primary Wire 16 Gauge Blue	35
677-11635Y	Primary Wire 16 Gauge Yellow	35
141-140C	Primary Wire 14 Gauge Black	100
141-142C	Primary Wire 14 Gauge Red	100
141-145C	Primary Wire 14 Gauge Green	100
677-112B	Primary Wire 12 Gauge Black	100
677-112R	Primary Wire 12 Gauge Red	100
677-11215Y	Primary Wire 12 Gauge Yellow	15
677-110B	Primary Wire 10 Gauge Black	100
677-110R	Primary Wire 10 Gauge Red	100
677-11010Y	Primary Wire 10 Gauge Yellow	10



SPEAKER WIRE

PART NO.	DESCRIPTION	FT./ PKG.
CARDED		
141-222F	Speaker Wire 18 AWG	25



WE SUPPLY SUCCESS

WWW.SMALINK.COM

EXTENSION CORDS



- Extension cords are UL listed
- Rugged PVC-coated cable
- Grounded - 3 conductor
- Indoor/Outdoor sets

PART NO.	GAUGE	LENGTH	PACKAGE
677-90R	16/3	25'	Sleeve
677-91R	16/3	50'	Sleeve
677-93R	16/3	100'	Sleeve
677-94R	14/3	25'	Sleeve
677-95R	14/3	50'	Sleeve
677-97R	14/3	100'	Sleeve



FUSES – AUTO



978-45232

PART NO.	DESCRIPTION
978-45232	Maxi Blade Fuse Assortment 24 Piece
978-45237	Mini Fuse Assortment, Low Profile, 36 Piece
978-45230	Master Auto Fuse Assortment, 88 Piece
978-45229	Mini Blade Fuse Assortment 96 Piece
978-45227	ATO Blade Fuse Assortment 96 Piece

All Assortments in Convenient Resealable Plastic Case



978-45229



978-45230



978-45227

FUSES – ELECTRICAL



Maximum Equipment Protection

Use for well pumps, irrigation systems, catfish aeration equipment and many other heavy duty electrical applications



PART NO.	DESCRIPTION		O/M
139-ECNR30	30 AMP	250 V	10
139-ECNR60	60 AMP	250 V	10
139-ECNR100	100 AMP	250 V	5
139-ECSR175	17.5 AMP	600 V	10
139-ECSR30	30 AMP	600 V	10
139-ECSR60	60 AMP	600 V	10
139-ECSR100	100 AMP	600 V	5
139-ECSR200	200 AMP	600 V	1

FUSES - AUTOMOTIVE

MODULAR FUSE DISPLAY

510-MRS1 ATO

CONTENTS:

Qty.	Part No.	Qty.	Part No.
5	ATO1	15	ATO10
5	ATO2	15	ATO15
5	ATO3	20	ATO20
5	ATO4	10	ATO25
10	ATO5	15	ATO30
10	ATO75	5	ATO40



MRS1 MRS2

510-MRS2 MINI / MAX

CONTENTS:

Qty.	Part No.	Qty.	Part No.
5	MIN2	15	MIN25
5	MIN3	15	MIN30
5	MIN4	2	MAX20
10	MIN5	3	MAX30
10	MIN75	2	MAX40
15	MIN10	2	MAX50
20	MIN15	3	MAX60
20	MIN20		



FUSES – BOXED

- 5 Fuses per box
- Packed in resealable easy-to-store plastic boxes
- O.E. Approved

ORDER MULTIPLE 5

Glass AGC & SFE

AGC3
AGC10
AGC15
AGC20
AGC25
AGC30
SFE9
SFE14
SFE20
AGW15



Blade ATO Autofuse®

ATO3
ATO4
ATO5
ATO75
ATO10
ATO15
ATO20
ATO25
ATO30



Mini® Blade

MIN2
MIN3
MIN4
MIN5
MIN75
MIN10
MIN15
MIN20
MIN25
MIN30



Maxi™ Blade

MAX20
MAX30
MAX40
MAX50
MAX60

(maxi fuse 1 per box)



FUSES – CARDED

ORDER MULTIPLE 1

AGC Glass

PART NO.	AMP	QTY
141-2408E	7.5	2
141-2409E	10	2
141-2412E	25	2



ATO Blade

PART NO.	AMP	QTY
141-2431E	5	2
141-2433E	10	2
141-2434E	15	2
141-2435E	20	2
141-2436F	25	2
141-2437E	30	2
141-2475F	Assort.	6
Domestic Car Assort.		
141-2476H	—	6

Mini-Blade

PART NO.	AMP	QTY
141-20301F	3	2
141-20303F	5	2
141-20304F	7.5	2
141-20305F	10	2
141-20307F	20	2
141-20308F	30	2
Smart Glow Mini®		
141-111001	10	2
141-111002	15	2
141-111003	20	2



Maxi-Blade

PART NO.	AMP	QTY
141-20310F	20	1
141-20311F	30	1
141-20312F	40	1
141-20313F	50	1
141-20314F	60	1
141-20315F	80	1
Big Blade Smart		
141-101001	10	2
141-101002	15	2
141-101003	20	2
141-101005	30	2



WE SUPPLY SUCCESS

WWW.SMALINK.COM

FUSE AND HARNESS ACCESSORIES

FUSE HARNESS

PART NO.	DESCRIPTION
141-206H	Fusible Link Ford #18 5/16" Ring
141-2525F	Licence Plate Light
141-2515F	Plug 4-Pole Female with 48" Wire
141-2530H	Harness GM 71-Up Alternator Plug Transistor

FUSE POWER TAP

PART NO.	DESCRIPTION	PER PKG
141-1208H	For ATO Blade	10
141-1212H	For Glass	19
141-7930F	Glass with Terminal	2
141-7931F	ATO with Terminal	2



FUSE BLOCK

PART NO.	DESCRIPTION
141-2454F	Six Position ATO Fuse Block

FLASHER – 12V

- 550 Flasher 3 Terminal 12V
- For Most Heavy Duty Applications



PART NO.
510-550BP
ORDER MULTIPLE 5

FUSE HOLDERS



510-FNY1BP

ORDER MULTIPLE 5

- Universal In-Line Fuse Holder
- For Glass Fuses
- Rated Up to 20 Amps
- 8 Inch Loop of 14 Gauge Wire



Carded

510-FHA1BP

- Universal In-Line Fuse Holder
- For ATO Blade Fuses
- Rated Up to 20 Amps
- 4 Inch Loop of 16 Gauge Wire



Carded



1232H



20325F



2528H

2529H



2526H 2467F 2468F



2527H

PART NO.	DESCRIPTION
IN-LINE FUSE HOLDERS	
141-1232H	ATO Glass with 20A Fuse 2/pkg
141-20325F	ATO Glass 12 Gauge Wire HD
141-2467F	For Glass with 12 Ga. Wire & 20A Fuse
141-2468F	For Glass with 10 Ga. Wire & 30A Fuse
141-2526H	For Glass with 16 Ga. Wire & 14A Fuse
141-2527H	For Glass with 12 Ga. Wire & 30A Fuse
141-2528H	ATO Blade with 16 Gauge Wire
141-2529H	ATO Blade with 12 Gauge Wire
POWER BLOCKS	
141-7785F	Up to 4 ga. Input with 4 Outputs Up to 8 ga. Rectangular
141-7786F	Up to 4 ga. Input with 4 Outputs Up to 8 ga. Triangular

ELECTRICAL TAPE

PART NO.	DESCRIPTION
069-1088276	60 ft. Roll Black 3/4" Vinyl, 7 mil Thick



ELECTRICAL WIRING CLIPS & CLAMPS

TEST CLIPS AND LEADS

PART NO.	DESCRIPTION	PCS / PKG
141-218H	2" Alligator Test Clips 22-14 AWG	6
141-220H	1" Alligator Test Clips 22-14 AWG	2
141-219F	Pair 30" Test Leads 22-14 AWG	1
141-225F	Pair 30" Test Leads 10A Heavy Duty	1



CHARGING CLIPS

Spring loaded teeth hold fast and secure. Plating resists rust and corrosion. Interlocking necks prevent jaw offset. Wire can be attached with crimping ears or threaded screw.

PART NO.	DESCRIPTION	ORDER MULTI.
141-241H	Charging Clips 10 Amp 16-14 AWG. 4/pkg.	1 Pkg.
677-815B	Charging Clips 10 Amp 16-14 AWG. Bulk	1 Ea.
677-817B	Charging Clips 25 Amp. Bulk	1 Ea.
677-818B	Charging Clips 50 Amp. Bulk	1 Ea.



INSULATED CLAMPS

All metal construction with color-coded vinyl insulators for safety. Matched crimping ears grip wire securely. Jaws clamp solidly on terminals.

PART NO.	DESCRIPTION
677-50APJ	Insulated Charging Clamps 50 Amp. 2 per Package
141-253F	Insulated Charging Clamps 30 Amp. 2 per Package



CIRCUIT TESTERS

POCKET AUTOMOTIVE 12V TESTERS

Handy pocket tester for checking automotive circuits, 12V test light and insulated lead.



574-S1235



141-233F



WE SUPPLY SUCCESS

WWW.SMALINK.COM

CIRCUIT TESTERS

DIGITAL CIRCUIT TESTERS

PART NO.	DESCRIPTION
141-232F	Digital Circuit Tester. 12 Volt, Replaceable bulb, sharp point to penetrate low voltage wire. Insulated strong clip for positive connection.
975-W2975C	Digital Circuit Tester, 12 Volt, Heavy duty wire probe and coiled wire test lead.
978-11436	Digital Circuit Tester



141-232F



978-11436

DELUXE HI-LOW CIRCUIT TESTER

141-230F



Durable 6-24 volt high quality, professional tester for checking circuits in automotive applications. Replaceable bulb, sharp point to pierce low voltage wire insulation. Fully insulated with strong clip for positive connection.

BATTERY & ALTERNATOR VOLTAGE ANALYZER

141-235F



LED lights indicate high, normal or low alternator voltage output and normal, low or flat level of battery charge. Durable case with magnetic strip on back adheres to the fender for safe operation.

BATTERY & CHARGING SYSTEM TESTER

574-1260



Load test 6 volt and 12 volt automobile and truck batteries.
Rated up to 1,000 cold cranking amps.

DIGITAL MULTIMETER 17-RANGE

141-66430



Diagnostic functions: DC voltage to 500V; AC voltage to 500V; DC amperage to 200mA; Ohms to 2M; 1.5V/9V battery test with load; Continuity test; Alternator diode test; Sign wave test; Low meter battery warning; Reverse polarity warning. Includes color coded safety test probes, 9V battery and one year warranty. Diode and fuse protected circuitry. UL listed.

ELECTRICAL WIRING TOOLS


PART NO.	DESCRIPTION
CRIMPERS & STRIPPERS	
141-5002F	This economical tool cuts and strips 22-10ga. wire. Crimps insulated terminals including 7mm ignition terminals. Insulated grips.
141-5003F	This deluxe tool cuts and strips 22-10ga. wire. Crimps insulated terminals including 7mm ignition terminals. Insulated grips.
677-865C	The StripCrimper® cuts and strips wire, crimps insulated terminals and re-threads bolts.
141-5008F	Multifunction tool with self adjusting stripper. Cuts and strips 26-10ga. wire, crimps insulated and non-insulated terminals. Cushion grip handles.
141-5011F	Ratchet crimping tool with a precise professional crimp every time on 22-10ga. insulated terminals. Release controlled ratched mechanism, non-slip grip handles.
141-5020F	E-Z Stripper. A heavy duty tool that automatically adjusts to strip 10-24ga. or smaller wire using a micro-adjust knob. Crimps 22-10ga. insulated or non-insulated terminals.
141-5021F	Pocket sized butane torch with angled head.
WIRING CONNECTOR KITS	
141-6991F	DIY Kit Includes economy crimper/stripper tool plus 25 piece assorted terminals in reusable box.
141-6992F	95 Piece kit includes crimper/stripper tool and assortment of terminals in durable case.
141-6982F	83 Piece terminal assortment of disconnects, rings, spades and butt-connectors in handy blister slide box.
141-6986F	Large 180 piece assortment of common electrical terminals in a clear case. Includes male and female disconnects, rings, spades and butt-connectors.
975-W5207	285 piece automotive electrical repair kit. Two part plastic case opens 180° for easy access. Great for auto, agricultural, marine and industrial applications.



5002F




5003F



5008F



5011F



5020F



6992F



6982F



W5207



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ELECTRICAL WIRE CONNECTORS

PART NO.	DESCRIPTION	PER PKG
BUTT CONNECTORS		
141-2060C	22-18 AWG Red Vinyl	100
141-2060H	22-18 AWG Red Vinyl	20
141-2065H	22-18 AWG Red Nylon	14
141-2370H	22-18 AWG Red Water Proof	3
141-2061C	16-14 AWG Blue Vinyl	100
141-2061H	16-14 AWG Blue Vinyl	20
141-2066H	16-14 AWG Blue Nylon	14
141-2371H	16-14 AWG Blue Water Proof	3
141-2062H	12-10 AWG Yellow Vinyl	14
141-2067H	12-10 AWG Yellow Nylon	8
141-2372H	12-10 AWG Yellow Water Proof	3
141-2063H	8 AWG Red Vinyl	2
141-2156H	22-10 AWG Assortment	17
141-2379F	Solder Seal Assortment	9
RING TERMINALS — INSULATED WIRE		
141-2002H	22-18 AWG Red # 10 Stud	19
141-2003H	22-18 AWG Red 1/4" Stud	14
141-2006H	16-14 AWG Blue # 6 Stud	19
141-2007H	16-14 AWG Blue # 8 Stud	19
141-2008C	16-14 AWG Blue # 10 Stud	100
141-2008H	16-14 AWG Blue # 10 Stud	19
141-2009H	16-14 AWG Blue 1/4" Stud	14
141-2010H	16-14 AWG Blue 5/16" Stud	14
141-2011H	16-14 AWG Blue 3/8" Stud	14
141-2013H	12-10 AWG Yellow # 8 Stud	14
141-2014H	12-10 AWG Yellow # 10 Stud	14
141-2015H	12-10 AWG Yellow 1/4" Stud	12
141-2016H	12-10 AWG Yellow 5/16" Stud	12
141-2017H	12-10 AWG Yellow 3/8" Stud	12
141-2018H	12-10 AWG Yellow 1/2" Stud	7
141-2020H	8 AWG Red 1/4" Stud	4
141-2021H	8 AWG Red 5/16" Stud	4
141-2022H	8 AWG Red 3/8" Stud	4

PART NO.	DESCRIPTION	PER PKG
COPPER LUGS		
141-1305F	Copper Lug 6 AWG 3/8" Stud	5
141-1309F	Copper Lug 4 AWG 3/8" Stud	5
141-1314F	Copper Lug 2 AWG 3/8" Stud	5
141-1035H	Copper Lug H.D. 2 AWG 3/8" Stud	2
753-5956010F	Copper Lug 2 AWG 3/8" Stud	5
753-5956010H	Copper Lug 2 AWG 1/2" Stud	5
753-4920005F	Plated Copper Lug 2 AWG 3/8" Stud	5
753-4920005H	Plated Copper Lug 2 AWG 1/2" Stud	5
SPLICES & TAPS		
141-12201H	Tap Splice 18-14 AWG	7
141-12202H	Mid-Line Tap 22-16 AWG	6
141-1220C	Mid-Line Tap 18-14 AWG	100
141-1220H	Mid-Line Tap 18-14 AWG	6
141-2122H	Main T-Tap Set 16-14 AWG	4



Copper Lugs



Splices & Taps



Butt Connectors



Ring Terminals



To Order Call Toll Free 877-55 GO SMA 877-554-6762

ELECTRICAL WIRE CONNECTORS

PART NO.	DESCRIPTION	PER PKG
CONNECTOR CAP		
141-1216H	22-14 AWG Nylon Cap	15
141-1217H	10-12 AWG Nylon Cap	10
141-1222H	18-12 AWG Soft Vinyl Cap	6
141-1223B	18-8 AWG Premium Vinyl Cap	4
141-2158H	22-12 AWG Assortment	12
HEAT SHRINK TUBING		
141-4004H	3/16" x 4" Black Tube	7
141-4005H	1/4" x 4" Black Tube	6
141-4006H	3/8" x 4" Black Tube	6
141-4051H	3/16", 1/4" & 3/8" x 4" Assort.	8
141-4052H	1/2", 3/4" & 1" x 4" Assortment	5
141-4053H	1/16" to 1/4" x 4" Assortment	7
753-5613005	3/4" x 6" Black Heavy Walled, Lined with Permanent Sealer. For 4-2/0 ga. Wire.	5
753-5614005	3/4" x 6" Red Heavy Walled, Lined with Permanent Sealer. For 4-2/0 ga. Wire.	5
753-5613010B	3/4" x 1-1/2" Black Heavy Walled, Lined with Permanent Sealer. For 4-2/0 ga. Wire.	5
753-5614010R	3/4" x 1-1/2" Red Heavy Walled, Lined with Permanent Sealer. For 4-2/0 ga. Wire.	5



Assortment

Heat Shrink Tubing



Connector Caps

Bullet Connectors



Fully Insulated Quick Slides



Spade Connectors



Piggyback



Insulated Barrel

PART NO.	DESCRIPTION	PER PKG
BULLET CONNECTORS – INSULATED		
141-2111H	16-14 AWG Male	20
141-2112H	16-14 AWG Female	20
141-1213H	16-14 AWG Double Female	9
QUICK SLIDE NYLON CONN. – INSULATED		
141-2114H	22-18 AWG Red Female 1/4"	10
141-2115H	22-18 AWG Red Male 1/4"	10
141-2116H	16-14 AWG Blue Female 1/4"	10
141-2117H	16-14 AWG Blue Male 1/4"	10
141-2118H	12-10 AWG Yellow Fem. 1/4"	7
141-2119H	12-10 AWG Yellow Male 1/4"	7
141-2121H	16-14 AWG Blue Pair M/F 1/4"	5
QUICK SLIDE VINYL CONN. – INSUL. BARREL		
141-2102H	22-18 AWG Red Female 1/4"	19
141-2103H	22-18 AWG Red Male 1/4"	19
141-2104H	16-14 AWG Blue Female 3/16"	19
141-2104AH	16-14 AWG Blue Male 3/16"	19
141-2105C	16-14 AWG Blue Fem. 1/4"	100
141-2105H	16-14 AWG Blue Fem. 1/4"	20
141-2106H	16-14 AWG Blue Male 1/4"	17
141-2107H	12-10 AWG Yellow Fem. 1/4"	15
141-2108H	12-10 AWG Yellow Male 1/4"	15
141-2113H	12-10 AWG Yellow Fem. 3/8"	7
141-2120H	22-18 AWG Red Pair M/F 1/4"	5
141-2155H	20-10 AWG Assortment	18
141-2109H	16-14 AWG Piggyback 1/4"	9
SPADE CONNECTOR – INSULATED BARREL		
141-2052H	22-18 AWG Red #10 Stud	19
141-2054H	16-18 AWG Blue #8 Stud	19
141-2055H	16-18 AWG Blue #10 Stud	19
141-2058H	12-10 AWG Yellow #10 Stud	14



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ELECTRICAL WIRING ACCESSORIES




PART NO.	DESCRIPTION	PCS/ PKG
CABLE KEEPER CLAMP		
141-4602H	White Clamps 1/4"	25
141-4603H	White Clamps 5/16"	25
141-4604H	White Clamps 3/8"	22
141-4606H	White Clamps 1/2"	15
141-4650H	White Clamps Assortment 1/8", 1/4" & 3/16"	18
GROMMET		
141-4402H	Vinyl 3/8" Grommets	13
141-4404H	Vinyl 1/2" Grommets	11
141-4405H	Vinyl 5/8" Grommets	7
141-4450H	Vinyl Grommets Assortment 1/4", 5/16" & 3/8"	13
141-4452H	Vinyl Grommets Assortment 21/32", 7/8", 1", 1-3/8"	4
141-4453H	Vinyl Grommets Assortment 1/4" to 7/8"	9
975-W5214	Rubber Grommets, 125 Piece Assortment	
WIRE LOOM — POLY		
141-4251F	Flex Tube One 10 ft. Piece Each 3/8" & 1/2" Blk	2
141-4304F	Flex Tube 1/4" x 14 ft. Black	1
141-4305F	Flex Tube 3/8" x 10 ft. Black	1
141-4306F	Flex Tube 1/2" x 7 ft. Black	1
141-4307F	Flex Tube 3/4" x 5 ft. Black	1

NYLON WIRE TIES

PART NO.	DESCRIPTION	PCS/ PKG
4" Length		
141-4701H	White 18 Lb. Strength	31
141-4702H	Black 18 Lb. Strength	31
141-47012H	Red 18 Lb. Strength	31
141-47016H	Blue 18 Lb. Strength	31
141-47017H	Yellow 18 Lb. Strength	31
5.5" Length		
141-4703H	White 18 Lb. Strength	25
141-4704H	Black 18 Lb. Strength	25
141-47032H	Red 18 Lb. Strength	25
141-47036H	Blue 18 Lb. Strength	25
141-47037H	Yellow 18 Lb. Strength	25
7.5" Length		
141-4705H	White 18 Lb. Strength	14
141-4706H	Black 18 Lb. Strength	14
141-47052H	Red 18 Lb. Strength	14
141-47056H	Blue 18 Lb. Strength	14
141-47057H	Yellow 18 Lb. Strength	14

PART NO.	DESCRIPTION	PCS/ PKG
11.5" Length		
141-4707H	White 18 Lb. Strength	14
141-4708H	Black 18 Lb. Strength	14
141-47072H	Red 18 Lb. Strength	14
141-47076H	Blue 18 Lb. Strength	14
141-47077H	Yellow 18 Lb. Strength	14
14.5" Length		
141-4709H	White 18 Lb. Strength	8
141-4710H	Black 18 Lb. Strength	8
SCREW MOUNT		
141-4725H	Black 18 Lb. Strength	—
ADHESIVE MOUNT		
141-4735H	White 18 Lb. Strength	—



To Order Call Toll Free 877-55 GO SMA 877-554-6762

ELECTRICAL WIRING DISPLAY MERCHANDISING 3-WING SPINNER

9003 Series Three Wing Wiring Display

141-9003



The '9003' is a three wing display intended for general low voltage electrical applications. It has been successful in the RV, Farm & Fleet, Hardware, and Electronics markets.

It features most of the same categories of products as the four wing 9000 display, but with a more focused offering and lacks some automotive specific items.

- Wire (5 Gauges - 7 colors each)
- Heat shrink wire terminals
- Vinyl wire terminals
- Nylon wire terminals
- Switches and indicator lights
- Trailer wire
- Trailer plugs and adapters
- Wire tools and testers
- Heat shrink tubing
- Split loom tubing
- Wire ties
- Fuses and fuse holders
- Wire clips
- 226 SKUs total!

TRAILER WIRING CONNECTORS

MOLDED



PART NO.	DESCRIPTION
677-74275	2 Pole Male, 8" Wire
677-74295	2 Pole Female, 8" Wire
220-47965	2 Pole Pair, 12" Wire Loop
141-2503H	3 Pole Pair, 12" Wire
141-2504H	4 Pole Plug Set 12" Wire
677-74475	4 Pole Male, 8" Wire
677-74495	4 Pole Female, 8" Wire

PART NO.	DESCRIPTION
141-2515F	4 Pole Female, 48" Wire
141-2516F	4 Pole Male, 48" Wire
141-2512F	4 Pole Waterproof Pair
141-2505F	4 Pole Kit with Wire & Connectors
141-2513F	5 Pole Waterproof Pair
141-2514F	6 Pole Waterproof Pair
141-2509F	5 Wire to 4 Wire Adaptor Kit

TRAILER WIRING

MULTI-CONDUCTOR



PART NO.	DESCRIPTION	FT./ PKG.
CARDED		
141-2523F	16 Gauge 3 Conductor	25
141-2522F	16 Gauge 4 Conductor	25



TRAILER PLUG ADAPTERS



220-47355



220-47305

PART NO.	DESCRIPTION
220-47305	6 Wire Round Receptacle to 4 Wire Flat
220-47355	7 Wire RV Blade Receptacle to 4 Wire Flat
220-47405	7 Wire Round Receptacle to 4 Wire Flat
220-47545	7 Wire RV Blade Receptacle to 6 Wire Round
220-47565	7 Wire RV Blade Receptacle to 4 Wire Flat or 6 Wire Round
220-47595	7 Wire RV Blade Receptacle to 7 Pin Round



220-47405



220-47545

TRAILER PLUG CONNECTORS



220-48435



220-48325

PART NO.	DESCRIPTION
220-48305	4 Wire Round Receptacle
220-48435	6 Wire Round Receptacle
220-48325	4 Wire Round Male Plug
220-48445	6 Wire Round Male Plug
220-52024	7 Wire Round Male Plug



220-48445

220-48305



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SWITCHES TOGGLE

PART NO.	DESCRIPTION
BAKE-LITE 15A - 12V	
141-2641F	On-Off S.P.S.T. with Screw Terminals
HEAVY DUTY with Screw Terminals	
141-2642F	25A On-Off S.P.S.T.
141-2643F	25A On-Off S.P.S.T. Marine Rated
141-2644F	25A On-Off-On S.P.D.T.
141-2648F	30A On-Off-On D.P.S.T. Momentary - Returns to Center When Released
ALL METAL — DUCKBILL HANDLE	
141-2653J	20A On-Off S.P.S.T. with Screw Terminals
141-2913F	50A On-Off S.P.S.T. with Screw Terminals
141-2918F	50A On-Off-On S.P.D.T. Screw Terminals
ILLUMINATED — DUCKBILL HANDLE Glows When On, Mounts in 1/2" Hole or Panel 2650E	
141-2612J	Red 20A - 12V On-Off S.P.S.T.
141-2622J	Red 20A - 12V On-Off S.P.S.T. Short Handle
141-2615J	Green 20A - 12V On-Off S.P.S.T.
141-2616J	Blue 20A - 12V On-Off S.P.S.T.
141-2617J	Amber 20A - 12V On-Off S.P.S.T.
NON-ILLUMINATED DUCKBILL HANDLE	
141-2620F	Black 20A - 12V On-Off-On S.P.D.T.
141-2610H	Black 20A - 12V On-Off S.P.S.T.
141-2640H	Black 20A - 12V On-Off S.P.S.T.
ILLUMINATED LED IN HANDLE	
141-26531J	15A - 12V On-Off S.P.S.T. Red LED at End of Handle Glows When On
PRE-WIRED	
141-2941F	15A - 12V On-Off S.P.S.T. with Integrated Wire Leads
SWITCH GUARD Prevents Accidental Activation of Switch	
141-2652F	Red Guard Fits 1/2" Diameter Stem
141-26525F	Green Guard Fits 1/2" Diameter Stem
141-26526F	Blue Guard Fits 1/2" Diameter Stem
141-26527F	Yellow Guard Fits 1/2" Diameter Stem
SWITCH BOOT — FOR 1/2" STEM	
141-2659F	Installs Over Handle Protects Against Dust, Moisture

NOTE: S.P.S.T. – Single Pole Single Throw,
S.P.D.T. – Single Pole Double Throw, D.P.S.T. – Double Pole Single Throw



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SWITCHES

IGNITION & STARTER SWITCHES



141-2695F



141-2681F



141-2910F

PART NO.	DESCRIPTION
KEYED IGNITION SWITCH	
141-2695F	Mounts in 3/4" or 1" Diameter Hole, All Screw Terminals. Bushing, 2 Keys Included
PUSH BUTTON STARTER	
141-2681F	60A - 12V Heavy Duty, Dust and Moisture Proof with Neoprene Cap. 5/8" Mounting Stem, 5/8" Diameter x 1-3/16" Length.
141-2680F	10A - 12V All Brass with Nickel Plating. 5/8" Mounting Stem.
141-2683F	10A - 12V Momentary On-Off
PUSH - PULL	
141-2910F	16A On-Off Euro Style
141-2690F	16A 12V On-Off, Replaces 42200
141-2694F	65A 6-28V On-Off, Replaces 41790
HORN BUTTONS	
141-2689F	5A - 12V Flush Mount



141-2680F



141-2689F

PRE-MOUNTED SWITCH PANEL



141-2980F



141-2984F

PART NO.	DESCRIPTION
Switch and Panel Mounted, Ready to Install	
141-2980F	Illuminated Red Rocker Switch Mounted on Panel 2650E
141-2982F	Illuminated Red Toggle Switch Mounted on Panel 2650E
141-2984F	Toggle Switch and Red Indicator Light Mounted on Panel 2650F
141-2986F	Illuminated Red and Blue Toggle Switches Mounted on Panel 2650F



141-2982F



141-2986F

SWITCH ACCESSORIES INDICATOR / WARNING LIGHTS



PART NO.	DESCRIPTION
INDICATOR / WARNING LIGHT — 16A - 12V	
141-2632H	Red, Spade Terminals, Fits 1/2" Dia. Hole
141-2635H	Green, Spade Terminals, Fits 1/2" Dia. Hole
141-2636H	Blue, Spade Terminals, Fits 1/2" Dia. Hole
141-2637H	Amber, Spade Terminals, Fits 1/2" Dia. Hole
141-2633F	Mini Light with Leads Red, Fits 1/4" Dia. Hole



141-2633F



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SWITCHES



Jumbo Rocker

PART NO.	DESCRIPTION
JUMBO ROCKER — ILLUMINATED	
141-2902F	16A - 12V On-Off Red. S.P.S.T.
ROCKER — ILLUMINATED	
141-2602J	Red 20A - 12V 3 Terminal, S.P.S.T.
141-2605J	Green 20A - 12V 3 Terminal, S.P.S.T.
141-2606J	Blue 20A - 12V 3 Terminal, S.P.S.T.
141-2607J	Amber 20A - 12V 3 Terminal, S.P.S.T.
141-2600J	Non-Illuminated 16A - 12V 2 Terminal
OVAL ROCKER — LED 16A - 12V	
141-27032J	Red LED Glows When Switch is On. Fits 1/2" Diameter Hole.
141-27034J	Amber LED Glows When Switch is On. Fits 1/2" Diameter Hole.
141-27035J	Green LED Glows When Switch is On. Fits 1/2" Diameter Hole.
ROUND ROCKER — LED 10A - 12V	
141-27012J	Red LED Glows When Switch is On. Fits 1/2" Diameter Hole.
141-27014J	Amber LED Glows When Switch is On. Fits 1/2" Diameter Hole.
141-27015J	Green LED Glows When Switch is On. Fits 1/2" Diameter Hole.
141-2700J	Non-Illuminated, Fits 1/2" Diameter Hole.
MINI ROCKER — LED 10A - 12V	
141-2618F	LED Rocker Switch On-Off S.P.S.T.



141-2602J

Fit Rectangular
Mounting Plates Below



141-27032J



141-2700J



141-27012J

SWITCH ACCESSORIES MOUNTING PANELS



PART NO.	DESCRIPTION
ROUND HOLE 1/2"	
141-2650E	Black Panel with One Hole
141-2950F	Black Panel with Two Holes
141-2952F	Black Panel with Four Holes
RECTANGULAR SLOT 7/16" x 1-1/8"	
141-2651E	Black Panel with One Slot
141-2953F	Black Panel with Two Slots
141-2954F	Black Panel with Three Slots
141-2955F	Black Panel with Four Slots



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ELECTRIC FENCE PRODUCTS

PARMAK CHARGERS – 110V AC

SUPER ENERGIZER 4

697-2514

Ideal for
Single or
Multi-wired
High Tensile
Fences



A powerful 110V AC low impedance charger designed for today's large pastures. Super Energizer 4 is equipped with a digital performance meter and has fuse protection with built-in lightning arresters. New color coded red and black terminals. Shocks through wet weeds and brush. Controls both livestock, including sheep and predator. For indoor installation. Charges over 50 miles of fence. UL Listed. One Year Warranty



MAXI-POWER MARK 7

697-2512



Maximum Safe
Output with Energy
Conservation



The all new Mark 7 gives you the stock holding power you have always wanted. A 110V AC low impedance charger that is ideal for single or multi-wire high tensile fences. Features a digital performance meter, new color coded terminals and fuse protection with built-in lightning arresters. Shocks right through wet weeds, brush and over extremely dry ground. For indoor installation.

Charges up to 30 miles of fence. UL Listed. One Year Warranty

CHARGERS – 12V DC

MAGNUM 12 U. O.

The most economic 12 volt solid state fencer operation on the market. A low impedance 12 volt charger with ParMak's exclusive built in performance meter. Shocks through wet weeds and brush and is a weatherproof portable outdoor model for installation anywhere on your farm. Charges up to 30 miles of fence wire.

UL Listed. One Year Warranty.



PART NO.	DESCRIPTION
697-2311	Magnum 12 Fencer
697-7902	12V Replacement Battery



Provides Up to 3 Months Continuous
Operation Between Charges

ELECTRIC FENCE PRODUCTS

PARMAK CHARGERS – SOLAR

DELUXE FIELD SOLAR-PAK 6

A low impedance 6 volt battery operated charger with ParMak's exclusive built in performance meter. Features the latest state-of-the art solar panel with 42% more battery charging power. Eliminates need for electric outlet and drastically reduces battery replacement. Will operate for 21 days of total darkness if fully charged. Charges up to 25 miles of fence wire. Fully waterproof case, UL Listed.



7901

PART NO.	DESCRIPTION
697-2111	6V Solar Pak Fencer
697-920	Replacement Panel
697-7901	6V Battery
697-951	Taper Charger for 6V Batteries



**Great for
Small to Medium Pastures.
2 Year Warranty**

MAGNUM 12 SOLAR-PAK

A low impedance 12 volt battery operated charger with ParMak's exclusive built in performance meter. Features the latest state-of-the art solar panel for superior charging. Complete with sealed 12 volt rechargeable battery. Charges up to 30 miles of fence wire.



7902

PART NO.	DESCRIPTION
697-3111	12V Solar Pak Fencer
697-960	Replacement Panel
697-7902	12V Battery
697-952	Taper Charger for 12V Batteries



**No Operating Cost!
Power Line
Convenience with
a Battery Fencer**

2 Year Warranty



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ELECTRIC FENCE PRODUCTS

ACCESSORIES



PART NO.	DESCRIPTION	O/M
GATE HANDLES — SNAP FAST SERIES - YELLOW		
662-PG10	One piece plastic handle floats on compression spring assembly. All tension is on rugged steel assembly. Use for all fence wire, poly rope and 1/2" poly tape.	1
662-RGH10	Rubber handle mounts on compression spring assembly. Durable and withstands cold weather. Use for all fence wire including high tensile fencing but not poly rope or tape.	1
662-WPGK10	Gate Handle Kit for wood post. Includes handle, 2 insulators and nails.	1
662-TPGK10	Gate Handle Kit for T- post. Includes handle and 2 insulators.	1
TESTERS		
662-5	Checks current in wire with a single light application. Has 42" plastic cord and case.	1
662-8	Checks output of fencer or voltage in fence line. Ranges from 500-9000 volts and can be used for low impedance fencers. Simple to operate.	1



ELECTRIC FENCE FUSE KIT

510-094412



- 250 Volt circuits or less
- 3AG 1 Amp
- 5 Per package

ORDER MULTIPLE 5




To Order Call Toll Free 877-55 GO SMA 877-554-6762

ELECTRIC FENCE PRODUCTS

ACCESSORIES

PART NO.	DESCRIPTION	O/M
INSULATORS — YELLOW HIGH IMPACT POLY		
	662-SF25TP T-Post Snap Fast, works with all types of wire on all utility T-Post. Snap on mount allows for quick & easy installation.	10
	662-SF25WP Wood Post Snap Fast, works with all types of wire on all wood post. Simple one nail installation. Nails included.	10
	662-SF25RP Round Rod Post Snap Fast, works with all types of wire on all round post. Snap on mount allows for quick & easy installation.	10
	662-TP25N T-Post N-Series, works with all types of wire on 1-1/4" to 1-3/8" T-Post. Unbreakable snap on attachment for quick installation.	25
	662-TPX25N T-Post Extender N-Series, extends 5".	25
	662-WP25N Wood Post N-Series, works with all types of wire on all wood post. Simple one nail installation with 4 raised ribs that imbed into wood so insulator will not twist. Nails included.	25
	662-WPX25N Wood Post Extender N-Series, extends 5".	25
	662-RP25N Round Rod Post N-Series, works with all types of wire on 1/4" to 9/16" round rod post. Self centering post cavity with spin-on nut.	25
	662-TRC10 Corner insulator. Heavy duty for use with heavy gauge wire and barbed wire. Designed for quick easy installation.	10
	662-DC10 Donut corner insulator. Made of Lexan material that is 7 times stronger than porcelain. Will not chip or crack. Use with any gauge wire or high tensile fences.	10



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Table of Contents Section 27

Exhaust Clamps	27-11
Tractor Canopies	27-9
PreCleaners.....	27-15
Replacement Seats & Cushions	27-1-27-8
Shop Manuals	27-12-27-14
Spinners.....	27-11
Tractor Umbrellas.....	27-10
Weather Cap	27-11

NOTE: Certain items throughout these sections of our catalog are stocked only in our Fresno, California (SMA West) Warehouse. These items will not count toward a prepaid freight order unless you are regularly served from the SMA West Fresno, California Warehouse.

THESE PART NUMBERS ARE IDENTIFIED AND SHADED IN GRAY.

REPLACEMENT SEATS & CUSHIONS

UNIVERSAL TRACTOR SEATS FULL SUSPENSION

Features:

- Universal Application, Agricultural and Industrial
- Adjustable Weight Suspension from 110 to 265 Pounds
- Suspension Includes Hydraulic Shock Absorber
- Suspension Vertical Travel 4-3/4 Inches
- Horizontal Slide Travel 8-3/4 Inches
- Vinyl Covered Molded Cushion
- Economical Seat
- Multiple Hole Mounting Patterns



Black	T1050ATSP
Yellow	TS1040ATSP
Blue	TS1060ATSP
Trapezoid Back (Black)	TS1075ATSP




TS1075ATSP



TS1040ATSP

Dimensions



Fits Ford: 2000, 3000, 4000, 5000, 7000

(1965 To 1975) 2600, 3600, 3900, 4100, 4600, 5600, 6600, 7600,

(1975 To 1981) 2610, 2910, 3610, 3910, 4110, 4610, 5610, 5910, 6610 7610

(1981 To-) Can Replace D6NN400P, D9NN400DB12B

Fits John Deere: 820, 830, 1020, 1530, 2020, 2030, 2040, 2150, 2155, 2240, 2350, 2355, 2440 2555, 2550, 2640, 2750, 2755, 2840, 2940, 2955

Fits Massey Ferguson: 135, 150, 165, 175, 180, 185, 230, 235, 240, 245, 250, 254, 255, 265, 270, 274, 275, 285, 290, 294, 550, 565, 575, 590, 595, 670, 675, 690, 698

UNIVERSAL FOLD-DOWN SEAT

TS1100



Dimensions



- Complete with Folding Backrest and Armrests
- Universal Replacement Seat for a Variety of AG and Industrial Equipment
- Adjustable Mounting Brackets
- Slide Track for Forward/Rear Adjustment
- Multiple Mounting Holes



WE SUPPLY SUCCESS

WWW.SMALINK.COM

REPLACEMENT SEATS & CUSHIONS

HIGH-BACK ADJUSTABLE SEAT


TS4401

Features:

- Water Resistant Black Fabric
- Lumbar Support
- Adjustable Arm Rests and Slides
- Forward Fold and Reclining Backrest
- Accepts Operator Presence Switch

Applications Include Utility Tractors and Vehicles,
Row Crop/Specialty Tractors, Skid Steers, Fork
Lifts, Construction Equipment and More.

Dimensions



Bolt Patterns:
(WxDxSlotted Slides)
Adjustable Widths
• 7" – 13.5"

CUSHION SETS FOR CASE IH

3 PIECE

TSIH6012

Replacement Cushions for the following International Harvester models:

Tractor Models: 70, 86, 504 Deluxe, 544 Row Crop, 560, 574, 606, 656 Prior to S/N 14500, 666, 686, 706, 756, 766, 806 Prior to S/N 14500, 826, 856, 966, 1026, 1066, 1206, 1256, 1456D, 1466, 1468, 1566, 1568, 2504 Deluxe, 2706 Deluxe, 2756, 4100, 4156, 4166, 4186 After S/N 19259

Set Consists of: IH6000, IH6001 & IH6002

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

REPLACEMENT SEATS & CUSHIONS

CUSHION SETS FOR JOHN DEERE®

Features:

- Heavy Vinyl Cover
- All Components with Steel Backs
- High Density Foam
- Hardware Not Included

2 PIECE

Replacement Cushions for the following John Deere models:

Tractor Models: 820, 830, 1010, 1020, 1030, 1120, 1520, 1530, 2020, 2030, 2040, 2120, 2150, 2155, 2250, 2255, 2350, 2355, 2440, 2550, 2555, 2630, 2610 (S/N up to 340999), 2750, 2755, 2855, 2955, 4000, 4020 (S/N 201000 up), 4230, 4320

Windrower Models: 800, 830

Combine Models: 3300, 4400, 7700

PART NO.	JD NO.	DESCRIPTION
TSTY9379	TY9379	Bottom Seat Cushion and Wrap Around Arm-rest. Yellow Vinyl, Steel Backed.
TSTY9379BR	—	Yellow Vinyl Wrap Around Backrest Cushion, Steel Backed.
TSTY9379SC	TSTY9379	Yellow Vinyl Cushion Bottom with Steel Base.



3 PIECE

Replacement Cushions for the following John Deere models:

Tractor Models: 1010, 2010, 2510, 2520, 3010, 3020, 4000, 4010, 4020, 4025, 4030, 4040, 4230, 4320, 4340, 4400, 4430, 4520, 4555, 4620, 4630, 5010, 5020, 6030, 7020, 7520

Combine Models: 45, 55, 95 (20001-) 95H (23501-), 96, 105 (3001-), 3300, 4400, 6600, 6602, 6620, 7700

Cotton Picker Models: 99 with Deluxe Seat, 299

Forage Harvester Models: 5200, 5400

Hay Cuber Models: 400, 425

PART NO.	JD NO.	DESCRIPTION
TSJD5678	TY9326	Set Consists of: JD5006, 5007, 5008



4 PIECE

Replacement Cushions for the following John Deere models:

Tractor Models: 2250, 2550, 2750, 2950, 3150, 3155, 3255, 4020, 4030, 4050, 4055, 4200, 4230, 4250, 4255, 4300, 4320, 4430, 4450, 4455, 4555, 4560, 4630, 4650, 4755, 4760, 4840, 4955, 4960, 6500, 6620, 7410, 7610, 7710, 7720, 7800, 7810, 8010, 8020, 8200, 8300, 8400, 8430, 8440, 8450, 8630, 8640, 8650, 8770, 8820, 8850

Combine Models: 3300, 4400, 4420, 5820, 6600, 6602, 6620, 6622, 7700, 7720, 8430, 8440, 8630, 8640, 8820.

Windrower Models: 2320, 2420

Forage Harvester Model: 9500 **Cotton Picker Model:** 9655

PART NO.	DESCRIPTION
TSJD5560	Replaces John Deere TY15834



WE SUPPLY SUCCESS

WWW.SMALINK.COM

REPLACEMENT SEATS & CUSHIONS

PAN SEAT – CONTOURED STEEL

For Commercial Turf, Utility Trucks, Fork Lifts, Skid Steers, Loaders, Backhoes, Hay Cubers, Specialty Tractors, Street Maintenance and More.

TS1110IND




Features:

- Contoured Foam Seat for Air Flow and Drainage
- Black
- Universal Bolt Patterns
- Safety Switch Cavity
- Packaged Four Per Box

Bolt Patterns:

- 6" x 5" (WxD)
- 7.5" x 7"
- 7.5" x 11.5"
- 8" x 11.5"
- 9" x 9.63"
- 9.5" x 11.5"
- 11.25" x 11.5"

Dimensions



CONTOURED HIGH-BACK WITH SLIDES

Applications Include Hay Cubers, Specialty Tractors, Utility Trucks, Fork Lifts, Construction Equipment, Skid Steers, Loaders, Backhoes, Commercial Turf, Street Maintenance and More.

TS4501



Features:

- Black Heavy Duty Vinyl Cover
- Accepts Operator Presence Switch
- Accepts Arm Rest & Suspensions

Bolt Patterns:

- (WxD)
- 7.5" x 7"
- 7.5" x 11.5"
- 8" x 11.5"
- 8.2" x 5"
- 9.5" x 11.5"
- 11.25" x 11.5"

Dimensions



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

REPLACEMENT SEATS & CUSHIONS

COMPACT TRACTOR SEATS



FOR KUBOTA & OTHERS TS5301


Features:

- Drop In Fit for Kubota
- Black Vinyl Cover
- Drain Hole
- Will Accept Slides, Flip Type Bracket & Operator Presence Switch

Bolt Patterns:

- 6" x 2" (WxD)
- 6" x 4"
- 7" x 1.625"
- 7.5" x 2"
- 7.5" x 4"
- 7.5" x 6"

Dimensions




Fits: Kubota: 4650 Backhoe, B1550, B1700, B1750, B1550, B1700, B1750, B1550, B1700, B1750, B20, B2100, B2150, B2400, B2410, B2710, B2910, B4200, B5100, B6100, B7100, B7300, B7500, B8200, B9200, G1800, G1900, G2000, GF1800 Mower, K008 Backhoe, L175, L185, L200, L210, L2050, L225, L2250, L235, L2350, L245, L2550, L260, L2650, L285, L2850, L2900, L2950, L295, L3000-DT, L3000-F, L305, L3250, L3300, L3350, L3410, L345, L3450, L35, L355, L3600, L3650, L3710, L3750, L4150, L4200, L4350, L4610, L4850, L5450, M4000, M4050, M4500, M5500, M7500, MX5000.


Kumiai: ST202. **Mahindra:** 2810, 3510, 4110. **Massey Ferguson:** 210, 220, 220-4, 1020, 1030, 1040, 1140, 1145; **M/F Windrowers:** 35, 1010, 1125, 1150, 1205. **Mitsubishi:** D1300, MT210, MT2501, MT372, MT3720, MT4501, S370, S373, S3730. **Rhino:** 344, 3125. **Satoh Beaver, Beaver3/Buck:** S650G, ST1820, ST1840, ST2020. **White Field Boss:** 2-30, 2-32, 2-35 (16, 21, 31, 37). **Yanmar:** 155, 155D, 240, 1300D, 1500, 1600, 1700, 1720D, 1900, 2000, 2220, 2310, 2310D, K016, YM250, YM1100, YM2200.

Fits Most Compact Tractors

469-500007



Dimensions



Black with universal mounting brackets which allow the seat pan to be fitted to most major brands.

Bolt Patterns (width x depth):

- 5-1/2" x 1-5/8"
- 7-1/2" x 1-5/8"
- 7-1/2" x 5-3/8"
- 7-1/2" x 7"



Fits: Bolens: G152, G214. **CASE/IH:** 154, 184, 185, 234, 235, 244, 245, 254, 255, 265, 274, 275, 284, 384, 434. **Cub Cadet:** 7205. **Deutz:** 5020, 5215. **Ford/New Holland:** Compact 2, 3, 4, CYL, 1000, 1100, 1200, 1300, 1500, 1510, 1600, 1700, 1710, 1900, 1910, 2000 & up, TC18, TC25, TC29, TC33, TC35, TC40/R45, TC45, TC210, TC400. **Hinomot:** E14, E140, E15, E18, E21, E23, E28, E182 Iseki: TS1610, TS2100, TS2205, TS2500. **John Deere Utility Orchard Tractors:** 790, 870, 1070, 4500. **Kumiai:** ST2020. **Kubota:** B2410, B2710, B2910, B7300, B7500, GF1800 Mower, K008 Backhoe, L35, L3000-DT, L3000-F, L3410, L3710, L4610, MX5000, 4650 Backhoe. **Mahindra:** 2810, 3510, 4110. **Massey Ferguson:** 210, 220, 220-4, 1020, 1030, 1040, 1140, 1145; **M/F Windrowers:** 35, 1010, 1125, 1150, 1205. **Mitsubishi:** D1300, MT210, MT2501, MT372, MT3720, MT4501, S370, S373, S3730. **Rhino:** 344, 3125. **Satoh Beaver, Beaver3/Buck:** S650G, ST1820, ST1840, ST2020. **White Field Boss:** 2-30, 2-65. **Yanmar:** 155, 155D, 240, 1300D, 1500, 1600, 1700, 1720D, 1900, 2000, 2220, 2310, 2310D, K016, YM250, YM1100, YM2200.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

REPLACEMENT SEATS & CUSHIONS




LAWN & GARDEN TRACTORS

Replacement seats for lawn mowers, garden tractors, commercial-professional turf mowers, forklifts, skidsteers and backhoes.

469-15000BIC DELUXE HIGH-BACK SEAT

Features:


- Integral Polyurethane / Steel Frame Construction
- Black
- Waterproof
- Drain Hole
- Universal Mount
- Safety Switch Cavity
- Packaged Four Per Carton



469-10000BK DELUXE LOW-BACK SEAT

Features:

- Integral Polyurethane / Steel Frame Construction
- Black
- Waterproof
- Universal Mount
- Safety Switch Cavity
- Packaged Five Per Carton



Mounting Brackets



469-940



469-941

PART NO.	DESCRIPTION
469-940	Bracket Set Universal Flip-Type Fits 135, 520, 535 seats
469-941	Bracket Set Ford/NH Flip-Type Fits 135, 535 seats
469-IH6013	Bracket Set 3 Piece Seat For IH 6012 (Not Pictured)
469-JD5679	Bracket Set 3 Piece Seat For JD 5678



To Order Call Toll Free 877-55 GO SMA 877-554-6762

REPLACEMENT SEATS & CUSHIONS

DELUXE SMALL SEAT



Features:

- Polyurethane Upholstery
- Black
- Waterproof
- Drain Hole

Mounting Bracket Kit Sold Separately #469-941

984-3618

This seat is adaptable to the following:

Allis Chalmers: 5015, 5020, 5020FWD, 5030, 5215, 5220, 5230, 9518

Ford / New Holland Tractors: 2N, 8N, 9N, 230A, 334, 335, 340A, 340B, 445A, 450, 501, 541, 600, 611, 620, 621, 630, 631, 640, 641, 650, 651, 660, 661, 671, 681, 700, 701, 740, 750, 771, 800, 801, 811, 820, 821, 841, 850, 851, 860, 861, 871, 881, 900, 901, 941, 950, 951, 960, 961, 971, 981, 1100, 1110, 1120, 1200, 1215, 1220, 1300, 1320, 1500, 1520, 1600, 1620, 1700, 1715, 1720, 1801, 1811, 1821, 1841, 1871, 1881, 1900, 1920, 2000 EARLY, 2000 AR-AC, 2030, 2031, 2100, 2110, 2111, 2120, '63-'64 4 CYL, 2120 3 CYL, 2120 4 CYL, NO CAB, 2130, 2131, 2150, 2250, 2255, 2300, 2810, 2910, 3000, 3100, 3300, 3320, 3330, 3400, 3415, 3500, 3600, 4000 AP&RC, 4000, 4030, 4031, 4040, 4120, 4121, 4131, 4130 IND, 4200, 4330, 4340, 4500, 4600 '81-'85, 5000, 5100, 5200, 6000, 6010, 6600, 6600 ROW CROP & GAS, 6700, 7000, 7100, 7200, 7600, 7700

International Harvester: 154, 154 CUB, 184, 184 CUB, 185 CUB, 185 LOW BOY, B414

John Deere: 900HC

Kubota: 4200, 5100, 6100, 7100, 8200, B7300, L175, L185, L200, L210, L225, L235, L245, L260, L275, L285, L295, L305, L345, L355, L2050, L2350, M4000, M4050, M4500, M5500, M7500

Massey Fergusson: 65, 150, 165, 175, 180, 184-4, 205, 210, 210-4, 220, 220-4, 255, 265, 275, 285, 1010, 1010HYDRO, 1020, 1020HYDRO, 1080, 1120, 1140, 1145

Oliver: 44SUPER, 80&90SERIES, 440, 1250



Fits: JD Gator, 4000, X-400, X-500, and Many Others

DELUXE HIGH-BACK UTILITY SEAT

**469-140010YE
(YELLOW)**

PAN SEAT – UNIVERSAL

**469-100000BK
ONE PIECE**



Features:

- Rigid Seat
- Black Imitation Leather
- Two Fixed Mounting Bolts
- Rounded Back For Better Comfort
- Three Drain Holes
- Packaged Six Per Box



DELUXE PAN SEAT CUSHION

171-PL6



20" x 18" x 1.5"

- Extra Heavy Vinyl
- Two-Piece Poly-Foam Cushion
- Tie String Attachment
- Assorted Colors
- Packaged 12 Per Carton



WE SUPPLY SUCCESS

WWW.SMALINK.COM

REPLACEMENT SEATS & CUSHIONS FOR JOHN DEERE®

PART NO.	REPLACES	DESCRIPTION
559 Series		
TS559100YE	AL117331, AL117332	Yellow Vinyl Cushion Base
TS559200YE	AL117331, AL117332	Yellow Vinyl Cushion Base
TS559100BR	AL175991, AL175990	Brown Fabric Cushion Base
TS559200BR	AL175991, 175990	Brown Fabric Cushion Base
557 & 558 Series		
469-JD4600M	AR71107, AR76515, AR82944	John Deere Replacement Seat Cushion for Mechanical Suspensions, Component with Steel Back. Hardware Not Included.
469-JD4650H	AR71107, AR76515, AR82944	John Deere Replacement Seat Cushion for Hydraulic Suspensions, Component with Steel Back. Hardware Not Included.
469-JD4700B	AR71107, AR76515, AR82944	John Deere Replacement Backrest Cushion for Mechanical and Hydraulic Suspensions, 5-Position Lumbar Support, Component with Steel Back. Hardware Not Included.



TS559200BR



TS559200YE



469-JD4700B



TS559100BR



TS559100YE



469-JD4600, 469-4650H

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

TRACTOR CANOPIES

FOLDING

Designed for use on tractors with McGregor or Snowco mounting brackets.
The Snowco brackets allow the canopy to fit over the rollbar protection of most tractors. Brackets are yellow dichromate plated steel for a corrosion resistant finish. Canvas covers are water resistant for a long service life. Covers are anchored to the frame by snap fasteners and hems at the front and rear.

COMPLETE CANOPY KIT – 3 BOW 48”

PART NO.	DESCRIPTION
402-406110	Includes Yellow Canvas Cover, Frame (405273) and Fender Mount Bracket Set (405344).
402-406122	Includes Red Canvas Cover, Frame (405273) and Fender Mount Bracket Set (405344).

CANOPY COVERS – CANVAS

TO FIT FRAME	RED COVER NO.	YELLOW COVER NO.	WHITE COVER NO.	BLUE COVER NO.
405272	402-405580	402-405582	402-405581	402-405585
405273	402-405590	402-405592	402-405591	402-405595



CANOPY FRAMES & BRACKETS

PART NO.	DESCRIPTION
402-405272	Frame 3 Bow 40”
402-405273	Frame 3 Bow 48”
402-405241	Bracket Set Axle Mount
402-405344	Bracket Set Fender Mount

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

TRACTOR UMBRELLAS

Made of heavy gauge steel tubing built to withstand shocks & bumps of rugged farm and industrial usage. Yellow dichromate zinc plated steel provides a corrosion resistant, durable finish. Umbrella cover is 54" square, made of heavy, double-stitched, 8 oz. canvas.



PART NO.	DESCRIPTION
402-315022012	Umbrella Kit Complete with Yellow Cover
402-315022126	Frame and Mounting Bracket Only


UMBRELLA TRACTOR MOUNT

PART NO.	DESCRIPTION
402-405411	Tractor Mount - Red
402-405412	Tractor Mount - White
402-405413	Tractor Mount - Yellow

UMBRELLA BRACKET UNIVERSAL

402-405200

For All Tractors and Industrial Equipment



UMBRELLA - ROPS MOUNT

Roll Over Protection System - ROPS

A Tractor Umbrella that is a simple and effective way to protect yourself from the sun. It mounts directly to the ROPS structure without drilling.

- No Measurements Needed
- No Extra Poles
- Opens, Closes and Adjusts Easily with One Hand
- Water Resistant 10 oz. Canvas Duck Cover with Reinforced Leather and Steel Grommets




Withstands Strong Winds and Rugged Field Use

Overall Width 54"

Fits 2" x 2" & 3" x 3" Bars

PART NO.	DESCRIPTION
402-405600	ROPS Umbrella Mounting Kit - No Cover
402-405370	ROPS Mount - Blue
402-405373	ROPS Mount - Red
402-405374	ROPS Mount - White
402-405375	ROPS Mount - Yellow
402-405518	ROPS Mount - Orange



Attaches Easily, Holds Firmly to ROPS Protection

Simple, Secure Mounting Bracket with Four Clamping Bolts and a Sturdy Frame



To Order Call Toll Free 877-55 GO SMA 877-554-6762

WEATHER CAP

Reduces the threat of engine damage. Helps to eliminate intake of dust, dirt, rain, snow and insects into the exposed exhaust stack pipe. Provides protection for agricultural machinery, construction and industrial equipment with verticle exhaust stack systems.

Helps Protect:

Farm Tractors, Diesel Engines, Combines, Hay Balers, Trucks, Pumps, Irrigation Wells, Compressors, Stationary Power Units, Road Pavers, Concrete Mixers, Rock Crushers, Earth Movers and More.




PART NO.	SIZE (O.D.)	PART NO.	SIZE (O.D.)
374-0	1" to 1-3/16"	374-8	3" to 3-3/16"
374-1	1-1/4" to 1-7/16"	374-9	3-1/4" to 3-7/16"
374-2	1-1/2" to 1-11/16"	374-10	3-1/2" to 3-11/16"
374-3	1-3/4" to 1-15/16"	374-11	3-3/4" to 3-15/16"
374-4	2" to 2-3/16"	374-12	4" to 4-3/16"
374-5	2-1/4" to 2-7/16"	374-14	4-1/2" to 4-11/16"
374-6	2-1/2" to 2-11/16"	374-16	5" to 5-3/16"
374-7	2-3/4" to 2-15/16"		

EXHAUST CLAMPS INDIVIDUALLY PACKAGED

MC SERIES

Made from 13 gauge steel with 5/16" diameter U-bolt. 1-1/2" thru 2-1/2" diameter.

PART NO.	SIZE
337-MC112	1-1/2"
337-MC158	1-5/8"
337-MC134	1-3/4"
337-MC178	1-7/8"
337-MC200	2"
337-MC214	2-1/4"
337-MC212	2-1/2"



04000 SERIES

Heavy duty reinforced channel clamps with extra long sides for strength and seal. 3/8" diameter U-Bolt. Zinc plated, 2-3/4" thru 5" diameter.

PART NO.	SIZE
337-04234	2-3/4"
337-04300	3"
337-04312	3-1/2"
337-04400	4"
337-04412	4-1/2"
337-04500	5"



SPINNERS

Sure, Easy, Safe Tractor Steering

873-0150



COLORED VINYL COATING



873-9402P	Black	873-9406P	Red
873-9403P	Yellow	873-9407P	Orange
873-9404P	Green	873-9401	Aluminum
873-9405P	Blue	873-0150	12 Pc. Display



WE SUPPLY SUCCESS


WWW.SMALINK.COM

SHOP MANUALS



I & T Shop Service Manuals provide all the information needed to service practically any make or model of wheel type farm tractor. Step-by-step procedures and illustrations help you do the job right. The savings on one minor repair job will more than make up the low cost of the manual.

- Detailed Drawings and Exploded Views Lead You Step-By-Step Through Procedures
- Bold Figure Numbers Make It Easy to Reference Text Instruction
- Easy-to-Follow Instructions Guide You Through Each Repair Quickly and Efficiently
- Model Coverage Is Clearly Noted on Each Page
- Trouble Shooting Covering Most Models Guide You and Symptoms to Causes
- Bold Reference Numbers Make It Easy to Match Parts and Descriptions




ALLIS-CHALMERS

595-AC11

Models B, C, CA, G, RC, WC, WD, WD45, WD45 Diesel, WF

JOHN DEERE



595-JD4

Series A, B, D, G, H, M, MT

595-JD202

Series 2510, 2520, Series 2040, Series 2840, Series 2240, 2440, 2630, 2640, Series 4040, 4240, 4440, 4640, 4840

595-JD203

Series 6030, Series 3010, 3020 (before Serial No. 123000), 4010, 4020 (before Serial No. 201000), 5010, 5020, Series 3020 (Serial No. 123000 and up), 4000, 4020 (Serial No. 201000 and up), 4320, 4520, 4620.




To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

SHOP MANUALS


FORD

595-FO4	Series 2N, 8N, 9N
595-FO19	Series NAA
595-FO20	Series 501, 600, 601, 700, 701, 800, 801, 900, 901, 1801, 2000 (4 cyl), 4000 (4 cyl)
595-FO31	Series 2000 (3 cyl), 3000 (3 cyl), 4000 (3 cyl)
595-FO41	Series 2310, 2600, 2610, 3600, 3610, 4100 (after 1974), 4110, 4600, 4610, 4600SU, 4610SU
595-FO42	Series 5000, 5600, 5610, 6600, 6610, 6700, 6710, 7000, 7600, 7610, 7700, 7710
595-FO43	Models 2810, 2910, 3910
595-FO44	Series 1100, 1110, 1200, 1210, 1300, 1310, 1500, 1510, 1700, 1710, 1900, 1910, 2110
595-FO46	Models 1120, 1220, 1320, 1520, 1720, 1920, 2120
595-FO47	Models 3230, 3430, 3930, 4630 and 4830
595-FO201	Fordson Dexta, Fordson Super Dexta, 2000 Super Dexta, New Performance Super Dexta, Fordson Major Diesel (FMD), Power Major (FPM), Super Major (FSM), New Performance Super Major (New FSM), 5000 Super Major, Series 6000, Commander 6000, Series 1000, 1600, Series 8000, 8600, 8700, 9000, 9600, 9700, TW-10, TW-20, TW-30



INTERNATIONAL HARVESTER

595-IH8	Super & NonSuper Series A, B, C, Cub Prior to 1957, H, M, MTA, 4, 6, W6TA, 9
595-IH32	Series 706, 756, 806, 856, 1206, 1256, 1456, 2706, 2756, 2806, 2856, 21206, 21256, 21456



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




WE SUPPLY SUCCESS

WWW.SMALINK.COM

SHOP MANUALS

INTERNATIONAL HARVESTER CONT.



595-IH201

Series 100, 130, 140, 200, 220, 240, 404, 2404, Series 330, 340, 504, 2504, Series B-275, B-414, 354, 364, 384, 424, 444, 2424, 2444


595-IH202

Series 544, 656, 666, 686, Hydro 70, Hydro 86, Hydro 100, Hydro 186, 1466, 1468, 1486, 1566, 1568, 1586, Series 684, 784, 884, Hydro 84

595-IH203

Series 766, 826, 966, 1026, 1066, Series 454, 464, 484, 574, 584, 674, Series 786, 886, 986, 1086

MASSEY FERGUSON



595-FE2

Series TE20, TO20, TO30, MF303, MHF303, MH333, MF404, MHF404

595-MF27

Models MF135, MF150, MF165

595-MF42

Models MF230, MF235, MF240, MF245, MF250

595-MF43

Models MF225, MF265, MF270, MF275, MF290


595-MF201

Models MF65, MF85, MF88, MF Super 90, MF Super 90/WR, MF1080, MF1085, MF1100, MF1105, MF1130, MF1135, MF1150, MF1155

595-MF202

Models MF175, MF180, MF205, MF210, MF220, MF2675, MF2705, MF2745, MF2775, MF2805

YANMAR



595-YM1

Models YM135, YM135D, YM155, YM155D, YM195, YM240, YM240D, YM330, YM330D

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



PRECLEANERS

turbo®

turbo® II

- Made from High-Strength Metal with Powdercoat Finish
- Self-Powered and Self-Cleaning
- Reduces Engine Wear
- Extends Engine Air Filter Life Up to 10 Times



Following Items Stocked Only In California

turbo® III

- Made from High-Strength Polymer 25% Glass Filled
- Self-Powered and Self-Cleaning
- Custom Engineered for Today's Precision-Designed Engines



PART NO.	DESCRIPTION
2486-1046000	Turbo 2 Model 46, 4.5" Inlet, 300-700 CFM
2486-1046001	Turbo 2 Model 46, 5" Inlet, 300-700 CFM
2486-1068001	Turbo 2 Model 68, 6" Inlet, 700-1100 CFM
2486-1320000	Turbo 3 Model 15, 2" Inlet, 15-85 CFM
2486-1330000	Turbo 3 Model 50, 3" Inlet, 50-250 CFM
2486-1200153	Adapter 2.75" to 2.5"
2486-1200154	Adapter Ring Kit for Model 23
2486-1200166	Adapter 4.5" to 4"
2486-1200173	Adapter Kit 3" to 4.25" with 5 Ring Sizes

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Table of Contents Section 29

Air Coupler.....	29-51
Air Hose and Reels.....	29-44
Air Hose Assemblies	29-44
Air Line Chucks and Fittings.....	29-45
Air Line Regulators and Filter	29-45
Air or Water Adapter Kit	29-48
Air Tank Conversion Kit	29-48
Air Tanks, Portable & Accessories	29-44
Air Tools.....	29-42-29-43
Anti-Freeze Tester	29-21
Bench Vises	29-40
Blower – Garage or Shop	29-22
Blow-Guns	29-49-29-50
Bolt Cutters	29-21
Bottle Jack – Hydraulic	29-41
Breaker Bars.....	29-9
Calipers – Digital	29-20
Camo Utility Blanket.....	29-20
Cane Knives & Machetes	29-54
C-Clamps Heavy Duty.....	29-40
Chip Brush.....	29-23
Chisels	29-30
Coolers and Tumblers.....	29-57
Cutting Tools	29-24
Drill Bits.....	29-36
Drill Bit Sets.....	29-35
Fencing Tools	29-53
Files	29-32
Flap Wheels – Mounted.....	29-31
Gear Pullers	29-40
Generators – Portable	29-58
Grinding & Cut Off Wheels.....	29-34
Hacksaws and Blades	29-24
Hammers	29-26-29-27
Heat Gun	29-23

Table of Contents Section 29 (cont.)

Hex Die Stock and Tap Wrenches.....	29-38
Hex Star & Torx Key Sets	29-13-29-14
Impact Wrenches, Sockets & Accesories	29-42
Infrared Thermometer.....	29-20
Jack Stands	29-41
Lift Equipment Bottle & Floor Jacks.....	29-41
Log Splitters	29-53
Lug Wrench	29-41
Magnetic Retrievers & Trays.....	29-21
Measuring Wheels	29-25
O-Ring Remover Set	29-20
Pipe Cutter.....	29-21
Pipe Wrenches	29-14
Pliers.....	29-18
Pliers – Slip-Joint	29-17
Post Hole Digger Points & Cutting Edges	29-53
Pruning & Garden Tools	29-54
Pry Bars.....	29-28
Punches	29-29
Radiator Genie.....	29-48
Razor Scrapers and Blades	29-24
Rice Shovels – Forged Head.....	29-56
Rivet Buster.....	29-30
Sandpaper & Sandscreens	29-31
Scraper – 1-1/4”	29-23
Screwdrivers.....	29-12
Screw Extractors.....	29-39
Security Bit Set.....	29-14
Sharpening Tools	29-33
Snap Ring Plier Kits	29-22
Sockets & Accessories 1/2” Drive	29-6-29-8
Sockets & Accessories 1/4” Drive	29-1-29-2
Sockets & Accessories 3/4” Drive	29-9-29-10
Sockets & Accessories 3/8” Drive	29-3-29-5
Socket Sets – Star & Hex	29-11

Table of Contents Section 29 (cont.)

Specialty Tools	29-20-29-23
Pick Sets	29-20
Spud Wrenches	29-15
Step Drill Set	29-35
Tape Measures	29-25
Taps and Dies	29-37-29-39
Thickness Gauge	29-21
Tire Air Pressure Gauge.....	29-46
Tire Valves, Stems & Repair Tools	29-47
Tool Boxes & Bags.....	29-19
Tool Set – Multi-Use	29-14
Tubing Cutter	29-21
Utility Knives and Blades.....	29-24
Vise Jaw Pads	29-40
Warehouse Broom	29-22
Whisk Broom	29-22
Wire Scratch Brushes	29-23
Wire Wheels & Brushes	29-34
Wrenches – Adjustable	29-15
Wrenches – Crowfoot	29-4
Wrenches – Ratcheting	29-16

SOCKETS & ACCESSORIES 1/4" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED, RECESSED EDGES



SOCKET SETS



PART NO.	DESCRIPTION
975-W36002	10 Pc. SAE 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
975-W36202	10 Pc. Metric 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

PART NO.	DESCRIPTION
975-W36300	10 Pc. DEEP — SAE 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
975-W36400	10 Pc. DEEP — METRIC 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm



STANDARD SOCKETS

6 Point, 1" Length

PART NO.	SAE
975-W36005	5/32"
975-W36006	3/16"
975-W36007	7/32"
975-W36008	1/4"
975-W36009	9/32"
975-W36010	5/16"
975-W36011	11/32"
975-W36012	3/8"
975-W36014	7/16"
975-W36016	1/2"
METRIC	
975-W36204	4
975-W36205	5
975-W36206	6
975-W36207	7
975-W36208	8
975-W36209	9
975-W36210	10
975-W36211	11
975-W36212	12
975-W36213	13



UNIVERSAL JOINTS

PART NO.	DESCRIPTION
975-W36130	1/4" x 1-5/8"
975-W30933	3 Pc. Set 1/4", 3/8", 1/2"



SOCKET RAIL

PART NO.	DESCRIPTION
975-W36000	1/4" Square Drive, 14 Pegs (18" Len.)



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SOCKETS & ACCESSORIES 1/4" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED

ROUND HEAD & TEAR DROP RATCHETS



PART NO.	DESCRIPTION
975-W36101	5-3/4" Quick Release Tear Drop, 24 Gear Tooth
975-W36106	5-1/2" Round Head, 42 Gear Tooth



EXTENSIONS

PART NO.	LENGTH
975-W36142	2"
975-W36143	3"
975-W36146	6"



SOCKET ADAPTERS



PART NO.	FEMALE TO MALE	LENGTH
975-W38159	3/8", to 1/4"	1-1/16"
975-W30934	4 Piece Set. 1/4" to 3/8", 3/8" to 1/4", 3/8" to 1/2", 1/2" to 3/8"	—



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SOCKETS & ACCESSORIES 3/8" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED, RECESSED EDGES

STANDARD & DEEP SOCKET SETS with Molded Case



**Performance
Tool®**



PART NO.	DESCRIPTION
975-W38911	SAE 20 Pc. Set <u>Standard-</u> 3/8" 7/16", 1/2", 9/16", 5/8" 11/16", 3/4"; <u>Deep-</u> 3/8" 7/16", 1/2" 9/16", 5/8" 11/16", 3/4"; spark plug sockets 5/8" & 11/16"; universal joint 3/8"; teardrop ratchet extensions 3" & 6"
975-W38914	METRIC 23 Pc. Set <u>Standard-</u> 10,11,12,13,14,15,16,17,19; <u>Deep-</u> 10, 11, 12, 13, 14, 15, 16, 17, 19; spark plug sockets 16 & 21mm; universal joint 3/8"; teardrop ratchet extensions 3" & 6"

STANDARD SOCKET SET

PART NO.	DESCRIPTION
975-W38002	SAE 10 Pc. Set 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
975-W38202	METRIC 10 Pc. Set 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



DEEP SOCKET SET



PART NO.	DESCRIPTION
975-W38300	SAE 10 Pc. Set 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
975-W38402	METRIC 10 Pc. Set 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SOCKETS & ACCESSORIES 3/8" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED

ROUND HEAD & TEAR DROP RATCHETS



EXTENSIONS

PART NO.	LENGTH
975-W38143	3"
975-W38146	6"
975-W38148	8"
975-W38150	10"
975-W38152	1-3/4", 3", 6", 8" Set

TEAR DROP – QUICK RELEASE

PART NO.	GEAR TEETH	LENGTH
975-W38101	24	7-5/8"
975-W38102	32	11" Flexhead

ROUND HEAD

PART NO.	GEAR TEETH	LENGTH
975-W38106	42	7-1/8"
975-W38107	42	7-1/8", Quick Release
975-W38108	42	10-5/8", Flexhead



SOCKET ADAPTERS

PART NO.	DESCRIPTION
975-W32157	1/2" to 3/8" x 1-3/8"
975-W38158	3/8" to 1/2" x 1-3/8"
975-W38159	3/8" to 1/4" x 1-1/16"
975-W30934	4 Piece Set- One each of above adapters

WRENCHES – CROWFOOT

OPEN END



PART NO.	DESCRIPTION
975-W453	SAE 10 Pc. Set 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 1"
975-W452	METRIC 10 Pc. Set 10, 12, 13, 14, 15, 16, 17, 18, 19, 21mm



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SOCKETS & ACCESSORIES 3/8" DRIVE

FULLY POLISHED



DEEP SOCKETS 6 POINT 2-1/2" LENGTH

PART NO.	SAE
975-W38308	1/4"
975-W38310	5/16"
975-W38312	3/8"
975-W38314	7/16"
975-W38316	1/2"
975-W38318	9/16"
975-W38320	5/8"
975-W38322	11/16"
975-W38324	3/4"
975-W38326	13/16"
975-W38328	7/8"
975-W38330	15/16"
975-W38332	1"

PART NO.	METRIC
975-W38407	7
975-W38408	8
975-W38409	9
975-W38410	10
975-W38411	11
975-W38412	12
975-W38413	13
975-W38414	14
975-W38415	15
975-W38416	16
975-W38417	17
975-W38418	18
975-W38419	19
975-W38421	21
975-W38422	22



UNIVERSAL JOINTS

PART NO.	DESCRIPTION	LENGTH
975-W38130	3/8"	2-1/8"
975-W30933	1/4", 3/8", 1/2" Set	—



SOCKET RAIL

PART NO.	DESCRIPTION
975-W38000	3/8" Square drive, 18" long. (14 pegs)

STANDARD SOCKETS 6 POINT

PART NO.	SAE	LENGTH
975-W38008	1/4"	1-1/8"
975-W38010	5/16"	1-1/8"
975-W38012	3/8"	1-1/8"
975-W38014	7/16"	1-1/8"
975-W38016	1/2"	1-1/8"
975-W38018	9/16"	1-1/8"
975-W38020	5/8"	1-1/8"
975-W38022	11/16"	1-3/16"
975-W38024	3/4"	1-3/16"
975-W38026	13/16"	1-3/16"
975-W38028	7/8"	1-3/16"
975-W38030	15/16"	1-3/16"

METRIC

975-W38207	7	1-1/8"
975-W38208	8	1-1/8"
975-W38209	9	1-1/8"
975-W38210	10	1-1/8"
975-W38211	11	1-1/8"
975-W38212	12	1-1/8"
975-W38213	13	1-1/8"
975-W38214	14	1-1/8"
975-W38215	15	1-1/8"
975-W38216	16	1-1/8"
975-W38217	17	1-1/8"
975-W38218	18	1-3/16"
975-W38219	19	1-3/16"
975-W38220	20	1-3/16"
975-W38221	21	1-3/16"
975-W38222	22	1-3/16"



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SOCKETS & ACCESSORIES 1/2" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED, RECESSED EDGES

STANDARD & DEEP 6 PT. SOCKET SETS with Molded Case



PART NO.	DESCRIPTION
975-W32901	SAE 26 Pc. Set <u>Standard-</u> 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1". <u>Deep-</u> 1/2", 9/16", 5/8", 11/16", 3/4", 1-3/16", 7/8", 15/16"; spark plug sockets 5/8" & 13/16"; universal joint, 1/2" ratchet, 10" flex handle, extensions 3" & 5"
975-W32904	METRIC 26 Pc. Set <u>Standard-</u> 12, 13, 14, 16, 17, 18, 19, 21, 22, 23, 24, 27mm. <u>Deep-</u> 13, 14, 15, 17, 18, 19, 21mm; spark plug sockets 16 & 21mm, universal joint, 1/2" ratchet, 10" flexhandle, extensions 3" & 5"



STANDARD SOCKETS – 6 PT

PART NO.	DESCRIPTION
975-W32002	SAE 9 Pc. Set 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
975-W32202	METRIC 9 Pc. Set 12, 13, 14, 15, 16, 17, 18, 19, 22mm



DEEP SOCKETS – 6 PT

PART NO.	DESCRIPTION
975-W32300	SAE 8 Pc. Set 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"
975-W32400	METRIC 8 Pc. Set 12, 13, 14, 15, 16, 17, 18, 19mm

SOCKET RAIL

PART NO.	DESCRIPTION
975-W32000	1/2" Square drive 14 pegs (18" Long)



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SOCKETS & ACCESSORIES 1/2" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED

ROUND HEAD & TEAR DROP RATCHETS



PART NO.	DESCRIPTION
975-W32101	9-3/4" Quick Release Tear Drop, 24 Gear Tooth
975-W32106	9-7/8" Quick Release Round, 24 Gear Tooth



FLEX HANDLE

PART NO.	LENGTH
975-W32119	18"
975-W32120	19"
975-W32121	24"



EXTENSIONS



PART NO.	LENGTH
975-W32143	3"
975-W32145	5"
975-W32150	10"
975-W32140	3 Piece Set 3", 5", 10"



UNIVERSAL JOINTS

PART NO.	DESCRIPTION
975-W32130	1/2" x 2-15/16"
975-W30933	3 pc. Set 1/4", 3/8", 1/2"



SOCKET ADAPTERS

PART NO.	DESCRIPTION
975-W32157	1/2" to 3/8" x 1-3/8"
975-W38158	3/8" to 1/2" x 1-3/8"
975-W32158	1/2" to 3/4" x 1-11/16"
975-W34157	3/4" to 1/2" x 2"
975-W30934	4 Piece Set - 1/4x3/8, 3/8x1/4, 3/8x1/2, 1/2x3/8

SOCKETS & ACCESSORIES 1/2" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
RECESSED EDGES



DEEP SOCKETS 6 PT. 3" LENGTH

PART NO.	SAE
975-W32316	1/2"
975-W32318	9/16"
975-W32320	5/8"
975-W32322	11/16"
975-W32324	3/4"
975-W32326	13/16"
975-W32328	7/8"
975-W32330	15/16"
975-W32332	1"
975-W32334	1-1/16"
975-W32336	1-1/8"
975-W32340	1-1/4"
METRIC	
975-W32412	12
975-W32413	13
975-W32414	14
975-W32415	15
975-W32416	16
975-W32417	17
975-W32418	18
975-W32419	19
975-W32420	20
975-W32421	21
975-W32422	22
975-W32423	23
975-W32424	24
975-W32427	27

STANDARD 6 PT. SOCKETS

PART NO.	SAE	LENGTH
975-W32012	3/8"	1-1/2"
975-W32014	7/16"	1-1/2"
975-W32016	1/2"	1-1/2"
975-W32018	9/16"	1-1/2"
975-W32020	5/8"	1-1/2"
975-W32022	11/16"	1-1/2"
975-W32024	3/4"	1-1/2"
975-W32026	13/16"	1-1/2"
975-W32028	7/8"	1-9/16"
975-W32030	15/16"	1-9/16"
975-W32032	1"	1-11/16"
975-W32034	1-1/16"	1-11/16"
975-W32036	1-1/8"	1-3/4"
975-W32040	1-1/4"	1-3/4"
METRIC		
975-W32212	12	1-1/2"
975-W32213	13	1-1/2"
975-W32214	14	1-1/2"
975-W32215	15	1-1/2"
975-W32216	16	1-1/2"
975-W32217	17	1-1/2"
975-W32218	18	1-1/2"
975-W32219	19	1-1/2"
975-W32220	20	1-1/2"
975-W32221	21	1-1/2"
975-W32222	22	1-9/16"
975-W32223	23	1-9/16"
975-W32224	24	1-9/16"
975-W32227	27	1-11/16"



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SOCKETS & ACCESSORIES 3/4" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED, RECESSED EDGES

STANDARD 12 PT. SOCKET SET with Molded Case



**Performance
Tool®**



PART NO.	DESCRIPTION
975-W34904	SAE 21 Pc. SET 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-13/16", 1-7/8", 2", 4", 8", & 16" extension bars, quick release ratchet, & T-handle
975-W34906	METRIC 16 Pc. SOCKET SET 22, 23, 24, 26, 27, 29, 30, 32, 33, 35, 36, 38, 40, 41, 46, 50mm (Sockets Only)

ROUND HEAD & TEAR DROP RATCHETS


PART NO.	DESCRIPTION
975-W34100	19-11/16" Quick Release Tear Drop, 24 Gear Tooth
975-W34101	19-11/16" Round Head, 43 Gear Tooth



SPECIALTY HANDLES

FLEX & SLIDING

PART NO.	DESCRIPTION
975-W34120	19" Flex Handle, 3/4" Dr.
975-W34121	18" Sliding T-Bar Handle, 3/4" Dr.



NEW

BREAKER BARS

PART NO.	DESCRIPTION
978-12047	Breaker Bar 1/2" Drive 30", Max Torque 335 ft-lb
978-12048	Breaker Bar 3/4" Drive 40", Max Torque 1000 ft-lb
978-12049	Breaker Bar 1" Drive 40", Max Torque 1855 ft-lb



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SOCKETS & ACCESSORIES 3/4" DRIVE

CHROME VANADIUM STEEL CONSTRUCTION

FULLY POLISHED, RECESSED EDGES

STANDARD 12 POINT SOCKETS

PART NO.	SAE	LENGTH
975-W34528	7/8"	1-15/16"
975-W34530	15/16"	1-15/16"
975-W34532	1"	2"
975-W34534	1-1/16"	2-1/16"
975-W34536	1-1/8"	2-1/16"
975-W34538	1-3/16"	2-1/8"
975-W34540	1-1/4"	2-7/32"
975-W34542	1-5/16"	2-7/32"
975-W34544	1-3/8"	2-7/32"
975-W34546	1-7/16"	2-9/32"
975-W34548	1-1/2"	2-3/8"
975-W34550	1-9/16"	2-1/2"
975-W34552	1-5/8"	2-1/2"
975-W34554	1-11/16"	2-9/16"
975-W34556	1-3/4"	2-5/8"
975-W34558	1-13/16"	2-11/16"
975-W34560	1-7/8"	2-11/16"
975-W34564	2"	2-13/16"
975-W34566	2-1/16"	3"
975-W34568	2-1/8"	3"
975-W34570	2-3/16"	3"
975-W34572	2-1/4"	3"
975-W34574	2-3/8"	3-1/8"



Performance Tool

PART NO.	METRIC	LENGTH
975-W34822	22	1-15/16"
975-W34823	23	1-15/16"
975-W34824	24	1-15/16"
975-W34825	25	2"
975-W34826	26	2"
975-W34827	27	2-1/16"
975-W34828	28	2-1/16"
975-W34829	29	2-1/16"
975-W34830	30	2-1/8"
975-W34832	32	2-7/32"
975-W34833	33	2-9/32"
975-W34835	35	2-9/32"
975-W34836	36	2-3/8"
975-W34838	38	2-1/2"
975-W34840	40	2-1/2"
975-W34841	41	2-1/2"
975-W34842	42	2-11/16"
975-W34846	46	3"
975-W34850	50	3"
975-W34855	55	3"

EXTENSIONS

PART NO.	LENGTH
975-W34144	4"
975-W34148	8"
975-W34151	16"



SOCKET ADAPTERS

PART NO.	FEMALE TO MALE	LENGTH
975-W32158	1/2" to 3/4"	1-11/16"
975-W34157	3/4" to 1/2"	2"
975-W34158	3/4" to 1"	2-3/8"



UNIVERSAL JOINTS

PART NO.	DESCRIPTION
975-W34130	3/4" x 4-15/16"



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SOCKET SETS – STAR & HEX

CHROME VANADIUM STEEL CONSTRUCTION



**HANDY
STORAGE RACK**



STAR BIT SOCKET SET

PART NO.	DESCRIPTION
975-W38802	Star Bit 12 Pc. Set 1/4", 3/8", 1/2" Drive: T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-47, T-50, T-55, T-60



3/8" HEX BIT SOCKET SET

PART NO.	DESCRIPTION
975-WR38870	SAE 8 Pc. Set 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
975-W38890	METRIC 8 Pc. Set 3, 4, 5, 6, 7, 8, 9, 10mm

STAR DRIVERS

PART NO.	SIZE
975-W30810	T-10
975-W30815	T-15
975-W30820	T-20
975-W30825	T-25
975-W30827	T-27
975-W30830	T-30

- Chrome Vanadium Shafts
- Durable Handles
- Magnetic Tips



NUTDRIVER SET 7 pc.

975-W950



- Chrome Plated Carbon Steel Shafts
- Sizes 3/16" - 1/2"
- PVC Pro-style Handles

Impact Driver – 3/8" Dr.

- Up to Twice the Loosening Power of Ordinary Tools
- Can Be Reversed to Tighten



PART NO.	DESCRIPTION
975-W2500P	Impact Driver with # 2 & 3 Phillips and 5/16" & 3/8" Slotted Bits



1/2" HEX BIT SOCKET SET

6-pc. SAE & Metric with Storage Rail



PART NO.	DESCRIPTION
975-W38886	SAE & Metric 6 Pc. Set 3/8", 1/2", 9/16"; Metric 12, 14, 17mm

3/8" HEX BIT SOCKETS

1-7/8" Length

PART NO.	SAE	PART NO.	METRIC
975-W38874	1/8"	975-W38894	4mm
975-W38875	9/64"	975-W38895	5mm
975-W38876	5/32"	975-W38896	6mm
975-W38877	3/16"	975-W38897	7mm
975-W38878	7/32"	975-W38898	8mm
975-W38879	1/4"	975-W38900	10mm
975-W38880	5/16"		
975-W38881	3/8"		



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SCREWDRIVERS



- Chrome Vanadium Shafts
- Professional, Durable Handles
- Magnetic Tips Blackened



PHILLIPS

PART NO.	TIP SIZE	LENGTH
975-W30960	# 0	2-1/2"
975-W30961	# 1	3"
975-W30962	# 1	6"
975-W30963	# 2	4"
975-W30964	# 2	6"
975-W30965	# 2	8"
975-W30968	# 3	6"
975-W30969	# 4	8"

SLOTTED

PART NO.	TIP SIZE	LENGTH
975-W30970	1/8"	3"
975-W30986	3/16"	3"
975-W30987	3/16"	6"
975-W30988	1/4"	4"
975-W30989	1/4"	6"
975-W30990	1/4"	8"
975-W30991	5/16"	6"
975-W30995	5/16"	8"
975-W30992	3/8"	8"
975-W30993	3/8"	10"
975-W30983	3/8"	12"

- Pro Style Handles
- Chrome Vanadium Shafts
- Hex Bolsters on Larger Drivers
- Magnetic Tips
- Assorted Handle Colors

5 Slotted sizes:

3/8 x 8, 5/16 x 6, 1/4 x 4, 3/16 x 3
and 1/4 x 1-1/2 in. stubby

3 Phillips sizes:

#2 x 4, #1 x 3, and
#2 x 1-1/2 in. stubby



SCREWDRIVER SET HI-VIS HANDLES

PART NO.	DESCRIPTION
975-W904	High Vis. Orange PVC Handles
975-W904GN	High Vis. Green PVC Handles
975-W901S	Black Polypropylene Handles



4 IN 1 QUICK-CHANGE SCREWDRIVER 393-26075

- #1 & #2 Phillips Head
- 3/16" & 1/4" Slotted Head
- Counter Display

The Original 4 in 1

12 per Display
Order Multi. 1



SCREWDRIVER SET FOLDING 294-22461




New combination 6-in-1 Fold-up Screwdriver Set has high quality, hardened tempered steel blades that can be used straight out or at right angles for extra leverage. Classic steel handle. Colorfully packaged for display. Includes T-15 Torx, No.1 Phillips, 1/4", 3/16", 1/8" flat blades and scratch awl.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

HEX & TORX KEY SETS

TORX KEY SET



294-22571



Seven most popular Torx sizes T10 to T40. Each key can be used straight out or at right angles for extra leverage. Made of top quality chrome nickel alloy steel, precision machined and hardened for long life and precise fit.



Eklind



HEX KEY SETS

Carded

- Snaps into work position for leverage
- Folds up like a knife

PART NO.	SAE
294-20811	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"; 3" long over all
294-20911	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"; 4-1/4" long over all
294-20912 small	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"; 3-5/8" long over all
294-20511	3/16, 7/32, 1/4, 5/16, 3/8"; 5-1/4" long over all.
METRIC SIZES	
294-21171	1.5, 2, 2.5, 3, 4, 5 and 6mm, 92.1mm or 3-5/8" long over all



FOLD-UPS

ERGO-FOLD – SAE

294-25911

Ergo-Fold Key Sets feature a composite grip handle shaped for superior ergonomics. A soft cushion-grip insert provides comfort and slip resistance. A hard shell provides maximum strength. As strong as steel, they are guaranteed forever.

Sizes Include:

5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

HEX T-KEY SETS

Eklind T-handle hex keys provide extra reach and leverage. Made with Eklind alloy steel, drawn for closest tolerance to insure precise, sure fit. Hardened and tempered for maximum strength. Furnished in sturdy vinyl reusable pouch.

8 pc. Set Includes - Inch Sizes
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4.



PART NO.	
294-16008KP	6" Arm
294-19008KP	9" Arm



HEX L-KEY SETS

In Plastic Molded Case, Carded

PART NO.	DESCRIPTION
294-10107	7 pc. Short Arm Set 5/64" thru 1/4"
294-10113	13 pc. Short Arm Set .050" thru 3/8"
294-10207	7 pc. Long Arm Set 5/64" thru 1/4"
294-10213	13 pc. Long Arm Set .050" thru 3/8"
294-10018	18 pc. Short & Long Arm Set .050" thru 5/16"
294-10509	9 pc. Short Arm Metric Set 1.5 thru 10mm
294-10609	9 pc. Long Arm Metric Set 1.5 thru 10mm



WE SUPPLY SUCCESS

WWW.SMALINK.COM

HEX & STAR KEY SETS



12715



12713



12712



12714

TITAN™

PART NO.	DESCRIPTION
978-12712	SAE and Metric, 25 Piece
978-12713	Extra Long Ball End, SAE, 13 Piece
978-12714	Extra Long Ball End, Metric, 9 Piece
978-12715	Star Key Set, Extra Long, 13 Piece



TOOL SET – MULTI-USE 119 Piece Fully Polished 3/8" Dr.

975-W1193



Performance Tool®

- 3/8" & 1/4" Dr. SAE & Metric Sockets, Extension, 1/4" Adaptor, 3/8" U-Joint, Spark Plug Sockets
- Long Nose Plier, Diagonal Cutter, 10 SAE & Metric Combo Wrenches, 6" Adjustable Wrench
- 3 Pc. Hi-Vis Screwdriver Set, 20 Pc. Specialty Bit Set with Star, Robertson, Hex, Phillips & Regular Bits, Magnetic Bit Drive & 10 Pc. Bit Boots
- Pro Style Wire Crimper, 12V Tester, Electrical Tape, Assorted Wire Terminals
- Detail Brush, Break-Away Knife
- Durable Storage Case

MASTER SECURITY BIT SET

148 Piece

978-16148

Set Includes:

- Phillips
- Slotted
- Star
- Square & Pozi-Drive
- SAE & Metric
- Tamper-Resistant Star & Hex
- Spline & Clutch Drive
- Spanner
- 3-Wing & 4-Wing Drives
- 3-1/2" Magnetic Bit Holder
- Quick Release Bit Holder
- 1/4" Drive Socket Adapter



TITAN™



PIPE WRENCHES

Specially hardened and tempered jaws, milled teeth, adjusting nut spins smoothly.

ALLOY STEEL

PART NO.	SIZE
978-P8	8"
978-P10	10"
978-P12	12"
978-P14	14"
978-P18	18"
978-P24	24"
978-P36	36"
978-P48	48"



ALUMINUM

PART NO.	SIZE
978-PA10	10"
978-PA14	14"
978-PA18	18"
978-PA24	24"
978-PA36	36"
978-PA48	48"



To Order Call Toll Free 877-55 GO SMA 877-554-6762

WRENCHES – ADJUSTABLE



Fully polished, nickel and chrome plated, durable, easy to keep clean.

PART NO.	LENGTH
975-W30704	4"
975-W30706	6"
975-W30708	8"
975-W30710	10"
975-W30712	12"



PART NO.	LENGTH
975-W6C	6"
975-W8C	8"
975-W10C	10"
975-W12C	12"
975-W15C	15"
975-W18C	18"
975-W24C	24"



SPUD WRENCHES



PART NO.	DESCRIPTION
978-211	Spud Wrench, 10" Black Oxide Finish, Resists Corrosion, Opens to max of 1-1/4"
978-216	Spud Wrench, 16" Black Oxide Finish, Resists Corrosion, Opens to a Max of 1-1/2"

WRENCH SETS – RATCHETING CHROME VANADIUM STEEL CONSTRUCTION

Ratcheting wrenches greatly increase your production, helping you to work faster by spending more time wrenching and less time lifting and replacing your wrench on the fastener. The slim design of these wrenches and less than 5° sweep allow you to work in confined areas where standard ratchets and sockets won't fit.



**12 PC.
METRIC &
13 PC. SAE**

- 72 Fine-tooth Ratchet Design for Fast Performance
- Reusable Storage Rack



7 PC. SAE & METRIC



PART NO.	DESCRIPTION
978-17354	SAE 13 Piece Ratcheting Wrench Set 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
978-17355	Metric 12 Piece Ratcheting Wrench Set 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



PART NO.	DESCRIPTION
978-17350	SAE 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
978-17351	Metric 8, 10, 12, 13, 15, 16, 18mm



WE SUPPLY SUCCESS

WWW.SMALINK.COM

WRENCHES – RATCHETING

DROP FORGED CHROME VANADIUM STEEL CONSTRUCTION
FULLY POLISHED, 72 GEAR TEETH



SAE

PART NO.	SIZE
975-W30250	1/4"
975-W30251	5/16"
975-W30252	3/8"
975-W30253	7/16"
975-W30254	1/2"
975-W30255	9/16"
975-W30256	5/8"

PART NO.	SIZE
975-W30257	11/16"
975-W30258	3/4"
975-W30259	13/16"
975-W30260	7/8"
975-W30261	15/16"
975-W30262	1"

METRIC

PART NO.	SIZE
975-W30348	8mm
975-W30349	9mm
975-W30350	10mm
975-W30351	11mm
975-W30352	12mm
975-W30353	13mm
975-W30354	14mm

PART NO.	SIZE
975-W30355	15mm
975-W30356	16mm
975-W30357	17mm
975-W30358	18mm
975-W30359	19mm
975-W30361	21mm
975-W30362	22mm

WRENCHES – COMBINATION SETS

Drop Forged Chrome Plated, Raised Panel

Includes Storage Pouch



W1114



17329



W1114M



17330

975-W1114 14-pc. SAE

Sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

978-17329 14-pc. SAE

Sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

975-W1114M 14-pc. METRIC

Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22mm

978-17330 16-pc. METRIC

Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 25, 30, 32mm

12 Piece



Includes Metal Rack for Easy Storage

975-W1065 12-pc. SAE

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

975-W1066 12-pc. METRIC

Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 & 19mm



To Order Call Toll Free 877-55 GO SMA 877-554-6762

WRENCHES – COMBINATION

RAISED PANEL DROP FORGED CHROME PLATED CARBON STEEL

JUMBO

PART NO.	SIZE
975-W343B	1-3/8"
975-W344B	1-1/2"
975-W345B	1-5/8"
975-W346B	1-3/4"
975-W347B	1-7/8"
975-W348B	2"
975-W353B	2-1/8"

PART NO.	SIZE
975-W354B	2-1/4"
975-W355B	2-3/8"
975-W356B	2-1/2"
975-W376B	1-5/16"
975-W377B	1-7/16"
975-W378B	1-11/16"
975-W379B	1-13/16"

PART NO.	SIZE
975-W322B	3/8"
975-W323B	7/16"
975-W324B	1/2"
975-W325B	9/16"
975-W326B	5/8"

PART NO.	SIZE
975-W327B	11/16"
975-W328B	3/4"
975-W330B	7/8"
975-W331B	15/16"
975-W334B	1-1/8"



COMBINATION – STANDARD LENGTHS

SAE

PART NO.	SAE	LENGTH
975-W30208	1/4"	3-7/8"
975-W30210	5/16"	4"
975-W30212	3/8"	4-1/2"
975-W30214	7/16"	5-1/8"
975-W30216	1/2"	5-3/4"
975-W30218	9/16"	6-5/8"
975-W30220	5/8"	7-1/8"
975-W30222	11/16"	8-1/8"
975-W30224	3/4"	9"
975-W30226	13/16"	10-1/8"
975-W30228	7/8"	11"
975-W30230	15/16"	12-1/8"
975-W30232	1"	12-3/4"
975-W30234	1-1/16"	14-1/4"
975-W30236	1-1/8"	15"
975-W30238	1-3/16"	14-1/2"
975-W30240	1-1/4"	16-1/8"

METRIC

PART NO.	METRIC	LENGTH
975-W30006	6mm	3-7/8"
975-W30007	7mm	3-7/8"
975-W30008	8mm	4-1/8"
975-W30009	9mm	4-5/8"
975-W30010	10mm	4-7/8"
975-W30011	11mm	5-1/8"
975-W30012	12mm	5-5/8"
975-W30013	13mm	5-3/4"
975-W30014	14mm	6-5/8"
975-W30015	15mm	7-1/8"
975-W30016	16mm	8-1/8"
975-W30017	17mm	8-1/8"
975-W30018	18mm	9"
975-W30019	19mm	9"
975-W30020	20mm	10-1/4"
975-W30021	21mm	10-1/4"
975-W30022	22mm	10-7/8"

PART NO.	METRIC	LENGTH
975-W30023	23mm	10-7/8"
975-W30024	24mm	12-1/4"
975-W30025	25mm	13"
975-W30027	27mm	14-1/4"
975-W30029	29mm	15"
975-W30032	32mm	16-1/4"



PLIERS – CRESCENT BRAND SLIP-JOINT



- Drop Forged Steel, Hardened and Tempered
- Machined Gripping Teeth
- Wire Cutter
- Bright Plated Finish
- Non-Slip Grip

PART NO.	DESCRIPTION
190-H26V	6" Slip Joint
190-H28V	8" Slip Joint

PLIERS

COMBINATION CUSHION GRIP PLIERS

RUGGED CONSTRUCTION



PART NO.	DESCRIPTION
975-W30720	6" Slip Joint
975-W30721	8" Slip Joint
975-W30722	10" Slip Joint
975-W30741	9-1/2" Groove Joint
975-W30743	12" Groove Joint
975-W30745	16" Groove Joint

SIDE CUTTERS & NEEDLE-NOSE PLIERS

PART NO.	DESCRIPTION
975-W30725	6" Diagonal
978-11412	7.5" Diagonal, Compound Action, 12 Pc. Counter Display. O/M 12
975-W30726	8" Diagonal
975-W30728	8" Linesman
975-W30731	6" Long Nose
975-W30732	6" Curved Long Nose
975-W30733	8" Long Nose



PLIERS – LOCKING

LOCKING PLIERS

PART NO.	DESCRIPTION
975-W30752	5" Curved Jaw
975-W30754	7" Curved Jaw
975-W30756	10" Curved Jaw
975-W30758	6-1/2" Long Nose
975-W30760	9" Long Nose
975-W30757	10" Straight Jaw



WISE-GRIP® BRAND



PART NO.	DESCRIPTION
728-C5WR	5" Curved Jaw with Cutter
728-C7R	7" Straight Jaw less Cutter
728-C7WR	7" Curved Jaw with Cutter
728-C10R	10" Straight Jaw less Cutter
728-C10WR	10" Curved Jaw with Cutter
728-6LN	6" Long Nose with Cutter



To Order Call Toll Free 877-55 GO SMA 877-554-6762

TOOL BOXES

PORTABLE ORGANIZED STORAGE



Tools Sold Separately



Tread Plate Design
Made of Heavy Duty 11 Gauge Steel



SPLIT-LID STYLE

Made of Heavy Gauge Steel

PART NO.	DESCRIPTION
974-TB2313	23"L x 13"D x 17"H
974-TB3015	30"L x 15"D x 17"H
974-TB3615	36"L x 15"D x 17"H

PART NO.	DESCRIPTION
974-TB2313HD	23"L x 13"D x 17"H
974-TB3015HD	30"L x 15"D x 17"H



Heavy-Duty Carrying Handles

- Durable Powder Coat Finish
- Weather Proof Seal Guards Against Moisture and Dirt
- Storage Bin for Small Items
- Twist-Lock Latch for Safety
- Individually Packaged
- Not UPS Shippable



Twist-Lock Latch for Added Security

TOOL BAG

975-W88986



Tools Sold Separately

- 18-inch Wide Opening
- 36 Pockets: 11 Inside, 25 Outside
- Water Repellent



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SPECIALTY TOOLS – PICK SETS

CONTAINS:

90° Double End Scribe

Etches metals and soft materials

O-Ring & Seal Pick

Easily removes and installs O-Rings and Seals

2 PIECE



975-W80750

- Hardened Tips
- Knurled Center Grips
- Useful for Retrieving Small Parts, Nuts, Washers, Etc.

PICK AND DRIVER SET – 8 PIECE

975-W941

- Chrome Vanadium Steel Shafts with Magnetic Tips
- High Visibility PVC Handles
- Chrome Vanadium Shafts

CONTAINS:

- | | |
|-----------------|--------------------------|
| Curved Hook | 1/8" Slotted Screwdriver |
| Offset 45° Hook | #0 Phillips Screwdriver |
| 90° Hook | T-15 Star Driver |
| Straight Pick | T-20 Star Driver |



Performance Tool

O-RING REMOVER SET

4 PIECE

TITAN



PART NO.	DESCRIPTION
978-17004	O-Ring Remover Set 4 Piece, Includes One each 5-1/2" and 8-1/2" Curved and Straight Tips.

NEW

CALIPERS – DIGITAL



TITAN

PART NO.	DESCRIPTION
978-23173	Large LCD Display Reads Fractional, SAE Decimal and Metric. Use for Inside, Outside and Depth, 6" Range (150mm). Stainless Steel Components, AutoShut-Off and Protective Storage Case Included.
978-23175	Large Easy to Read LCD Display. Use for Inside, Outside and Depth, 6" Range (150mm). Fine Adjustment Thumbwheel, Stainless Steel Components and Protective Storage Case Included.

Performance Tool

INFRARED THERMOMETER

- 978-51408 Temp Range: -58°F to 1202°F
- 978-55010 Temp Range: -58°F to 842°F
- Built-in Laser Pointer
- Reads Both Celsius & Fahrenheit
- Spot Ratio 12:1
- Automatic Data Hold & Auto Power Off
- Backlit LCD Display
- Max and Min Function
- Uses 9V Battery

TITAN



978-51408
978-55010

NEW

CAMO UTILITY BLANKET

Shell is made of non-woven synthetic fibers with
Filler material made of recycled denim cotton



978-22017

Dimensions: 72" x 80" Weight: 3.5 Lb

SPECIALTY TOOLS

MAGNETIC RETRIEVERS & TRAYS



W1254



PART NO.	DESCRIPTION
Magnetic Retrievers	
975-W1254	3 lb Telescopic, Counter Display 12 Piece
978-11763	3 lb Telescopic, Counter Display 20 Piece
978-11663	5 lb Telescopic, Counter Display 20 Piece
978-11716	16 lb Telescopic, Counter Display 20 Piece
Magnetic Trays	
975-W1265	9-1/2" x 5-1/2"
975-W1264	6" Diameter
978-11195	8-7/8" x 2-1/2"



W1265



W1264



11195

THICKNESS GAUGE

32 BLADES

975-W125C
12 Per Carton



Assortment Includes: .0015, .002, .0025, .003 to .035 by thousandths, 3-1/2" long blades. One piece handle.


ANTI-FREEZE TESTER

DIAL TYPE

975-W1656C



Dial indicator. Instant readings in hot or cold radiator. Calibrated in F° or C°.



formance

BOLT CUTTERS

HEAVY DUTY



Performance Tool

- Jaws are High Carbon Steel, Drop Forged and Heat Treated
- Specially Designed Lock Washer Prevents Nuts from Coming Loose

PART NO.	SIZE
975-BC18	18"
975-BC24	24"
975-BC30	30"
975-BC36	36"

TUBING CUTTER

- Cut 1/8" thru 1-1/8" O.D. Tubing
- Hardened Alloy Cutting Wheel
- Retractable Burr Reamer



975-W702C

Carded

PIPE CUTTER

RATCHETING

978-15063



- Cuts PVC or Rubber Pipe Up to 1-5/8" Diameter
- Stainless Steel Blade
- Flip Catch Locks Handles Closed for Safety

TITAN



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SPECIALTY TOOLS

SNAP RING PLIER KIT Convertible

- **Five Color Coded Pairs of Tips –**
Sizes .036, .047, .070 straight and bent 90°
Includes hex wrench and durable plastic pouch
- **Push Button Convertible**
To or from external and internal action.
- **External**
Ring sizes 1/4" thru 2", 10mm thru 48mm
- **Internal**
Ring sizes 3/8" thru 2", 7mm thru 48mm



PART NO.	DESCRIPTION
429-1434	Snap Ring Plier Kit
429-14	Replacement Tip Kit

SNAP RING PLIER SET - 2PC

975-W1150S

Set contains

Internal and External Pliers

Retail Clam Shell

Includes Straight, 90 & 45 Degree Types



BLOWER – GARAGE OR SHOP

Amazing blowing power in compact, easy to handle size. Great electric broom for garage floor, sidewalks or cleaning dust from power tools



W50063

PART NO.	DESCRIPTION
975-W50063	Garage / Shop Blower 75 MPH Air Flow
975-W50069	Garage / Shop Blower, 90 MPH, Variable Speed



W50069

Performance Tool

WHISK BROOM



137-4900

Order Multiple 6

11" Long.

Made of selected fine broom corn twice sewn. Cadmium plated ring cap. This is best quality whisk broom for home, office and automobile.

WAREHOUSE BROOM



**#32 Straw Broom
with Wood Handle**

117-32

Order Multiple 6

SCRAPER – 1-1/4" STAINLESS STEEL

Rigid Go-Thru Blade with Metal Capped Handle for Strength and Durability. Comfortable TPR Handle for Maximum Grip.



978-11500

- Ships Bulk in a 6 Piece Counter Display. O/M 6

CHIP BRUSH PLAIN WOOD HANDLE

Designed for general purpose use on all types of surfaces. 100% white bristle.



PART NO.	DESCRIPTION	O/M
137-16022	2" Wide	24
137-16023	3" Wide	12
137-16024	4" Wide	12



TITAN™

HEAT GUN VAPER DUAL TEMP

- Ideal for Paint Stripping, Plastic Welding Shrink Tubing
- Dual Temperature Setting
- 3-Position Rocker Switch
- Double Insulated
- Durable ABS Body
- 6-1/2 ft Power Cord



978-22400

WIRE SCRATCH BRUSHES

Order Multiple 12

CURVED HANDLE



137-11370

Rigidity and durability are built in for all types of general purpose maintenance - residential, commercial or industrial. Brush area 6" with tempered steel wire bristles trimmed 1". Block is 13-3/4" x 1" curved hardwood with hanging hole.

CURVED HANDLE WITH SCRAPER



137-11371

Designed for general purpose wire brushing and scraping of all types of surfaces. Brush area 6" with tempered steel wire bristles trimmed 1". Block is 13-3/4" x 1" curved hardwood with 1-1/2" wide scraper and hanging hole.

DETAIL BRUSH WITH WOOD HANDLE

137-11351



For commercial and industrial use - detailing and cleaning for plumbing, automotive, welding machine shop needs. 7-3/4" length, brass bristles.

SHOE HANDLE **137-2416**



Shoe handle provides strong grip for applying pressure. Brush area 5" with 4 x 16 rows of tempered steel wire bristles trimmed 1". Block is 1-1/8" x 10" hardwood, shoe handle design with hanging hole.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

CUTTING TOOLS HACKSAWS AND BLADES

Deluxe Tubular Frame

975-W730



- Adjustable for 10" or 12" Blades



Professional Heavy Duty

975-W732



- Comfortable Die-cast Aluminum Handle
- 45° & 90° Blade Positioning
- Extra Blade Storage in Top Bar

Bi-Metalloy Blades

Lasts twice as long as high speed steel and up to ten times longer than carbon steel. 2 Blades per Card.



PART NO.	LENGTH	TEETH
190-62826	12"	18
190-62832	12"	24

UTILITY KNIVES AND BLADES



978-11034

Carded

10 Pack Heavy Duty Blades.

975-W744

5 Pack Utility Blades, Carded



975-W745C

Retractable 3 Position Knife with 2 Blades

Pocket Folding Utility Knife

- Quick Change Blade Requires No Tools
- Folding Lock for Safety
- Easy Carry Belt Clip
- Includes 5 Extra Blades in Handy Dispenser



978-11015 – Red

978-11018 – Blue

Carded



Folding Utility Knife

975-W2600

Carded

- Compact Design
- Belt Clip
- Push Button Quick Blade Change
- Includes 5 Blades & Dispenser



RAZOR SCRAPERS AND BLADES



11031

PART NO.	DESCRIPTION
978-11030	Multi-Purpose Razor Scraper with Extra Blade. Uses Blades 11036, 11038 or 11039. 6 Pc. Counter Display, O/M 6.
978-11031	Mini Razor Scraper, Poly Construction, TPR Sleeve and Extra Blade. Uses Blades 11036, 11038 or 11039. 12 Pc. Counter Display, O/M 12.
978-11036	Single Edge Razor Blade #9, 100 Pack Clamshell
978-11038	Single Edge Razor Blade #12, 100 Pack Clamshell
978-11039	Extra Heavy Duty Razor Blade #20, 20 Pack Carded



MEASURING WHEELS

- Adjustable Twist and Lock Arm
- 5 Digit Counter Reads to 10,000 Units and Runs on Sealed Ball Bearings
- Magnifying Lens for Improved Readability
- Accurate Gear Driven Counter with Push Button reset

Available in
3 Models for
Feet-Inches,
Metric and
Chains



Series 79
For measuring in rough terrain the W79 wheel is what you need. The 25" diameter polystyrene wheel make it well suited for very rough surfaces. With a 6.6 foot circumference these wheels are commonly used to compute acreage. Features a comfortable pistol grip handle and convenient spring loaded kickstand. Collapsed length 32", extended length 47", wt. 6 lb.



Series 60
This 19" diameter is made to be used in the roughest terrain and measure larger areas. The 60 series wheels are also covered with a composite tread to allow versatility in measuring on smooth surfaces. Whether you are surveying a property or putting up a fence, the W3012 is your wheel. Comes with comfortable pistol grip handle and convenient spring loaded kickstand. Collapsed length 29", extended length 41-3/4", wt. 5 lb.

PART NO.	DESCRIPTION
561-W1812	Feet & Inches
561-W6012	Feet & Inches
561-W79C	Chains (Measures to 1000 chains. 1 chain = 66 ft.)
561-W79M	Meters & Decimeters
561-W7912	Feet & Inches



Series 18
This 6" wheel offers great versatility, small enough for indoor measuring on smooth, hard surfaces and large enough for outdoor measuring needs. Perfect for adjusters, appraisers, decorators, painters, and realtors. The W1812 features a polyvinyl tread on the wheel, is 18" collapsed and extended to 40" in length. Wt. 5 lb.

TITAN™

TAPE MEASURES SAE & METRIC

Performance Tool®



PART NO.	DESCRIPTION
975-W5124	1" x 25'
978-10905	3/4" x 16'
975-W5124BP	2 Piece Set Includes 5/8" x 12' and 1" x 25'
978-10902	4 Piece Set Includes 5/8" x 12' , 3/4" x 16' , 1" x 25' , 1" x 33'
978-10907	1" x 25'



WE SUPPLY SUCCESS

WWW.SMALINK.COM

HAMMERS

TITAN™



PART NO.	DESCRIPTION
978-63020	Claw Hammer 16 oz. with Fiberglass Handle
978-63312	Ball Pein Hammer 12 oz. with Fiberglass Handle
978-63316	Ball Pein Hammer 16 oz. with Fiberglass Handle
978-63016	Ball Pein Hammer 24 oz. with Fiberglass Handle
978-63024	Ball Pein Hammer 32 oz. with Fiberglass Handle
978-63004	Cross Pein Hammer 3 lb. with Fiberglass Handle
978-63000	Shop Hammer 3 lb. with Fiberglass Handle
978-63144	Dead Blow Hammer Set 4 Piece with One Each 8, 16, 24 & 32 Ounce, Textured Handles.
978-63125	5 Piece Hammer Set with 1 Each 16 & 32 oz. Ball Pein, 3 lb. Cross Pein, 3 lb. Sledge and 32 oz. Rubber Mallet.
978-63217	Rubber Mallet 16 oz. with Fiberglass Handle
978-63232	Rubber Mallet 32 oz. with Fiberglass Handle




3 LB. COMBO SET

Sledge and cross pein hammers. Drop forged high carbon steel construction, mirror polished heads. Heavy duty fiberglass handles with anti-shock cushion grips.



RUBBER Mallet

32 oz. Rubber Hammer with Fiberglass Handle



BALL PEIN 5 PIECE SET

Heat-treated, high carbon steel head for strength and durability. Heavy duty fiberglass handles with anti-shock rubber cushion grips

975-M7134



Set Includes: 8oz, 12oz, 16oz, 24oz & 32oz hammers

P Performance Tool®



To Order Call Toll Free 877-55 GO SMA 877-554-6762

HAMMERS

CLAW 117-23132



Claw Hammer, 16 oz.
Chamfered Face, Hickory Handle

SLEDGE HAMMER DOUBLE FACED

Heavy duty, heat treated and drop forged. Black enameled head, polished face.

16" Long Handle

PART NO.	SIZE
117-20122	2 lb.
117-20203	3 lb.
117-20204	4 lb.



36" Long Handle

PART NO.	SIZE
117-20206	6 lb.
117-20208	8 lb.
117-20210	10 lb.
117-20216	16 lb.

BALL PEIN

Drop forged from high quality carbon steel. Finished in enamel, face and pein polished. Top grade flame treated, clear lacquered hickory handle.



PART NO.	SIZE
117-23150	8 oz.
117-23151	16 oz.
117-23152	24 oz.
117-23153	32 oz.

ENGINEERS



High carbon steel, heat treated. Machined, polished face. 16" Top grade handle.

PART NO.	SIZE
117-20102	2 lb.
117-20103	3 lb.

HICKORY HANDLES



PART NO.	FITS
117-00205	23132
117-00223	20102
117-00223	20103
117-00223	20122
117-00223	20203
117-00223	20204
117-00211	23150
117-00213	23151
117-00215	23152
117-00215	23153
117-00101	20206
117-00101	20208
117-00101	20210
117-00101B	20216



WE SUPPLY SUCCESS

WWW.SMALINK.COM

PRY BARS

SCREWDRIVER TYPE PRY BAR

Forged from highest quality steel, hardened and tempered. Heat treated.



PART NO.	SIZE
543-40106	12" Straight
543-40108	18" Straight
543-40111	12" Curved
543-40112	18" Curved
543-40109	24" Curved

ROLLING HEAD PRY BAR

Forged from high grade steel. Hardened and tempered. Black lacquer finish. For prying and other purposes.



PART NO.	SIZE
543-40100	3/8" x 9"
543-40101	1/2" x 16"
543-40102	5/8" x 18"
543-40104	3/4" x 22"

4 PIECE SET 975-W2020



- Sizes 8", 12", 18" & 24"
- Black Oxide Finish
Resists Corrosion
- Drop Forged Steel

GOOSENECK BAR



PART NO.	SIZE
117-33024	3/4" x 24"
117-33036	3/4" x 36"

PINCH BAR

Forged from high grade steel. Hardened and tempered. Black lacquer finish. Full polished taper and blade. For prying, alignment work and many other purposes. One end taper and the other end curved leverage blade.



PART NO.	SIZE
543-40001	16" x 5/8"
543-40002	20" x 3/4"



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PUNCHES



CENTER PUNCH

For piercing or marking work by indentation or for starting drills.

PART NO.	SIZE
543-24001	4-1/4" x 5/16"
543-23001	4-1/2" x 5/16"
543-24002	5" x 3/8"
543-24003	6" x 1/2"
543-24004	6-1/4" x 5/8"

SOLID STARTER PUNCH

For loosening frozen or tight pins or keys or knocking out rivets.

PART NO.	SIZE
543-20001	5" x 1/8"
543-20002	5" x 3/16"
543-20003	5" x 1/4"

LINE-UP PUNCH

For aligning holes in metal thru which rivet pins are inserted.

PART NO.	SIZE
543-22011	5/32" x 9"
543-22000	5/32" x 8"
543-22012	3/16" x 10"
543-22003	1/4" x 12"
543-22008	5/16" x 16"
543-22025	7/32" x 10"
543-22005	1/4" x 15"
543-22006	3/16" x 12"
543-22010	1/8" x 8"
543-22013	5/16" x 12"

PIN PUNCH

PART NO.	SIZE
543-21001	3/32" x 4-1/2"
543-21002	1/8" x 4-3/4"
543-21003	5/32" x 5"
543-21004	3/16" x 5-1/4"
543-21100	3/16" x 6"
543-21011	7/32" x 5-1/2"
543-21005	1/4" x 5-3/4"
543-21103	1/4" x 6"
543-21104	5/16" x 6"
543-21105	3/8" x 6-1/2"
543-21302	3/8" x 8"
543-21501	3/16" x 8"
543-21502	1/4" x 8"

PILOT PUNCH SETS

PART NO.	DESCRIPTION
543-62250	6 pc. Pilot Punch Set Sizes 1/8" thru 5/16"
543-62252	9 pc. Pilot Punch Set Sizes 1/16" thru 5/16"
543-62254	12 pc. Pilot Punch Set Sizes 1/16" thru 1/2"



PILOT PUNCH

PART NO.	SIZE
543-25000	1/16"
543-25001	5/64"
543-25002	3/32"
543-25003	1/8"
543-25004	5/32"
543-25005	3/16"
543-25006	7/32"
543-25007	1/4"
543-25008	5/16"
543-25009	3/8"
543-25010	7/16"
543-25011	1/2"



WE SUPPLY SUCCESS

WWW.SMALINK.COM

CHISELS



61005



60560



PART NO.	DESCRIPTION
543-61000	4 pc. Punch & Chisel Set - Includes: No. 10205, 24002, 20002, 21004.
543-61005	6 pc. Punch & Chisel Set - Includes: No. 10205, 10209, 24002, 20002, 21002, 21004.
543-61044	14 pc. Punch & Chisel Set - Includes: No. 24002, 20001, 20002, 21001, 21002, 21004, 21005, 22010, 10200, 10202, 10205, 10209, 10212.
543-62235	4 pc. Line-Up Punch Set - Includes: No. 22003, 22010, 22011, 22012.
543-62020	5 pc. Solid Punch Set - Includes: No. 20002, 21002, 21003, 21004, 21005.
543-60560	6 pc. Cold Chisel Set - Includes: No. 10200, 10201, 10202, 10205, 10209, 10212.

COLD CHISEL – HEAVY DUTY

For cutting, shaping and removing metal.
Hammer forged from high grade steel. Noted
for cutting and durability. Black lacquer finish.
Heads and bits fully polished.



PART NO.	SIZE
543-10200	1/4" x 5"
543-10201	5/16" x 5"
543-10202	3/8" x 5-1/2"
543-10205	1/2" x 6"
543-10402	1/2" x 6" Carded
543-10207	1/2" x 12"
543-10209	5/8" x 6-1/2"
543-10212	3/4" x 7"
543-10213	3/4" x 12"
543-10216	7/8" x 7-1/2"
543-10220	1" x 8"



COLD CHISEL WITH HANDGUARD

Made from heavy duty molded plastic,
protects hand from misplaced hammer blows.
Absorbs the shock of hammer blows.

PART NO.	SIZE
543-85213	3/4" x 12"
543-85221	1" x 8"

RIVET SET

543-20900

Forms cap when hammering rivet into place.
5" x 5/8"



RIVET BUSTER

543-11300

Cuts off cap of rivet before rivet can
be removed with pin punch.
6-1/2" x 3/4"



SAND PAPER SHEETS



PART NO.	DESCRIPTION
349-220080	80 Grit, 9" x 11" 50 per Pkg.
349-220120	120 Grit, 9" x 11" 50 per Pkg.
349-220180	180 Grit, 9" x 11" 50 per Pkg.
349-220220	220 Grit, 9" x 11" 50 per Pkg.
349-220320	320 Grit, 9" x 11" 50 per Pkg.



SANDPAPER & SANDSCREENS



PART NO.	DESCRIPTION
Sandpaper Roll 50 yd. — Aluminum Oxide	
349-381080	80 Grit, 1-1/2"
349-381120	120 Grit, 1-1/2"
349-381180	180 Grit, 1-1/2"
349-381240	240 Grit, 1-1/2"
349-381320	320 Grit, 1-1/2"
Sandscreen Roll 25 yd.	
349-SSR80	80 Grit, 1-1/2"
349-SSR120	120 Grit, 1-1/2"
349-SSR150	150 Grit, 1-1/2"
349-SSR180	180 Grit, 1-1/2"



FLAP WHEELS – MOUNTED

These Aluminum Oxide grain wheels are aggressive and durable. The cloth backing is stiffer, tougher, and thicker than a paper or film backing. The heavy X-weight cloth resists tearing while bending and flexing during use. Flap wheels are designed for a steady rate of cut with a consistent finish, they conform to most shapes and are good for blending, deburring, grinding, cleaning, polishing, and sanding on metal, wood, or rubber.



PART NO.	DESCRIPTION
1-1/4" Shank	
349-360060	60 Grit, 1" x 1"
349-360080	80 Grit, 1" x 1"
349-360120	120 Grit, 1" x 1"
349-363060	60 Grit, 2" x 1"
349-363080	80 Grit, 2" x 1"
349-363120	120 Grit, 2" x 1"
349-365060	60 Grit, 3" x 1"
349-365080	80 Grit, 3" x 1"
349-365720	120 Grit, 3" x 1"



WE SUPPLY SUCCESS

WWW.SMALINK.COM

FILES

FILE SET 6 PIECE 975-W5390

- 6" Mill and Taper File,
8" Half Round and Mill File
- Heat Treated Carbon Steel
- Two Durable Black Rubber
Handles with Plastic Inserts
for Comfort and Convenience



MILL



Used for sharpening mill or circular saws also draw filing and finishing metals. All sizes tapered slightly in width. Two square edges. Single cut on both sides and edges.

PART NO.	SIZE	O/M
354-5506BC0	6" Carded	1/cd
354-5508BC0	8" Carded	1/cd
354-5510BC0	10" Carded	1/cd
354-5512BC0	12" Carded	1/cd
354-5514BC0	14" Boxed	6/bx
354-5508BC1	8" with Handle	1/cd

CHAIN SAW FILE ROUND SMOOTH



Round shape, smooth knurl-cut
with European style, design and size.
Carded

PART NO.	SIZE	O/M
354-50532SC0	6" x 5/32"	1/cd
354-50316SC0	8" x 3/16"	1/cd
354-50732SC0	8" x 7/32"	1/cd

ROUND



Primarily used to file circular openings or
concave surfaces. Round shape tapered
slightly towards point. Single cut.

PART NO.	SIZE	O/M
354-0410BC0	10" x 3/8" Carded	1/cd

TAPER – EXTRA SLIM



Triangular shape. Edges set and cut
for filing between saw teeth.
Carded

PART NO.	SIZE	O/M
354-4006XS0	6 x 17/64"	1/cd
354-4008XS0	8" x 25/64"	1/cd



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SHARPENING TOOLS

Diamond honed tungsten carbide sharpening blades will provide years of reliable use. AccuSharp will not rust and can be cleaned with soap and water even in the dishwasher.

NO MORE MESSY OILS OR STONES!

KNIFE & TOOL

156-AS001

Order Multiple 12



- Sharpen knives, cleavers, axes, hoes & other tools
- Large handle fits either hand safely and securely
- Full length guard protects fingers

Sportsmen, cooks, craftsmen, gardeners and everyone can appreciate this easy to use tool! A few light strokes are sufficient to bring your knife back to a sharp edge.

ACCUSHARP.

ACCUSHARP.

STURDY MOUNT

156-SM004


Order Multiple 12

- Mounts easily to your work surface
- Double reversible blades, gives 8-10 years of household use
- Ideal for indoor and outdoor use

REPLACEMENT BLADES

156-ASR003

Order Multiple 1



Double reversing carbide sharpening tips give it up to four times the life expectancy of similar products. Durable ABS plastic body and stainless steel mounting screws make it ideal for outdoor use.



WE SUPPLY SUCCESS

WWW.SMALINK.COM



GRINDING & CUT OFF WHEELS



617010



342H040

PART NO.	DESCRIPTION
Metal Cut Off Wheel	
349-603010	12" x 7/64" for Chop Saw
349-603020	14" x 7/64" for Chop Saw
349-617010	4-1/2" x .045 x 7/8" for Angle Grinder
Grinding Wheel — Depressed Center	
349-620030	4" x 1/4" x 5/8" Plain T-27
349-620060	4-1/2" x 1/4" x 7/8" Plain T-27
349-620070	4-1/2" x 1/4" x 5/8"-11 Thd. T-27
349-620150	7" x 1/4" x 5/8"-11 Thd. T-27
349-620190	9" x 1/4" x 5/8"-11 Thd. T-27
Flap Disc — Zirconia, Standard	
349-342H040	40 Grit 4-1/2" x 5/8"-11 Thd. T-29
349-342H060	60 Grit 4-1/2" x 5/8"-11 Thd. T-29



603010



620030

WIRE WHEELS & BRUSHES



183010



182040B

188010



180020B



181030B

PART NO.	DESCRIPTION
Crimped Wire Wheel	
349-183010	6" x 3/4" x 2" for Bench Grinder
349-183020	8" x 3/4" x 2" for Bench Grinder
349-182040B	3" with 1/4" Shank for Power Drill, Bulk
Knot End Wire Wheel	
349-186510	4" x 1/2" x 5/8" -11 Thd.
349-184010	6" x 1/2" x 2" for Bench Grinder
349-186530	6" x 5/8" x 5/8"-11 Thd.
349-186010	Stringer Bead, 4" x 3/16" x 5/8"-11 Thd.
Crimped Wire Cup Brush	
349-188010	2-3/4" with 5/8"-11 Thd.
349-188030	4" with 5/8"-11 Thd.
349-193020B	2" with 1/4" Shank, Bulk
349-193030B	3" with 1/4" Shank, Bulk
349-180020B	3/4" with 1/4" Shank, Bulk
Knot End Wire Cup Brush	
349-189010	2-3/4" x 5/8"-11 Thd.
349-189030	4" x 5/8"-11 Thd.
349-181030B	1-1/8" with 1/4" Shank, Bulk



184010



186010



189030



To Order Call Toll Free 877-55 GO SMA 877-554-6762



DRILL BIT SETS

TITANIUM COATED HIGHSPEED STEEL



11006

PART NO.	DESCRIPTION
978-11006	22 Piece in Plastic Case. 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8". 5 Per Display, O/M 5
978-16530	29 Piece, Reduced Shank for 3/8" Chuck with Plastic Case. 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2".
978-11170	170 Piece with Metal Case. 19 Different Sizes, Includes 5 each: 21/64", 23/64", 3/8", 1/2"; 10 of each: 3/64", 1/16", 5/64", 3/32", 1/8", 9/64", 5/32", 11/64", 3/16", 7/32", 15/64", 1/4", 9/32", 19/64", 5/16".

11170




16530

STEP DRILL SET

978-16503



- High Speed Steel with Titanium Finish
- Drill Multiple Sizes with Each Bit
- Bit 1: 13 Sizes from 1/8" to 1/2"
- Bit 2: 6 Sizes from 3/16" to 1/2"
- Bit 3: 9 Sizes from 1/4" to 3/4"



DRILL BITS

HIGH SPEED STEEL FRACTIONAL SIZES Carded

The most popular sizes for general use in metal or wood. 605 Series, jobbers length.

PART NO.	SIZES
406-60504	1/16"
406-60505	5/64"
406-60506	3/32"
406-60507	7/64"
406-60508	1/8"
406-60509	9/64"
406-60510	5/32"
406-60511	11/64"
406-60512	3/16"
406-60513	13/64"
406-60514	7/32"
406-60515	15/64"
406-60516	1/4"
406-60517	17/64"
406-60518	9/32"
406-60519	19/64"
406-60520	5/16"
406-60521	21/64"
406-60522	11/32"
406-60523	23/64"
406-60524	3/8"
406-60525	25/64"
406-60526	13/32"
406-60527	27/64"
406-60528	7/16"
406-60529	29/64"
406-60530	15/32"
406-60531	31/64"
406-60532	1/2"

IRWIN®

HIGH SPEED STEEL 1/2" REDUCED SHANK Packaged

For drilling or enlarging holes, 6" length.

PART NO.	SIZES
406-91134*	17/32"
406-91136*	9/16"
406-91140*	5/8"
406-91144*	11/16"
406-91148*	3/4"
406-91152*	13/16"
406-91156*	7/8"
406-91160	15/16"
406-91164*	1"
8 Pc. BIT SET *	
406-65512	17/32" to 1"

*Included In Set.



METAL INDEX SET

406-60137

Contains 15 High Speed Steel Drill Bits

Sizes: 1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 13/32", 7/16", 15/32", 1/2"



TAPS AND DIES

HAND TAPS

PART NO.	THREAD SIZE
Plug Tap Point — Carded	
406-8120	1/4" -20NC
406-8123	1/4" -28NF
406-8127	5/16" -18NC
406-8129	5/16" -24NF
406-8134	3/8" -16NC
406-8136	3/8" -24NF
406-8139	7/16" -14NC
406-8140	7/16" -20NF
406-8144	1/2" -13NC
406-8145	1/2" -20NF
406-8148	9/16" -12NC
406-8149	9/16" -18NF
406-8152	5/8" -11NC
406-8154	5/8" -18NF
406-8158	3/4" -10NC
406-8160	3/4" -16NF
406-8202	1/8" -27NPT
406-8203	1/4" -18NPT

PART NO.	THREAD SIZE
Plug Tap Point — Bulk	
406-1461	7/8" -9NC
406-1463	7/8" -14NF
406-1465	1" -8NC
406-1466	1" -12NF
Pipe Taps — Bulk	
406-1904	3/8" -18NPT
406-1905	1/2" -14NPT
406-1906	3/4" -14NPT
406-1907	1" -11.5NPT
406-1908	1-1/4" -11.5NPT

- Made of Carbon Steel
- Ideal for General Maintenance
- Designed for Hand Threading Work in a Variety of Materials



HEX DIE

PART NO.	THREAD SIZE
Machine Screw — Carded	
406-9420	1/4" -20NC
406-9423	1/4" -28NF
406-9427	5/16" -18NC
406-9429	5/16" -24NF
406-9434	3/8" -16NC
406-9436	3/8" -24NF
406-9439	7/16" -14NC
406-9440	7/16" -20NF
406-9444	1/2" -13NC
406-9445	1/2" -20NF
406-6848	9/16" -12NC
406-6849	9/16" -18NF
406-6852	5/8" -11NC
406-6854	5/8" -18NF
406-6858	3/4" -10NC
406-6860	3/4" -16NF
Bulk	
406-8461	7/8" -9NC
406-8463	7/8" -14NF
406-8465	1" -8NC
406-8467	1" -14NS
Taper Pipe — Carded	
406-9502	1/8" -27NPT
406-9503	1/4" -18NPT
406-6711	1/8" BSP
Bulk	
406-7004	3/8" -18NPT
406-7005	1/2" -14NPT

TAP AND HEX DIE SET – 41 PIECE MACHINE SCREW / FRACTIONAL 406-24606

SET INCLUDES:

Machine Screw Plug Tap and 5/8" Hex Dies in Sizes:

NC - 4 -40, 6 -32, 8 -32, 10 -24, 12 -24;
NF - 10-32.

Fractional Plug Tap and 1" Hex Dies in Sizes:

NC - 1/4" -20, 5/16" -18, 3/8" -16, 7/16" -14, 1/2" -13;
NF - 1/4" -28, 5/16" -24, 3/8" -24, 7/16" -20, 1/2" -20.

Pipe Thread Plug Tap and 1" Hex Dies in Sizes:

NPT - 1/8" -27

Threading Tools:

Adjustable Die Stock for 1" Dies, Plain Die Stock for 5/8" Hex Dies.
Tap Wrench-Adjustable Handle for 0 to 1/2", T-Handle Wrench for 0 to 1/4", Two-in-One Tap Wrench for 1/4" to 1/2".
Standard Thread Pitch Gauge -18 Leaf, Plastic Storage Case.



IRWIN®



WE SUPPLY SUCCESS

WWW.SMALINK.COM

TAPS AND DIES – METRIC

HAND TAPS – PLUG TAP POINT STYLE

IRWIN®

PART NO.	THREAD SIZE
Carded	
406-8312	3mm x .50mm
406-8317	4mm x .70mm
406-8318	4mm x .75mm
406-8322	5mm x .80mm
406-8323	5mm x .90mm
406-8327	6mm x 1.00mm
406-8331	7mm x 1.00mm
406-8333	8mm x 1.00mm
406-8334	8mm x 1.25mm
406-8335	9mm x .75mm

PART NO.	THREAD SIZE
Carded — Cont.	
406-8336	9mm x 1.00mm
406-8337	9mm x 1.25mm
406-8338	10mm x 1.00mm
406-8339	10mm x 1.25mm
406-8340	10mm x 1.50mm
406-8341	11mm x 1.50mm
406-8342	12mm x 1.25mm
406-8343	12mm x 1.50mm
406-8344	12mm x 1.75mm



PART NO.	THREAD SIZE
Bulk	
406-1749	14mm x 1.25mm
406-1750	14mm x 1.50mm
406-1752	14mm x 2.00mm
406-1754	16mm x 1.00mm
406-1755	16mm x 1.50mm
406-1756	16mm x 2.00mm
406-1759	18mm x 1.50mm
406-1761	18mm x 2.50mm
406-1764	20mm x 2.50mm
406-1765	22mm x 1.50mm
406-1768	24mm x 2.00mm
406-1769	24mm x 3.00mm

HEX DIE - METRIC



PART NO.	THREAD SIZE
Carded	
406-9718	4mm x .75mm
406-9722	5mm x .80mm
406-9727	6mm x 1.00mm
406-9733	8mm x 1.00mm
406-9734	8mm x 1.25mm
406-9738	10mm x 1.00mm
406-9739	10mm x 1.25mm
406-9740	10mm x 1.50mm
406-9743	12mm x 1.50mm



PART NO.	THREAD SIZE
Bulk	
406-6949	14mm x 1.25mm
406-6950	14mm x 1.50mm
406-6952	14mm x 2.00mm
406-6954	16mm x 1.00mm
406-6955	16mm x 1.50mm
406-6956	16mm x 2.00mm
406-6959	18mm x 1.50mm
406-6961	18mm x 2.50mm
406-8564	20mm x 2.50mm
406-8565	22mm x 1.50mm
406-8568	24mm x 2.00mm
406-8569	24mm x 3.00mm

HEX DIE STOCK AND TAP WRENCHES

IRWIN®



PART NO.	DESCRIPTION
406-12008	Plain Die Stock Handle for 1" Hex or Round Dies. DS9, Carded
406-12498	Adjustable Tap Wrench for 1/4" - 1", 6 - 24mm. TR98, Bulk
406-12050	Two-in-One Tap Wrench 1/4" - 1/2", 6 - 12mm. TR50, Carded

TAP AND HEX DIE SET 41 PIECE – METRIC

406-26317

Set Includes:

Metric Plug Tap and 5/8" Hex Dies in Sizes:
3mm -0.50, 4mm -0.70, 4mm -0.75, 5mm -0.80, 5mm -0.90, 6mm -1.00
Metric Plug Tap and 1" Hex Dies in Sizes:
7mm -1.00, 8mm -1.00, 8mm -1.25, 9mm -1.00, 9mm -1.25, 10mm -1.25, 10mm -1.50, 11mm -1.50, 12mm -1.50, 12mm -1.75
Pipe Thread Plug Tap and 1" Hex Dies in Sizes:
BSP - 1/8" -28
Threading Tools:
Adjustable Die Stock for 1" Dies, Plain Die Stock for 5/8" Hex Dies.
Tap Wrench-Adjustable Handle for 0 to 1/4", Two-in-One Tap Wrench for 1/4" to 1/2".
Metric Thread Pitch Gauge -16 Leaf, Plastic Storage Case.



IRWIN®

SCREW EXTRACTORS

IRWIN®



PART NO.	EXTRACTOR NO. x DRILL HOLE SIZE	REMOVES BOLT & SCREW SIZES
406-53401	EX-1 x 5/64"	3/32" to 5/32", 2.5 to 4mm, No. 3 to 6
406-53402	EX-2 x 7/64"	5/32" to 7/32", 4 to 6mm, No. 6 to 12
406-53403	EX-3 x 5/32"	7/32" to 9/32", 6 to 8mm, No. 12
406-53404	EX-4 x 1/4"	9/32" to 3/8", 1/8" NPT & BSP, 8 to 10mm
406-53405	EX-5 x 19/64"	3/8" to 5/8" and 1/4" NPT & BSP, 10 to 16mm
406-53406	EX-6 x 13/32"	5/8" to 7/8" and 3/8" NPT & BSP, 16 to 22mm
406-53407	EX-7 x 17/32"	7/8" to 1-1/8" and 1/2" NPT & BSP, 22 to 27mm



16503

PART NO.	DESCRIPTION
REVERSE DRILL & SCREW EXTRACTOR SETS	
406-53545	Six Piece Spiral Flute Set in Handy Plastic Pouch. Sizes 1, 2, 3, 4, 5, 6. Irwin
978-16013	10 Piece Set Includes 5 Titanium Covered Reverse Drill Bits 5/64", 7/64", 5/32", 1/4", 19/64". Five Screw Extractors #1 thru 5 All in Sturdy Metal Case.
978-11214	Three Piece Screw Extractor Set with 1/4" Hex Shank to Fit Drills, Sockets and Screwdrivers. Includes Sizes 1, 2 and 3 for Phillips, Slotted, TORX® and Robertson® in Handy Storage Case. 8 Per Display, O/M 8.



11214

TITANIUM




WE SUPPLY SUCCESS

WWW.SMALINK.COM

BENCH VISES HEAVY DUTY



MV4, MV5, MV6



MV10 Head Rotates 360° for Standard or Pipe Jaw Vise. Head Locks Automatically.

CAST IRON

- 360° Swivel Base with Dual Lock-down

PART NO.	SIZE
975-MV4	4"
975-MV5	5"
975-MV6	6"
975-MV10	5"



FORGED

- Swivel Base with Lock Position
- Incorporated Anvil
- Replaceable Hardened Steel Jaws
- Professional Grade

PART NO.	SIZE
978-22011	4"
978-22014	5"
978-22016	6"



WISE JAW PADS

PART NO.	DESCRIPTION
978-22020	For 3-6" Vice, Grooved Surface, Securely Fastens to Jaws with 3 Magnets, Non-Marring Finish.

C-CLAMPS HEAVY DUTY CARDED



PART NO.	SIZE	O/M
975-W206C	3"	6 Cards
975-W207C	4"	6 Cards
975-W213C	5"	4 Cards
975-W214C	6"	4 Cards
975-W215C	8"	2 Cards



- Malleable Iron Construction
- Tough Enamel Finish



GEAR PULLERS

- Heavy Duty Chrome Vanadium Steel
- Heat Treated Jaws
- Fine Thread Center Bolt for Smooth Operation
- Plated to Resist Corrosion



PART NO.	DESCRIPTION
975-W87122	2 Jaw, 3-1/4" Reach, 4" Spread
975-W87124	2 Jaw, 3-1/4" Reach, 6" Spread
975-W87125	2 Jaw, 5-1/2" Reach, 6" Spread
975-W87123	2/3 Jaw, 3-1/4" Reach, 4-3/4" Spread
975-W87126	2/3 Jaw, 3-1/4" Reach, 7" Spread
975-W87127	2/3 Jaw, 5-1/2" Reach, 7" Spread

LIFT EQUIPMENT

BOTTLE JACK – HYDRAULIC

Adjustable Top Screw with Heavy Duty Base

PART NO.	DESCRIPTION
975-W1621	2 Ton Bottle Jack
975-W1623	4 Ton Bottle Jack
975-W1625	6 Ton Bottle Jack
975-W1628	8 Ton Bottle Jack
975-W1632	12 Ton Bottle Jack
975-W1633	20 Ton Bottle Jack
975-W1637	50 Ton Bottle Jack



AIR/HYDRAULIC 20 TON BOTTLE JACK

975-1311S246

Minimum Height 10.25", Lift
Height 5.9", Adjustment Height
3.15", Maximum Height 19.3".



2-1/4 TON TROLLEY JACK WITH CASE

975-W1611



- 4,500 lb Capacity
- Steel Lifting Saddle with 360° Swivel
- Clean and Easy Storage with Molded Plastic Case

3 TON RAPID LIFT FLOOR JACK

975-W1616

- 6,000 lb Capacity
- Lift Range 4-5/8" to 19-3/4"
- Rapid Lift Feature Allows You to Quickly Raise the Jack Into Position



JACK STANDS

Ratcheting Style for Easy
Adjustment



PART NO.	DESCRIPTION
975-W41023	6 Ton , 15-1/2" to 23-1/2" Range

LUG WRENCH – 4-WAY

Heavy duty drop forged steel, chrome plated.



PART NO.	DESCRIPTION
975-W1	20" — Lug Sizes 3/4", 13/16", 7/8", 19mm
975-W11	25" — Lug Sizes 7/8", 15/16", 1", 1-1/16"

AIR TOOLS

IMPACT WRENCHES, SOCKETS & ACCESSORIES

PART NO.	DESCRIPTION	MAX TORQUE	RPM	NPT INLET
975-M621	3/8" Drive Air Impact Wrench	120 ft/lb	11,000	1/4"
975-M558DB	1/2" Drive Air Impact Wrench	230 ft/lb	7,500	1/4"
975-M624	1/2" Drive Twin Hammer Air Impact Wrench	230 ft/lb	7,800	1/4"
975-M625	1/2" Drive Super Duty Air Impact Wrench	550 ft/lb	7,000	1/4"
975-M627	3/4" Drive Air Impact Wrench	950 ft/lb	4,600	3/8"



M621



M624



M625



M627



M968



M962



M969

PART NO.	DESCRIPTION
Deep Impact Socket Set	
975-M594DB	3/8" Drive, SAE, 8 Piece
975-M595DB	3/8" Drive, Metric, 8 Piece
975-M590DB	1/2" Drive, SAE, 11 Piece
Impact Socket Set	
975-M592DB	1/2" Drive, SAE, 10 Piece
975-M593DB	1/2" Drive, Metric, 10 Piece
975-M591DB	1/2" Drive, Metric, 11 Piece
975-M792	3/4" Drive, SAE, 11 Piece



M591DB



M594-975-M595

PART NO.	DESCRIPTION
Adapters	
975-M962	3/8" F x 1/2" M Impact Adapter
975-M963	1/2" F x 3/8" M Impact Adapter
975-M966	1/2" F x 3/8" M Impact Wobble Adapter
975-M964	1/2" F x 3/4" M Impact Adapter
975-M765	3/4" F x 1/2" M Impact Adapter
975-M780	3/4" F x 1" M Impact Adapter
975-M785	1" F x 3/4" M Impact Adapter
Universal Joints	
975-M967	3/8" Drive Universal Joint
975-M968	1/2" Drive Universal Joint
Extensions	
975-M972	3/8" Drive 3" Impact Extension
975-M973	3/8" Drive 6" Impact Extension
975-M969	1/2" Drive 3" Impact Extension
975-M970	1/2" Drive 5" Impact Extension
975-M971	1/2" Drive 10" Impact Extension
975-M786	3/4" Drive 7" Impact Extension
975-M787	1" Drive 7" Impact Extension



To Order Call Toll Free 877-55 GO SMA 877-554-6762

AIR TOOLS

AIR RATCHETS

975-M560DB – 3/8" DRIVE



- Air Requirement 4 CFM, 90 PSI
- 50 ft/lbs of Torque
- 160 RPM - no load
- Inlet 1/4" NPT
- Hose Size 3/8"



975-M639– 1/2" DRIVE

Our most powerful 1/2" drive ratchet. Many uses in auto service work and assembly



- Air Requirement 5.3 CFM, 90 PSI
- 90 ft/lbs of Torque
- 150 RPM - no load
- Inlet 1/4" NPT
- Hose Size 3/8"

PRODUCTION SPRAY GUN

975-M576DB

- 1.8mm Needle & Nozzle Set
- Air Requirement 8.5 - 12 CFM, 50 - 70 PSI
- 1,000 cc Capacity
- Spun Aluminum Siphon Cup



1/4" DIE GRINDER

975-M566DB

- Air Requirement 6 CFM, 90 PSI
- 22,000 RPM - no load
- Inlet 1/4" NPT
- Hose Size 3/8"



AIR HAMMER With 5 CHISELS

975-M668

- Built-in Air Regulator
- Air Requirement 4 CFM, 90 PSI
- Quick Change Spring Safety Retainer

10 PC. STONE SET

975-M565C



For use with M566DB, M567DB, M565 Die Grinders. Includes: 5 each 1/8" shank and 5 each 1/4" shank mounted stones in assorted sizes.

UTILITY CUT-OFF TOOL

Great for cutting many types of sheet metal, fiberglass, bolts, muffler clamps, etc.

975-M563DB



- 3/8" Arbor Hole Size
- 20,000 RPM - no load
- Inlet 1/4" NPT
- Hose Size 3/8"
- Metal Blade Guard

CUT-OFF WHEELS

PART NO.	DESCRIPTION
975-M579C	3" Cut-off wheels for M563DB. 2/ card.
975-M580C	3" Cut-off wheels 4 pc set. For M563DB.



M579C



M580C



WE SUPPLY SUCCESS

WWW.SMALINK.COM

AIR HOSE AND REELS

300 PSI MAXIMUM



975-M613

- 50 FT. 3/8" Air Hose
- 14" NPT Brass Male Fittings
- Automatic Roller Guide Ensures Smooth, Even Recoil
- Extremely Flexible Blend of Rubber and PVC



25' 975-M608
50' 975-M619

- 3/8" NPT Hose
- Auto Rewind
- Mounts to Ceiling, Wall or Floor
- Heavy Gauge Steel



- 50 FT. 3/8" Hose
- All Brass 1/4" NPT 360° Swivel Valve
- 3 FT. Lead Supply Hose with Swivel Valve
- Easy Crank Handle with Spring Tension Brake
- Steel Frame with Baked Enamel Finish



50'
975-M610

AIR TANKS, PORTABLE & ACCESSORIES

5 Gallon – 975-W10005

11 Gallon – 975-W10011



- 125 PSI Maximum
- On/Off Air Adjustment Dial
- Hi-viz Color for Added Visibility
- Safety Pressure Bypass Valve with Manual Override
- Lightweight, Portable with Handle for Easy Transport
- Industrial Grade Air Hose with Standard Tire Air Chuck



W10055



W10057



S684

PART NO.	DESCRIPTION
975-W10057	4 ft. Air Hose
975-W10055	Air Tank Gauge
574-S684	1/8" MPT Valve Stem

AIR HOSE ASSEMBLIES

1/4" MPT COUPLINGS



PART NO.	DESCRIPTION
Premium Red Rubber with Bend Restrictors	
380-436	1/4" x 25', 275 PSI
380-438	1/4" x 50', 275 PSI
380-437	3/8" x 25', 275 PS
380-439	3/8" x 50', 275 PSI
380-441	1/2" x 50', 300 PSI



PART NO.	DESCRIPTION
Economy Black Rubber	
975-M601P	3/8" x 25', 300 PSI
975-M603P	3/8" x 50', 300 PSI
Black PVC	
140-RCB500250	3/8" x 50' 300 PSI
Green Hybrid	
975-M617	3/8" x 50' 300 PSI



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

AIR LINE REGULATORS AND FILTER

AIR REGULATOR

574-1113



- Aluminum Die-Cast
- 1/4" FPT
- 2 to 125 PSI

IN-LINE REGULATOR

574-S638



Controls air pressure to air tools.
Adjust from full line pressure to
almost a shutoff. 1/4" MPT.

AIR LINE FILTER

574-1018



- Polycarbonate
5oz. Bowl with
Metal Guard
- 1/4" NPT
- 150 PSI

AIR LINE CHUCKS AND FITTINGS

Precision construction. Designed and manufactured to exacting standards.



PART NO. DESCRIPTION

574-S600	Brass Hose End 1/4" x 1/4" NPT 2/card
574-S602	Brass Hose End 3/8" x 1/4" NPT 2/card
574-S603	Brass Hose End 3/8" x 3/8" NPT 2/card
574-S640	Brass Mender 1/4" I.D. 2/card
574-S642	Brass Mender 3/8" I.D. 2/card
574-S663	Male Hose End 1/4" NPT x I.D. 2/card
574-S676	Plated Steel Mender 1/4" I.D.
574-S690 *	Dual Head Chuck 1/4" FPT
574-S692	Safety Grip Chuck Clip Only. Fits Standard Single Head Chucks
574-S693	Dual Head Straight Foot Air Chuck
574-S695 *	Male Air Chuck 1/4" I.D.
574-S698 *	Chuck with Clip 1/4" FPT
574-S699 *	Chuck 1/4" FPT

MILTON®



***NOTE:** Sealing type chuck Not to be used with Milton inflator gauge.

DIAL TYPE

MILTON®

Precision made. Rugged bronze bourdon tube,
2 inch easy to read dial face with unbreakable lens.



574-S932

Order Multiple 5
Carded

0 to 60 PSI – ANGLED HEAD CHUCK

574-MG100

STRAIGHT HEAD CHUCK

ACCU-GAGE



- 0 to 100 PSI
- 1 Lb. Graduations
- 2 Inch Dial
- Boxed. Six Per Display



WE SUPPLY SUCCESS

WWW.SMALINK.COM

TIRE AIR PRESSURE GAUGE

PENCIL TYPE

NYLON INDICATOR BAR WITH RED MARKER
CALIBRATED ALL 4 SIDES

MILTON®

Order Multiple **10**



PART NO.	DESCRIPTION
574-S917	Low pressure gauge 2 to 20 PSI 1 lb. graduations. Ideal for Use on A.T.V.'s, Golf Carts etc. Carded
574-S921	Passenger car tire gauge 5 to 45 PSI 1 lb. graduations. Carded
574-S925	Truck tire gauge 20 to 120 PSI 5 lb. graduations. Carded
574-S927	Dual chuck truck tire gauge 20 to 120 PSI 5 lb. graduations. Carded
574-S928	Tractor tire gauge 5 to 45 PSI 1 lb. graduations. For use on air/water filled tires. Carded




SERVICE PENCIL TYPE

JUMBO DUAL HEAD CHUCK WITH NYLON INDICATOR BAR
CALIBRATED ALL 4 SIDES 10 to 120 PSI
LONGER STRONGER BODY

Order Multiple **5**
Carded



PART NO.	DESCRIPTION
574-S976	Regular extension service gauge
574-S986	Regular extension service gauge with straight foot



MILTON®

INFLATOR GAUGE

DUAL HEAD CHUCK WITH 15" HOSE
10 to 120 PSI IN 2 LB. GRADUATIONS

574-S506



MILTON®

THREE - IN - ONE AIR MANIFOLD

574-S6856



No need to connect and disconnect every time you want to change tools.
Supply 3 air tools from one outlet. Manifold has 3/8" NPT inlet with three 1/4" outlets.
Made of sturdy lightweight aluminum.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

TIRE VALVES, STEMS & REPAIR TOOLS

574-S445



THE 4 - IN - 1 TOOL FOR VALVE STEM AND CORE!

Easy removal of valve core stem with the guide which slips over stem. "EASY-OUT" feature removes core if shoulders are broken off. Made of steel, plated to resist corrosion.

TUBE DEFLATOR AND CORE REMOVER

574-S446



This 2 - in - 1 Tool features a deflator on one end with threaded I.D. which enables attachment to valve stem. The valve core wrench on the other end allows you to insert and tighten or remove core.

VALVE FISHING TOOL

574-S447



Made with strong, flexible steel cable. Designed to align and seat valve stem through rim hole. Handle simulates same features offered in Tube Deflator and Core Remover.

VALVE CORE TOOL PENCIL STYLE

For removal and insertion of valve cores. One end standard bore, one end for large bore valves, 5" O.A.L.

574-S444



MILTON®

TIRE VALVES HI-PERFORMANCE

574-S409

Order Multiple **10**



Provides a custom look for mag wheels, aluminum, exposed and reverse chrome wheels. Comes with two grommets for large or small rim hole size.

TUBELESS VALVE

"SNAP IN" Type for easy installation. Finest quality ozone resistant rubber for greater safety.

Order Multiple **10**



PART NO.	TR. NO.	DIAMETER x LENGTH
574-S413	TR413	.453" x 1-1/4" 2/card
574-S414	TR414	.453" x 1-1/2" 2/card
574-S415	TR415	5/8" x 1-1/4" 2/card
574-S418	TR418	.453" x 2" 2/card
574-S425	TR425	.625" x 2" 2/card



VALVE EXTENSION BRASS

1-1/4" Length, 4 per Card

574-S442



VALVE CORE

Guaranteed Airtight

574-S404

Order Multiple **10**
5/Card



WE SUPPLY SUCCESS

WWW.SMALINK.COM

TIRE VALVES

TRACTOR VALVE

Order Multiple **10**



S464

PART NO.	DESCRIPTION
574-S464	TR CH-3 Replacement valve core housing with cap. Fits new design fast-flow valves (S462-TR-218A). 2/card
574-S465	TR CH-1 Replacement valve core housing with cap. Fits old style air/water valves. 2/card
574-469	Tubeless air/liquid valve. 1/card.



S465



469

VALVE CAP

Order Multiple **10**



S437



S435

PART NO.	DESCRIPTION
574-S439	Plastic dome-type valve cap, 5/card
574-S437	Brass screwdriver type, nickel plated valve cap. 5/card
574-S435	Chrome Hex valve cap, 5/card



S439

RADIATOR GENIE

The Only Air and Water Cleaning Wands on the Market
Specifically Designed to Clean Radiators of All Types.

- Includes Both Air and Water Wands
- Standard Size Air Adapter
- Adjustable Flow & Pressure
- Max Pressure 135 PSI
- 22.5" Overall Wand Length
- 17" Nozzle Length



574-RG1002

AIR TANK CONVERSION KIT

Make Your Empty Freon Tanks Into Usable Or Salable Air Tanks

574-S682

Do it yourself. No special tools required. Complete parts kit contains: filler valve, air gauge, safety valve assembly, air hose assembly, chuck and 4-way manifold.



AIR OR WATER ADAPTER KIT

574-S466

Fast-Flow, complete with 2 extra bushings 467 and 468 to fit all Air/Water Valves in use today. Connect garden hose to tire valves for filling tires with liquid.

Packed one kit per card.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

BLOW-GUNS SAFETY LEVER

MILTON®

OSHA Compliant.



574-S120

1/4" NPT Air inlet.
150 PSI maximum working pressure.
Lever easily controls air flow



574-S150

COMPACT SAFETY LEVER S-148

574-S148

1/4" NPT Air inlet.
Safety tip and rubber tip both included.



RUBBER TIP BLOW-GUN

S-153

1/4" NPT Air inlet.
Maximum working pressure 150 PSI.

574-S153



RUBBER TIP S-152

For S153 and S148 Blo-Guns

574-S152



SIPHON BLOW-GUN KIT

S-157

Blo-gun with 8ft. suction tubing in vinyl pouch.
Excellent for spraying degreasers. Maximum
working pressure 150 PSI.



PART NO.	DESCRIPTION
574-S157	Siphon Blo-gun Kit
574-S156	Blo-Gun Only

POCKET BLOW-GUN

S-115

Fits "M" style coupler body. Flow adjustable
from off to full flow. Maximum working
pressure 150 PSI.



574-S115



BLOW-GUN SAFETY BUTTON S-107

574-S107

Indispensable for cleaning fuel and oil lines, air cleaners and car
interiors, drying out wet ignition systems and spark plugs. Blowing out dust,
dirt, filings, metal chips and hundreds of other uses. A necessity for service
stations, garages, airports, factories, or wherever an air hose is used.

1/4" NPT



WE SUPPLY SUCCESS

WWW.SMALINK.COM

PISTOL GRIP

574-S160

A precision instrument with hundreds of automotive and industrial uses. Rugged construction for extra long service life. Used in small or large industrial plants, airports, service stations or garages.

Truly a piece of precision made equipment.
1/4" NPT




LONG NOZZLE BLO-GUN

1/4" NPT

287-106C

7" NOZZLE

Zinc plated with quick, snap-on connection to air chuck. Air supply controlled by handle grip pressure.



574-158 2' EXT.

Two-foot aluminum extension, includes 2 nozzles. Safety and non-safety rubber tip nozzles.



MILTON®

574-159 4' EXT.

Four-foot aluminum extension, includes 2 nozzles. Safety and non-safety rubber tip nozzles.



AIR COUPLER UNIVERSAL

Will fit Industrial (Milton), Tru-Flate (Plews) and ARO male tips with automatic push to connect operation. Brass body and sleeve and stainless steel spring. Has sleeve guard to resist accidental disconnect.

Pioneer



PART NO.	DESCRIPTION
730-N3044	1/4" Female thread coupler with industrial tip
730-F3044	1/4" Female thread coupler - no tip
730-M3044	1/4" Male thread coupler - no tip



AIR COUPLER

KWIK-CHANGE COUPLER – MILTON

Kwik-Change Couplers let you use one hose for many uses. Disconnect hose from line or equipment in a snap. Pull back sleeve allows you to make or break connection without shutting off the air. All couplers have corrosion and rust resistant internal mechanism and plugs are durable hardened steel.

“M” SERIES



MILTON®

PART NO.	DESCRIPTION
574-S711	Coupler Assembly
574-S715	1/4" FPT Coupler Body
574-S716	1/4" MPT Coupler Body
574-S718	3/8" FPT Coupler Body
574-S727	1/4" MPT Coupler Plug 2/card
574-S733	3/8" MPT Coupler Plug 2/card
574-S728	1/4" FPT Coupler Plug 2/card
574-S732	3/8" FPT Coupler Plug 2/card
574-701	Coupler Repair Kit M Style
574-S211	Coupler Kit, Incl. 1-S715, 3-S727, 1-S728, Carded
574-768	Coupler Repair Washer

- Rugged and Economical
- Positive Grip
- Solid Brass Construction
- Saves Time and Money



“A” SERIES

INTERCHANGES WITH ARO -STYLE COUPLERS
1/4" BASIC SIZE



- Push Type, Plug Engages Automatically

PART NO.	DESCRIPTION
574-S775	1/4" FPT Coupler Body (Aro No. 210)
574-S777	1/4" MPT Coupler Plug (Aro No. A2608) 2/card
574-S778	1/4" FPT Coupler Plug (Aro No. A2609) 2/card



“T” SERIES

INTERCHANGES WITH PARKER HANNIFIN AND
TRU-FLATE STYLE COUPLERS – 1/4" BASIC SIZE

- For Maximum Air Flow



PART NO.	DESCRIPTION
574-S783	1/4" MPT Coupler Plug 2/card
574-S784	1/4" FPT Coupler Plug 2/card
574-S785	1/4" FPT Coupler Body

“L” SERIES

INTERCHANGES WITH COUPLERS BY LINCOLN, INDUSTRY INTERCHANGE, HANSEN, FOSTER AND OTHERS
1/4" BASIC SIZE

MILTON®



- Push Type, Plug Engages Automatically
- Rugged, Durable Hardened Steel Plugs

PART NO.	DESCRIPTION
574-S790	1/4" FPT Coupler Body (Lincoln No. 815)
574-S791	1/4" MPT Coupler Plug (Lincoln No. 11659) 2/card
574-S792	1/4" FPT Coupler Plug (Lincoln No. 11661) 2/card



WE SUPPLY SUCCESS

WWW.SMALINK.COM

AIR COUPLER

TRU-FLATE "P" SERIES

USE WHERE MORE AIR VOLUME IS NEEDED - 3/8" BASIC SIZE

- Maximum Air Flow
- Rugged, Durable Hardened Steel Plugs
- Rust Resistant



S1803
S1805



S1806

PART NO.	DESCRIPTION
574-S1803	1/4" FPT Coupler Body
574-S1805	3/8" FPT Coupler Body
574-S1806	3/8" MPT Coupler Body
574-S1807	3/8" MPT Coupler Plug 2/card
574-S1808	3/8" FPT Coupler Plug 2/card
574-S1809	1/4" MPT Coupler Plug 2/card
574-S1810	1/4" FPT Coupler Plug 2/card



S1807
S1809



S1808
S1810

TRU-FLATE "G" SERIES

DESIGNED TO WORK WITH INDUSTRIAL INTERCHANGE OR
TRU-FLATE STYLE PLUGS - 1/2" BASIC SIZE



S1815

PART NO.	DESCRIPTION
574-S1815	1/2" FPT Coupler Body
574-S1817	1/2" MPT Coupler Plug
574-S1818	1/2" FPT Coupler Plug



S1817



S1818



FENCING TOOLS

FENCE PLIER 975-W1500

- Drop Forged Chrome Alloy Steel
- Comfortable Plastic Grip



FENCE STRETCHERS

GOLDENROD



PART NO.	DESCRIPTION
287-400	Standard Duty
287-405	Heavy Duty with Ratchet Controlled Release

POST HOLE DIGGER POINTS & CUTTING EDGES

These points are replacements for Danuser, Ford, Worksaver, Speeco and others.



PART NO.	TYPE
469-50100	Screw - Threaded, Replaces 831
469-50150	Screw - Pin-on
469-50200	Fish Tail - Threaded, Replaces 899

These auger edges have serrated edges and are replacements for Danuser. Includes bolts and nuts.



Sold in sets of 2

PART NO.	SIZE
469-50300	9", Replaces 7785
469-50400	12", Replaces 7791

LOG SPLITTERS

PART NO.	DESCRIPTION	SHIPPING WT.
873-LS401221	22 Ton Vertical/Horizontal with 6.5 hp Briggs & Stratton Engine	535**
873-LS401215	25 Ton Vertical/Horizontal with 6.5 hp Briggs & Stratton I.C. Engine	590**
873-LS401216	25 Ton Vertical/Horizontal with 9 hp Briggs & Stratton I.C. Engine	590**
873-LS401213	28 Ton Vertical/Horizontal with 9 hp Briggs & Stratton I.C. Engine	655**
873-LS401224	34 Ton Vertical/Horizontal with 9 hp Briggs & Stratton I.C. Engine	665**
873-LS400197	Vertical/Horizontal Log Splitter for Tractor 3-Point Hitch with Valve & Cylinder	375**

DROP SHIP ONLY*



Horizontal Set Up



3-Point Hitch Unit



Vertical Set Up

***FREIGHT TERMS: F.O.B. Kansas City, Missouri**

**** SMA recommends ordering two or more units at one time to reduce the freight cost per unit.**




WE SUPPLY SUCCESS

WWW.SMALINK.COM

CANE KNIVES & MACHETES



PART NO.	DESCRIPTION
117-B2620	13" Cane Knife with Wood Handle
117-B2621	26" Cane Knife with Wood Handle
117-8618	18" Machete with Wood Handle
117-8618S	Sheath for 18" Machete 8618
354-MA60041	18" Machete Corona, Tempered Steel Blade Heat-treated
354-MA60042	22" Machete Corona, Tempered Steel Blade Heat-treated
354-AC7310	Sheath for 18" Corona Machete
354-AC7330	Sheath for 22" Corona Machete



PRUNING & GARDEN TOOLS



PART NO.	DESCRIPTION
PRUNING SAWS	
354-PS4040	Folding Saw 8" Curved Blade, Wood Handle
354-PS7020	Folding Saw 14" Curved Blade, Wood Handle
354-RS7255	Folding Saw 8" Curved 3-Sided Razor Teeth Blade, Comfortable Molded Handle
354-RS7395	Pruning Saw 14" Curved 3-Sided Razor Teeth Blade, Comfortable Molded Handle
SCABBARDS & SHARPENER	
354-AC4510	Nylon Scabbard for Pruners, Folding Saws Up to 8"
354-AC7220	Leather Scabbard for Pruners, Folding Saws Up to 8"
354-AC8300	Sharpening Tool, 5" Super Carbide File, Pocket Size

PART NO.	DESCRIPTION
BYPASS PRUNERS & SNIPS	
354-BP3160	Forged Classic Cut® Bypass Pruner, Cuts Up to 3/4"
354-BP3180	Forged Classic Cut® Bypass Pruner, Cuts Up to 1"
354-BP4250	Forged Aluminum Bypass Pruner, Cuts Up to 1"
354-BP6250	Forged Aluminum Bypass Pruner, Cuts Up to 1"
354-AG4930	Long Straight Snip, Heat-treated 1-3/4" Blades
354-AG4930SS	Long Straight Snip, Stainless Steel 1-3/4" Blades
354-AG4940	Long Curved Snip, Heat-treated 1-3/4" Blades
354-AG4940SS	Long Curved Snip, Stainless Steel 1-3/4" Blades
354-AG5050	Forged Orange Shear, Steel Alloy Construction



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PRUNING & GARDEN TOOLS

PART NO.	DESCRIPTION
FORGED HEDGE SHEARS & LOPPERS	
354-AH4250	Hedge Shear 11" Handles, 8-1/4" Blades
354-AH6950	Hedge Shears, 8-1/2" Serrated Blade, 21" Aluminum Handles
354-AH6970	Hedge Shear, 10-1/2" Blade, 12-1/2" Aluminum Handles
354-AL8442	High-Performance Orchard Loppers, Dual Arc Bypass Blades, 26" Aluminum Handles
354-AL8462	High-Performance Orchard Loppers, Dual Arc Bypass Blades, 32" Aluminum Handles
354-WL6310	Forged Loppers, Radial Arc Bypass Blades, 20" Hickory Wood Handles, Shock-Stop® Bumpers. Cuts Up to 1-1/4"
354-WL6330	Forged Loppers, Radial Arc Bypass Blades, 22" Hickory Wood Handles, Shock-Stop® Bumpers. Cuts Up to 1-1/2"
354-WL6350	Forged Loppers, Radial Arc Bypass Blades, 26" Hickory Wood Handles, Shock-Stop® Bumpers. Cuts Up to 1-1/2"
354-WL6431	Heavy-Duty Loppers, Radial Arc Bypass Blades, 26" Hickory Wood Handles
354-WL6461	Heavy-Duty Loppers, Radial Arc Bypass Blades, 32" Hickory Wood Handles
354-WL6450	Forged Loppers, Radial Arc Bypass Blades, 32" Hickory Wood Handles, Shock-Stop® Bumpers. Cuts Up to 2-1/4"
354-WL6470	Forged Loppers, Radial Arc Bypass Blades, 36" Hickory Wood Handles, Shock-Stop® Bumpers. Cuts Up to 2-1/4"



REPLACEMENT PARTS FOR PRUNERS & LOPPERS

PART NO.	DESCRIPTION
354-31801	Blade for Pruner BP3180
354-61005	Spring for Pruner BP3160
354-62005	Spring for Pruner BP3180
354-62501T	Blade for Pruner BP4250, 6250
354-62503T	Pivot Bolt, Nut for Pruner BP4250, 6250
354-62505T	Spring for Pruner BP4250, 6250



PART NO.	DESCRIPTION
354-63001	Blade for Lopper WL6330
354-63003	Pivot Bolt, Nut for Lopper WL6310
354-630040	Bumper for Lopper WL6431
354-630041	Handle Bolt, Nut for Lopper WL6310, 6321
354-63101	Blade for Lopper WL6310
354-63102	Hook for Lopper WL6310
354-64001	Blade for Lopper WL6450, 6470
354-64003	Pivot Bolt, Nut for Lopper WL6330, 6431, 6450, 6460, 6470
354-640040	Bumper for Lopper WL6310, 6430, 6450, 6470
354-64311	Blade for Lopper WL6431, 6461, 6481
354-84621	Blade for Lopper AL8442, 8462, 8482
354-84623	Pivot Bolt, Nut for Lopper AL8442, 8462, 8482



WE SUPPLY SUCCESS

WWW.SMALINK.COM

PRUNING & GARDEN TOOLS



PART NO.	DESCRIPTION
HAND TROWELS & MATTOCK	
354-CT3010i	Comfort Trowel 3" Wide Blade
354-CT3020i	Comfort Transplanter 2-1/8" Wide Graduated Blade
354-HT69200	Planting Mattock Dual 1-1/3" and 2" Wide Blades
POST HOLE DIGGER, SHOVELS & SCOOPS	
354-PD40020	Post Hole Digger Atlas Pattern, 12 Gauge Tempered Steel, 48" Fiberglass Handles. O/M 2
354-SS65000	Round Point Shovel #2 with 48" Ash Wood Handle. O/M 3
354-SS66000	Square Point Shovel #2 with 48" Ash Wood Handle. O/M 3
354-SS68000	Aluminum Scoop #10 Western Style Large Square-nose Design, 48" Ash Wood Handle. O/M 6
354-SS68431	Aluminum Scoop #14 Western Style Extra Large Scoop, 31" Steel and Ash Wood D-Handle. O/M 3
354-SS42011	Plastic Scoop #12 Western Style Heavy-duty, 30" Wood D-Handle. O/M 6



RICE SHOVELS – FORGED HEAD

#2 Economy Rice Shovel with 48" Long Handle, Stamped Head. Weight 4.5 lb.

117-RS480
Order Multiple **6**



117-RS482
Order Multiple **6**

#2 Rice Shovel with 48" Long Handle, One Piece Forged Head. Weight 5.5 lb.



REPLACEMENT HANDLES
Made of Hickory Wood

117-00313H – 48" or 117-0031354H – 54"
Order Multiple **12**



COOLERS AND TUMBLERS

EVERY **ICEBIN** PRODUCT PROTECTED BY A



CHESTS

EXTREME PERFORMANCE AND INCREDIBLE VALUE

All the same cool, rugged features you've come to expect in a premium ice chest—at an even cooler price.



Available in White or Khaki

Optional coated wire Basket Tray for keeping items out of standing water or ice.

Not Available for 20L Coolers



40 and 65 liter ICEBIN Chests include handy removable/re-positional dividers.



20 Liter ICEBIN

983-ICE20K : Khaki
983-ICE20W : White

40 Liter ICEBIN

983-ICE40K : Khaki
983-ICE40W : White

65 Liter ICEBIN

983-ICE65K : Khaki
983-ICE65W : White

Basket

983-ICE650

TUMBLER TOWERS & KOOZIE

HANDS-ON HOT OR COLD



26 & 18 oz. insulated Tumblers keep your beverage hot when hot and cold when cold, just the way you need it to be. Stainless steel container provides hours of temperature control.

26 oz. Tumbler Tower

983-ICE26SS :
Stainless Steel

18 oz. Tumbler Tower

983-ICE18SS :
Stainless Steel

CAN DO COLD

Pop in your favorite canned beverage and take your time enjoying—it'll still be cold for you.

KOOZIE

983-ICE12CH :
Stainless Steel



WE SUPPLY SUCCESS

WWW.SMALINK.COM

GENERATORS – PORTABLE

2000 WATT INVERTER GENERATOR

Perfect for around the house during power outages or emergencies with enough power to keep the refrigerator and lights on. Powering tools away from shop or garage and powering camp or hunting sites. Can plug two together, doubling your output, using the parallel connection cable. Operates on unleaded gas, has built-in carrying handle and overload protection. Includes cable for 12-volt battery charging. Dimensions are 21" x 12" x 18" (LxWxH)

900-2000GCA

RealTree® Camo

Model SD2000i

- Maximum Output 2000 Watts
- Rated Output 1600 Watts
- 2 15 Amp AC 120-Volt Sockets
- Electrical Circuit Breaker
- DC 12-Volt Output 8.3 Amps
- Single Cylinder 4-Stroke OHV Engine
- One Gallon Fuel Tank
- Smart Throttle and Low Oil Alarm
- Weight 51 Lb.

PARALLEL CONNECTION CABLE

900-2000PK
For SD2000i



SMART THINKING

Inverter generators have lower fuel consumption and pure sinewave inverter technology delivers clean stable power.

A Warning Shutdown Protection System incorporates a low engine oil light to protect the engine and an electrical overload light to prevent damage to the generator. Automatic shutdown will occur within seconds.

The smart throttle system automatically maintains engine speed and clean power output at the most efficient level under all usage loads, resulting in reduced fuel consumption. Nonslip anti-vibration absorption feet assist in the smooth operation and noise reduction while the generator is running.

1000 WATT INVERTER GENERATOR

Quiet and powerful, the SD1000i makes a great tailgate power partner or camping companion. You can even plug two together and double your output using a special parallel connection cable. Operates on unleaded gas, has built-in carrying handle and overload protection. Includes cable for 12-volt battery charging.

Dimensions are 18.5" x 10" x 15.25" (LxWxH)

Model SD1000i

- Maximum Output 1000 Watts
- Rated Output 900 Watts
- 1 15 Amp AC 120-Volt Socket
- Electrical Circuit Breaker
- DC 12-Volt Output 6.0 Amps
- Single Cylinder 4-Stroke OHV Engine
- One Gallon Fuel Tank
- Smart Throttle and Low Oil Alarm
- Weight 32 Lb.

900-1000G

White

PARALLEL CONNECTION CABLE

900-1000PK
For SD1000i



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Table of Contents Section 31

Agricultural Fasteners	31-17-31-18
Carriage Bolt Grade 5	31-20
Cotter Pins	31-8
Gloves	31-1-31-2
Hair Pin Clips	31-7
Hex Bolt	31-21-31-25
Hex Nuts & Washers	31-15-31-16
Key Stock -Zinc Plated.....	31-12
Machinery Bushings	31-10-31-11
Marking Flags / Surveying Tape.....	31-4
Paper Parts Bags.....	31-6
Parts Bins	31-6
Peg Hooks	31-6
Rain Gear	31-3
Roll Pin Assortments	31-9
Shaft Collars.....	31-10
Signs Property / Posted.....	31-3
Tape - Duct, Masking, Other	31-5
Threaded Steel Rods and Couplers.....	31-12
Tie Wire.....	31-5
U-Bolts	31-13-31-14

NOTE: Certain items throughout these sections of our catalog are stocked only in our Corsicana, Texas (SMA Southwest) Warehouse. These items will not count toward a prepaid freight order unless you are regularly served from the SMA Southwest Corsicana, Texas Warehouse.

THESE PART NUMBERS ARE IDENTIFIED AND SHADED IN GRAY.

GLOVES

'A' at end of part number indicates "Hangable"

WORK GLOVES

Leather palm safety cuff, gunn pattern, heavy select shoulder leather, wing thumb, canvas back, knuckle strap rubberized 2-1/2" cuff. Mens size.

395-WA4204A

Order Multiple 12



SPLIT COWHIDE RANCH HANDS

Shirred back bronze glove, gunn cut drivers style, unlined.
Packed 12 pair per package. Priced per pair.



PART NO.	DESCRIPTION	O/M
395-WA3803A	Large	12



LEATHER DRIVER GLOVE

Shirred back, top grain cowhide,
straight thumb driver.



PART NO.	SIZE	O/M
395-WA2502A	Medium	12
395-WA2503A	Large	12
395-WA2504A	X-Large	12



MECHANIC'S GLOVES



PART NO.	SIZE	O/M
975-W89005	Medium	1
975-W89006	Large	1
975-W89007	X-Large	1



To Order Call Toll Free 877-55 GO SMA 877-554-6762

GLOVES

GLOVES SOLD PER DOZEN – PRICED PER PAIR

'A' at end of part number indicates "Hangable"

YELLOW FLEECE

18 oz.
100% cotton
yellow color.



395-WA7813A

Order Multiple 12

BROWN JERSEY

Men's 9 oz. brown jersey,
clute pattern, knit wrist.



395-WA7533A

Order Multiple 12

395-WA7533B

Bulk Packed 12 pair / Pkg.

PLASTIC DOT

Plastic dot 10 oz., knit wrist thumb and back reinforced with plastic dot.
Men's size



PART NO.		O/M
395-WA8313A	Brown Jersey	12
395-WA8353A	White Cotton	12



WELDING

Premium grade welder glove with thumb
protection, thermal lined.



395-WA9713B

Order Multiple 12



CHEMICAL PROTECTION



PART NO.	SIZE	DESCRIPTION	O/M
395-WA8707A	—	PVC, Black	12
395-WA8993B	Medium	Nitrile, Green	12
395-WA8994B	Large	Nitrile, Green	12
395-WA8943B	Large	Neoprene Over Latex	12
395-WA8933B	Large	Latex Gloves (100 per box)	1
395-WA8934B	XL	Latex Gloves (100 per box)	1



WE SUPPLY SUCCESS

WWW.SMALINK.COM

RAIN GEAR

ABEL PRODUCTS



- 32" long jacket, detachable hood and bib overalls
- Extra large cut to fit comfortably over work clothes
- Constructed of heavyweight 35mm PVC bonded onto flexible polyester backing
- Seam sealed for maximum weather protection
- Reinforced at all critical stress points
- 100% waterproof and nonconductive
- Yellow or Orange

#6900

DUR-ABEL
OVERSIZED 3-PC.
PVC/POLYESTER RAIN SUIT



#6902

2-PC. LONG 49" COAT
WITH DETACHABLE HOOD
35MM PVC/POLYESTER

PART NO.	SIZE
YELLOW - PVC/POLY	
011-6900M	M
011-6900L	L
011-6900XL	XL
011-6900XXL	XXL
011-6900XXXL	XXXL
011-6900XXXXL	XXXXL

PART NO.	SIZE
ORANGE - PVC/POLY	
011-6900ORM	M
011-6900ORL	L
011-6900ORXL	XL
011-6900ORXXL	XXL

PART NO.	SIZE
YELLOW - PVC	
011-6902M	M
011-6902L	L
011-6902XL	XL
011-6902XXL	XXL
011-6902XXXL	XXXL
011-6902XXXXL	XXXXL

PROPERTY SIGNS

ALUMINUM HY-GLO

10" x 14"

Order Multiple 12



447-801



447-804



447-807

POSTED SIGNS

12" x 12" TYVEK POSTED SIGN (Legal) TSR Series

Durable-Weatherproof Tear-resistant
Inexpensive way to post property
100 perforated signs per roll.

447-TSR100

Order Multiple 1 Roll



12" x 12" PLASTIC

447-YP1

Order Multiple 20




To Order Call Toll Free 877-55 GO SMA 877-554-6762

MARKING FLAGS

4" x 5" FLAG - 30" STEEL STAFF

15.5 Gauge Wire Diameter

Order Multiple 100



PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
116-450R	Red	116-450FO	Fluorescent Orange
116-450W	White	116-450FP	Fluorescent Pink
116-450Y	Yellow	116-450B	Blue
116-450O	Orange		

5" x 8" FLAG - 30" STEEL STAFF

15.5 Gauge Wire Diameter

Order Multiple 100



PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
116-580R	Red	116-580FO	Fluorescent Orange
116-580W	White	116-580FP	Fluorescent Pink
116-580Y	Yellow	116-580B	Blue

FLAGGING / SURVEYING TAPE DURABLE VINYL ROLLS

Order Multiple 12

1-3/16" x 100 yds.

PART NO.	DESCRIPTION
069-SP770R	Red Flag Tape
069-SP770W	White Flag Tape
069-SP770B	Blue Flag Tape
069-SP770Y	Yellow Flag Tape



1-3/16" x 50 yds.

PART NO.	DESCRIPTION
069-SP771P	Fluorescent Pink
069-SP771O	Fluorescent Orange

TAPE



Inexpensive and easy to use dispenser.



PART NO.	SIZE	OM
DUCT TAPE — SILVER CLOTH COATED		
069-4852	2" x 30 yds.	24
069-1682	2" x 60 yds.	24
069-398	2" x 60 yds. Pro. Grade	24
770-603512	1.88" x 35 yd, 12 Rolls per Display	12
770-50004	1.88" x 12 yd	10
MASKING TAPE		
069-1131	3/4" x 60 yds.	48
069-1134	2" x 60 yds.	24
CLEAR POLY PACKING TAPE — HIGH TACK		
069-3712X110	Packaging Tape Clear	36
069-3680AB	Dispenser, Steel Frame with Adjustable Brake	1
TEFLON TAPE — PIPE THREAD SEAL		
069-5092	1/2" x 260" .0030 Thick in Plastic Dispenser	—
975-W974	40 Rolls of Teflon Tape Above in Fishbowl Merchandiser	—



Ideal for sealing of shipping and storage cartons, protection of shipping and shelf labels.



TIE WIRE

Mechanics Tie Wire 16 Gauge
340 Ft. Coil

677-54772



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PEG HOOKS



PART NO.	SIZE	PER PKG.
371-13580	3	20
371-13581	5	20
371-13582	7	10



PARTS BINS STEEL CABINET




- Prime cold rolled steel - Interlocked and welded
- Construction - Gray baked enamel
- 12" deep; 33-3/4" wide; 42" tall

PART NO.	BINS	BIN SIZES	WT.
120-359	40	4" x 4-1/2"	50
120-360	42	5-3/8" x 5-1/2"	54
120-363	72	4" x 4-1/2"	80




PARTS BIN WHITE CORRUGATED

- Snap together assembly no glue or tape needed
- Tough 200 lb. test corrugated construction



PART NO.	WIDE
336-6102	2"
336-6104	4"
336-6106	6"
336-6110	10"



12" deep - 50 per bundle

PAPER PARTS BAGS

Extra Heavy Duty

SOLD FULL BUNDLE ONLY

PART NO.	SIZE	PER BDL.
967-3	3 lb.	250
967-5	5 lb.	250
967-10	7 lb.	250



WE SUPPLY SUCCESS

WWW.SMALINK.COM

HAIR PIN CLIPS


TEMPERED FOR ADDED STRENGTH AND LONGER LIFE

ZINC PLATED

SOLD FULL PACKAGE ONLY



PART NO.	HOLE SIZE	WIRE DIA.	O.A.L.	PER PKG.
Boxed				
970-22P	5/64"	.062	1-5/16"	100
970-3P	7/64"	.093	1-5/8"	100
970-14P	7/64"	.093	2-1/2"	100
970-16P	9/64"	.125	1-15/16"	100
970-11P	9/64"	.125	2-9/16"	100
970-10P	5/32"	.148	2-15/16"	100
970-6P	3/16"	.177	3-1/4"	100
970-19P	17/64"	.243	4"	50
970-20P	21/64"	.310	4-1/16"	50
Bagged				
970-B11P	9/32"	.062	2-9/16"	10
970-B10P	5/32"	.148	2-15/16"	7
970-B6P	3/16"	.177	3-1/4"	4
970-B19P	17/64"	.243	4"	2



HAIR PIN CLIP ASSORTMENT


Each Assortment Contains:

Three No. 3 Clips, Four each No. 10, 11 & 6 Clips



970-HPC15




Order Multiple 10



THE GRIP CLIP



Sold By Box of 100



PART NO.	SIZE	WIRE	SHAFT SIZES	O.A.L.	EYE DIA.
970-3611	1/8"	.125	7/16" - 3/4"	2-9/16"	9/16"
970-3610	5/32"	.148	5/8" - 1"	2-3/4"	3/4"
970-3608	3/16"	.177	7/8" - 1-1/4"	3-3/4"	15/16"



To Order Call Toll Free 877-55 GO SMA

877-554-6762

COTTER PINS

NO. 15 PLAIN FINISH ONLY



Ideal for retail sales; each box priced the same, but quantity of pins varies according to pin size, as shown below.
Not an assortment. Each size ordered individually.



PART NO.	SIZE	PER/PKG (approx.)
970-15116X1	1/16" x 1"	164
970-15332X1	3/32" x 1"	131
970-1518X1	1/8" x 1"	86
970-1518X112	1/8" x 1-1/2"	62
970-1518X2	1/8" x 2"	48
970-15532X1	5/32" x 1"	54
970-15532X112	5/32" x 1-1/2"	39
970-15316X112	3/16" x 1-1/2"	29

PART NO.	SIZE	PER/PKG (approx.)
970-15316X2	3/16" x 2"	23
970-1514X112	1/4" x 1-1/2"	18
970-1514X2	1/4" x 2"	14
970-15516X2	5/16" x 2"	10

AGRICULTURAL COTTER PIN ASSORTMENTS

– PLAIN FINISH –



COUNT	SIZE	COUNT	SIZE
5	3/32" x 3/4"	10	3/32" x 3/4"
5	3/32" x 1"	10	3/32" x 1"
2	3/32" x 1-1/2"	4	3/32" x 1-1/2"
5	1/8" x 1"	10	1/8" x 1"
5	1/8" x 1-1/4"	10	1/8" x 1-1/4"
4	1/8" x 1-1/2"	8	1/8" x 1-1/2"
2	5/32" x 1-1/2"	4	5/32" x 1-1/2"
6	3/16" x 1-1/2"	10	3/16" x 1"
6	3/16" x 2"	10	3/16" x 1-1/2"
3	1/4" x 1-1/2"	8	3/16" x 2"
3	1/4" x 2"	6	1/4" x 1-1/2"
2	5/16" x 2"	6	1/4" x 2"
2	5/16" x 2-1/2"	2	5/16" x 2"
50 Total		2	5/16" x 2-1/2"
		100 Total	
970-50AG		970-100AG	



TITAN™


COUNT	SIZE
50	1/8" x 2"
30	5/32" x 2-1/2"
20	3/16" x 3"
20	1/4" x 2"
16	1/4" x 3"
8	5/16" x 2-1/2"
144 Total	
978-45206	

ROLL PIN ASSORTMENTS



Repair and maintenance of equipment and products containing roll or spring pins can be handled quickly and easily with the proper assortment of replacement pins.

A necessity in every job shop and tool box, Western Wire Pin Assortments include standard sizes of heat-treated carbon steel, plated, chamfered pins.



Order Multiple 10

Perfect for the do-it-yourself mechanic, home workshop and hobbyist. Assortment of 45 roll pins ranging in sizes from 1/16" thru 1/4" diameter.

Large, heavy-duty roll pins for agricultural, construction & other heavy equipment. Each plastic container includes 45 pins of assorted sizes from 3/32" thru 1/2" diameter.

970-HM45

Handy Man Assortment (45 pcs.)

CONTENTS			
1/16	x	1/2	2 pcs.
1/16	x	3/4	2 pcs.
5/64	x	1/2	2 pcs.
3/32	x	5/8	3 pcs.
3/32	x	1	3 pcs.
1/8	x	3/4	4 pcs.
1/8	x	1	4 pcs.
1/8	x	1-1/4	4 pcs.
5/32	x	3/4	3 pcs.
5/32	x	1	3 pcs.
3/16	x	3/4	3 pcs.
3/16	x	1	3 pcs.
3/16	x	1-1/4	3 pcs.
1/4	x	3/4	2 pcs.
1/4	x	1	2 pcs.
1/4	x	1-1/4	2 pcs.



970-AG45


AG/Industrial Assortment (45 pcs.)

CONTENTS			
3/32	x	1	5 pcs.
1/8	x	1	5 pcs.
1/8	x	1-1/2	1 pc.
5/32	x	1	5 pcs.
5/32	x	1-1/2	1 pc.
3/16	x	1	2 pcs.
3/16	x	1-1/2	4 pcs.
3/16	x	2-1/2	5 pcs.
7/32	x	1-1/4	1 pc.
7/32	x	1-1/2	1 pc.
1/4	x	1-1/2	3 pcs.
5/16	x	1-1/2	2 pcs.
5/16	x	2	2 pcs.
5/16	x	2-1/2	2 pcs.
3/8	x	1	1 pc.
3/8	x	2-1/2	2 pcs.
1/2	x	2	3 pcs.

ROLL PIN KIT 30 SIZES – 300 PIECES

- Designed for repair, maintenance and resale
- Replaces 93% of your pin requirements
- Sturdy plastic kit for continual use

444-SP300



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SHAFT COLLARS



Solid Steel Shaft Collars,
Precision Machined,
Zinc Plated


PART NO.	BORE	O.D.
345-SC0375	3/8"	3/4"
345-SC0500	1/2"	1"
345-SC0563	9/16"	1"
345-SC0625	5/8"	1-1/8"
345-SC0750	3/4"	1-1/4"
345-SC0875	7/8"	1-1/2"
345-SC0938	15/16"	1-5/8"
345-SC1000	1"	1-5/8"
345-SC1125	1-1/8"	1-3/4"
345-SC1250	1-1/4"	2"
345-SC1375	1-3/8"	2-1/8"
345-SC1500	1-1/2"	2-1/4"
345-SC2000	2"	3"



MACHINERY BUSHINGS

Narrow Rim Machinery
Bushings Are Made of High
Grade Mild Machinery Steel

WIDE RIM




25 Per Bag Sold Full Bags Only

O.D. (in.)	I.D. (in.)	18 GA. (.0478")		14 GA. (.0747")		10 GA. (.1345")
		PART NO.	IN HB3	PART NO.	PART NO.	PART NO.
1-1/2	3/4	444-103	10	444-103A	—	—
1-3/4	7/8	444-104	10	444-104A	—	—
2	1	444-105	10	444-105A	—	—
2-1/8	1-1/8	444-106	10	444-106A	—	—
2-1/4	1-1/4	444-107	10	444-107A	—	—
2-1/2	1-3/8	444-108	5	444-108A	—	—
3	1-1/2	444-109	5	444-109A	—	—
3-1/8	1-5/8	—	—	444-110A	—	—
3-1/4	1-3/4	444-111	5	444-111A	—	—
3-3/8	1-7/8	—	—	444-112A	—	—
3-1/2	2	444-113	5	444-113A	—	—
3-5/8	2-1/8	—	—	444-114A	444-114B	—
3-3/4	2-1/4	—	—	444-115A	—	—

*NOTE Display Refers To 444-HB3 Machinery Bushing Display On Page 31-11

MACHINERY BUSHINGS – NARROW RIM

Narrow Rim Machinery Bushings Are Made of High Grade Mild Machinery Steel



25 Per Bag Sold Full Bags Only

O.D. (in.)	I.D. (in.)	18 GA. (.0478")		14 GA. (.0747")		10 GA. (.1345")	
		PART NO.	IN HB3	PART NO.	IN HB3	PART NO.	IN HB3
7/8	1/2	444-00	—	444-0	—	—	—
1	9/16	444-1	10	—	—	—	—
1	5/8	444-2	5	444-2A	—	—	—
1-1/4	3/4	444-3	5	444-4	5	444-4A	—
1-3/8	7/8	444-5	5	444-6	5	—	—
1-1/2	1	444-7	5	444-8	5	444-9	5
1-3/4	1-1/8	444-10	5	444-11	5	444-12	5
1-7/8	1-1/4	444-13	5	444-14	5	444-15	5
2-1/8	1-3/8	444-16	5	444-17	5	444-18	3
2-1/4	1-1/2	444-18A	5	444-19	5	444-20	3
2-3/8	1-5/8	—	—	444-20A	3	—	—
2-1/2	1-3/4	—	—	444-21	2	444-22	3
2-7/8	1-7/8	—	—	444-23	1	444-24	2
3	2	—	—	444-25	1	444-26	1
3-1/8	2-1/8	—	—	444-27	1	444-28	1
3-1/4	2-1/4	—	—	444-29	1	444-30	1

***NOTE** Display Refers To 444-HB3 Machinery Bushing Display On Page 31-11

MACHINERY BUSHING DISPLAY

444-HB3

A Display Board complete with 22 angle screw hooks and 193 bushings consisting of both the narrow and wide rim bushings. Board, Bushings and Hooks packed in one carton ready for shipping.



Contents				
SIZE	18 Ga.	14 Ga.	10 Ga.	Wide Rim 18 Ga.
9/16"	10	—	—	—
5/8"	10	—	—	—
3/4"	5	5	—	10
7/8"	5	5	—	10
1"	5	5	5	10
1-1/8"	5	5	5	10
1-1/4"	5	5	5	10
1-3/8"	5	5	3	5
1-1/2"	5	5	3	5
1-3/4"	—	3	3	5
1-7/8"	—	2	2	—
2"	—	1	1	5
2-1/8"	—	1	1	—
2-1/4"	—	1	1	—



To Order Call Toll Free 877-55 GO SMA 877-554-6762

THREADED STEEL RODS AND COUPLERS

ZINC PLATED



PART NO.	SIZE	THREAD PER INCH
060-142	1/4" x 2'	20
060-143	1/4" x 3'	20
060-5162	5/16" x 2'	18
060-5163	5/16" x 3'	18
060-382	3/8" x 2'	16
060-383	3/8" x 3'	16
060-7162	7/16" x 2'	14
060-7163	7/16" x 3'	14
060-122	1/2" x 2'	13
060-123	1/2" x 3'	13
060-582	5/8" x 2'	11
060-583	5/8" x 3'	11
060-342	3/4" x 2'	10
060-343	3/4" x 3'	10
060-783	7/8" x 3'	9
060-13	1" x 3'	8
060-1183	1-1/8" x 3'	7
060-1143	1-1/4" x 3'	7
060-1123	1-1/2" x 3'	6

PART NO.	THREAD SIZE	LENGTH
060-14CN	1/4"-20	7/8"
060-516CN	5/16"-18	7/8"
060-38CN	3/8"-16	1-1/8"
060-12CN	1/2"-13	1-3/4"
060-58CN	5/8"-11	2-1/8"
060-34CN	3/4"-10	2-1/4"
060-78CN	7/8"-9	2-1/2"
060-1CN	1"-8	2-1/2"



ZINC PLATED KEY STOCK

3" and 12" Length

977-KS45



977-KS62P

45 PC. 3 INCH ASSORTMENT



Want small lengths of square stock but not the hassle of cutting and filing from larger key stock? Try this kit with six sizes of key stock in 3" lengths.

PART NO.	SIZE	Pcs. in KS45	Order Mult.
060-KS183	1/8"	12	10
060-KS3163	3/16"	10	10
060-KS143	1/4"	10	10
060-KS5163	5/16"	6	10
060-KS383	3/8"	5	5
060-KS123	1/2"	2	5

62 PC. 12" ASSORTMENT

Complete with Display Unit

Tite-Fit Sq. Key Stock is designed to facilitate fit and eliminate costly labor. Maximum strength and wear, resists tendency to roll or sprawl.




PART NO.	SIZE	Pcs in KS62P
060-KS18	1/8"	12
060-KS316	3/16"	12
060-KS14	1/4"	12
060-KS516	5/16"	9
060-KS38	3/8"	9
060-KS716	7/16"	4
060-KS12	1/2"	4
060-KS58	5/8"	—



WE SUPPLY SUCCESS

WWW.SMALINK.COM



U-Bolts Inc.

U-BOLTS

ROUND & SQUARE BEND

GRADE 5 CARDED

Threads

- Rolled Threads - 30% Stronger
- Fine Threads - Holds Nut Tighter
- 2" to 6" of Threads Per Bolt

U-Bolt

- Cold Drawn Steel
- Precision Diameter, Width and Length Tolerances
- Nuts Included



LIGHT-DUTY U-BOLTS

PART NO.	DIA. x I.D. x LGH.
925-S110	3/8 x 1-1/2 x 3
925-S113	3/8 x 1-3/4 x 3
925-S116	3/8 x 2 x 3-3/4
92 5-S122	7/16 x 1-3/4 x 5-1/2
925-S124	7/16 x 2 x 5-1/2
925-S126	7/16 x 2-1/4 x 5-1/2
925-R205	3/8 x 1-1/2 x 3
925-R208	3/8 x 1-3/4 x 3
925-R211	3/8 x 2 x 4
925-R216	7/16 x 2 x 6
925-R227	7/16 x 2-7/8 x 7-3/4
925-R229	7/16 x 3 x 7-1/2

S = Square Bend

R = Round Bend



MEDIUM-DUTY U-BOLTS

PART NO.	DIA. x I.D. x LGH.
925-S132	1/2 x 1-3/4 x 6
925-S134	1/2 x 2 x 6
925-S139	1/2 x 2-5/8 x 11-1/2
925-S146	9/16 x 2-1/2 x 8
925-S148	9/16 x 2-5/8 x 8
925-R236	1/2 x 2-1/2 x 8-1/4
925-R240	1/2 x 2-7/8 x 7
925-R242	1/2 x 3 x 8
925-R246	9/16 x 3 x 8-1/4
925-R250	9/16 x 3-1/4 x 8
925-R253	9/16 x 3-3/8 x 12
925-R258	9/16 x 3-3/4 x 8

HEAVY-DUTY U-BOLTS

PART NO.	DIA. x I.D. x LGH.
925-S162	5/8 x 2-5/8 x 12-1/4
925-S170	5/8 x 3-1/8 x 7-3/4
925-S178	5/8 x 4 x 11-1/4
925-S181	3/4 x 3-1/8 x 16
925-S187	3/4 x 4 x 7-1/2
925-S191	7/8 x 3-1/8 x 18
925-R266	5/8 x 3 x 8-1/2
925-R270	5/8 x 3-1/4 x 8-1/4
925-R271	5/8 x 3-1/4 x 12
925-R275	5/8 x 3-1/2 x 12
925-R279	5/8 x 3-3/4 x 12
925-R287	3/4 x 3 x 17



To Order Call Toll Free 877-55 GO SMA 877-554-6762

ZINC PLATED

- Grade 5 • Cold Drawn Steel • Nuts Included
- Precision Diameter Width and Length Tolerances

CARDED



PART NO.	DIA. x I.D. x LEN.
925-S1010Z	3/8" x 2-1/2" x 2-1/2"
925-S1020Z	3/8" x 7" x 7"
925-S1030Z	1/2" x 3" x 4"
925-S1040Z	5/8" x 4" x 4"
925-S1050Z	5/8" x 4" x 5-1/2"
925-S1060Z	5/8" x 4" x 7-1/2"
925-S1070Z	5/8" x 5" x 8-1/2"
925-S1080Z	5/8" x 6" x 8"
925-S1090Z	5/8" x 7" x 5"
925-S1100Z	5/8" x 7" x 7"
925-S1110Z	5/8" x 7" x 8-1/2"
925-S1115Z	3/4" x 4" x 8-1/2"
925-S1120Z	3/4" x 5" x 7"
925-S1130Z	3/4" x 7" x 8-1/2"
925-S1140Z	3/4" x 7" x 7"

U-BOLTS

FOR 4" TOOL BAR

3/4" Diameter x 4" Wide x 6" Overall Length



925-S344412

WIZZ NUTS



PART NO.	SIZE	O/M
120-8414	1/4-20	100
120-8415	5/16-18	100
120-8416	3/8-16	100
120-8417	7/16-14	50
120-8418	1/2-13	50
120-84110	5/8-11	50
120-84112	3/4-10	20

LOCK NUTS 2-WAY



PART NO.	SIZE	O/M
120-8474	1/4-20	100
120-8475	5/16-18	100
120-8476	3/8-16	100
120-8477	7/16-14	50
120-8478	1/2-13	25
120-8479	5/8-11	25
120-8480	3/4-10	20

HEX NUTS

USS-COARSE – GRADE 8



PART NO.	SIZE	O/M
120-8524	1/4-20	100
120-8525	5/16-18	100
120-8526	3/8-16	100
120-8527	7/16-14	50
120-8528	1/2-13	50
120-85210	5/8-11	25
120-85212	3/4 10	20

HEX HI-NUTS – FINE THREAD

- Grade 5 Steel • More Thread Engagement
- Double Nut Height

PART NO.	SIZE
925-508	1/2"-20
925-510	9/16"-18
925-512	5/8"-18



WE SUPPLY SUCCESS

WWW.SMALINK.COM

HEX NUTS

PLATED

PACKAGED

USS-COARSE

PART NO.	SIZE	O/M
120-8404	1/4-20	100
120-8405	5/16-18	100
120-8406	3/8-16	100
120-8407	7/16-14	50
120-8408	1/2-13	50
120-8409	9/16-12	25
120-84010	5/8-11	25
120-84012	3/4-10	20
120-84014	7/8-9	15
120-84016	1-8	10
120-84018	1-1/8 -7	10
120-84020	1-1/4 -7	10
120-84022	1-3/8 -6	5
120-84024	1-1/2 -6	10
120-84032	2 -4-1/2	5



SAE - FINE

PART NO.	SIZE	O/M
120-8424	1/4-28	100
120-8425	5/16-24	100
120-8426	3/8-24	100
120-8427	7/16-20	50
120-8428	1/2-20	50
120-8429	9/16-18	25
120-84210	5/8-18	25
120-84212	3/4-16	20
120-84214	7/8-14	15
120-84216	1 -14	10
120-84218	1-1/8 -12	10
120-84220	1-1/4 -12	10
120-84222	1-3/8 -12	5
120-84224	1-1/2 -12	10

LOCK NUTS WITH NYLON INSERT

PLATED

PACKAGED

USS-COARSE

PART NO.	SIZE	O/M
120-8444	1/4 -20	100
120-8445	5/16 -18	100
120-8446	3/8 -16	100
120-8447	7/16 -14	100
120-8448	1/2 -13	100
120-8449	9/16 -12	50
120-84410	5/8 -11	50
120-84412	3/4 -10	50
120-84414	7/8 -9	25
120-84416	1 -8	25
120-84418	1-1/8 -7	10
120-84420	1-1/4 -7	10



SAE - FINE

PART NO.	SIZE	O/M
120-8464	1/4-28	100
120-8465	5/16-24	100
120-8466	3/8-24	100
120-8467	7/16-20	100
120-8468	1/2-20	100
120-8469	9/16-18	50
120-84610	5/8-18	50
120-84612	3/4-16	50
120-84614	7/8-14	25
120-84616	1-14	25
120-84618	1-1/8 -12	10
120-84619	1-1/8 -12	10
(Grade 8)		



To Order Call Toll Free 877-55 GO SMA 877-554-6762

HEX NUTS & WASHERS

SLOTTED HEX NUTS

USS – COARSE

PART NO.	SIZE	O/M
120-84810	5/8-11	25
120-84812	3/4-10	20
120-84816	1-8	10
120-84818	1-1/8 -7	10
120-84820	1-1/4-7	10
120-84824	1-1/2 -6	10
120-84828	1-3/4 -5	5



SAE - FINE

PART NO.	SIZE	O/M
120-85010	5/8-18	25
120-85012	3/4-16	20
120-85014	7/8-14	15
120-85016	1-14	10
120-85018	1-1/8 -12	10
120-85020	1-1/4 -12	10
120-85024	1-1/2 -12	5

FLAT WASHERS



Packed
10 per bag

HEAVY – 1/4" THICKNESS

PART NO.	SIZE	O/M
120-8587	7/16"	10
120-8588	1/2"	10
120-85810	5/8"	10
120-85812	3/4"	10
120-85814	7/8"	10
120-85816	1"	10



USS – ZINC PLATED 5LB. Box

PART NO.	SIZE	APPROX. PER BOX
120-8564	1/4"	745
120-8565	5/16"	435
120-8566	3/8"	335
120-8567	7/16"	205
120-8568	1/2"	130
120-8569	9/16"	110
120-85610	5/8"	65
120-85612	3/4"	45
120-85614	7/8"	35
120-85616	1"	27
120-85618	1-1/8"	24
120-85620	1-1/4"	15
120-85622	1-3/8"	14
120-85624	1-1/2"	13
120-85628	1-3/4"	10

LOCK WASHERS

CARBON STEEL - ZINC PLATED



PART NO.	SIZE	O/M
120-8594	1/4"	100
120-8595	5/16"	100
120-8596	3/8"	100
120-8597	7/16"	100
120-8598	1/2"	100
120-8599	9/16"	100
120-85910	5/8"	100
120-85912	3/4"	100
120-85914	7/8"	100
120-85916	1"	100
120-85918	1-1/8"	50
120-85920	1-1/4"	50
120-85924	1-1/2"	25



To Order Call Toll Free 877-55 GO SMA 877-554-6762

AGRICULTURAL FASTENERS

SPECIAL NO. 3 PLOW BOLT – OVERSIZE HEAD

GRADE 5 UNC THREAD - ZINC CHROMATE PLATED

These bolts can be used to help reduce inventory by not having to double stock sweeps and chisels due only to different hole sizes. 3/8" with oversize head for cultivator sweeps and shovels, 7/16" x 2" for chisel sweeps, 7/16" x 2-1/2" for chisels and spikes.



PART NO.	SIZE	HEAD	O/M
120-SP38X112OH	1-1/2" X 3/8-16	7/16"	100
120-SP716X2OH	2" X 7/16-14	1/2"	50
120-SP716X212OH	2-1/2" X 7/16-14	1/2"	50



CARRIAGE BOLT FOR ROW CROP, CROPMAKER SWEEPS

GRADE 5 UNC THREAD - ZINC CHROMATE PLATED




PART NO.	SIZE	O/M
120-820566	2" x 5/8-11	25
120-820569	2-1/2" x 5/8-11	25
120-820571	3" x 5/8-11	25
120-820573	3-1/2" x 5/8-11	25



ELLIPTIC HEAD BOLT FOR DANISH SWEEPS

GRADE 8 UNC THREAD - ZINC CHROMATE PLATED

PART NO.	SIZE	O/M
120-E38X112G8	1-1/2" x 3/8-16	100
120-E38X134G8	1-3/4" x 3/8-16	100
120-E516X114G8	1-1/4" x 5/16	—



NOTE: SHADED ITEMS STOCKED ONLY AT SMA WEST

CLIP-HEAD PLOW BOLTS (for plowshares)

GRADE 5 UNC THREAD - ZINC CHROMATE PLATED

PART NO.	SIZE	O/M
120-CH38X112	1-1/2" x 3/8-16	100
120-CH716X112	1-1/2" x 7/16-14	50
120-CH12X112	1-1/2" x 1/2-13	50



AGRICULTURAL FASTENERS

NUMBER 3 PLOW BOLT

GRADE 5 UNC THREAD - ZINC CHROMATE PLATED




PART NO.	THREAD	LENGTH	PER PKG
120-P38X1	3/8-16	1"	100
120-P38X114	3/8-16	1-1/4"	100
120-P38X112	3/8-16	1-1/2"	100
120-P38X134	3/8-16	1-3/4"	100
120-P38X2	3/8-16	2"	100
120-P716X114	7/16-14	1-1/4"	50
120-P716X112	7/16-14	1-1/2"	50
120-P716X134	7/16-14	1-3/4"	50
120-P716X2	7/16-14	2"	50
120-P716X214	7/16-14	2-1/4"	50
120-P716X212	7/16-14	2-1/2"	50
120-P716X3	7/16-14	3"	50
120-P716X312	7/16-14	3-1/2"	50
120-P12X1	1/2-13	1"	50
120-P12X114	1/2-13	1-1/4"	50
120-P12X112	1/2-13	1-1/2"	50
120-P12X134	1/2-13	1-3/4"	50
120-P12X2	1/2-13	2"	50
120-P12X214	1/2-13	2-1/4"	50
120-P12X212	1/2-13	2-1/2"	50
120-P12X3	1/2-13	3"	50
120-P58X112	5/8-11	1-1/2"	25
120-P58X134	5/8-11	1-3/4"	25
120-P58X2	5/8-11	2"	25
120-P58X212	5/8-11	2-1/2"	25
120-P58X3	5/8-11	3"	25
120-P58X312	5/8-11	3-1/2"	25



To Order Call Toll Free 877-55 GO SMA 877-554-6762

– NOTICE –
PRODUCTS ON THE FOLLOWING PAGES ARE
STOCKED ONLY AT SMA SOUTHWEST.

These Packaged Bolts May Not Count Towards a
Prepaid Shipment UNLESS SMA Southwest is your
Primary Distribution Center.



CARRIAGE BOLT GRADE 5

UNC-COARSE THREAD
PACKAGED

STOCKED ONLY AT SMA SOUTHWEST




PART NO.	SIZE	O/M
120-820256	1/4 x 3/4	100
120-820258	1/4 x 1	100
120-820262	1/4 x 1-1/2	100
120-820306	5/16 x 3/4	100
120-820308	5/16 x 1	100
120-820310	5/16 x 1-1/4	100
120-820312	5/16 x 1-1/2	100
120-820316	5/16 x 2	100
120-820319	5/16 x 2-1/2	100
120-820321	5/16 x 3	100
120-820358	3/8 x 1	100
120-820360	3/8 x 1-1/4	100
120-820362	3/8 x 1-1/2	100
120-820366	3/8 x 2	100
120-820369	3/8 x 2-1/2	50
120-820371	3/8 x 3	50
120-820373	3/8 x 3-1/2	50
120-820375	3/8 x 4	50
120-820408	7/16 x 1	100
120-820410	7/16 x 1-1/4	50
120-820412	7/16 x 1-1/2	50
120-820414	7/16 x 1-3/4	50
120-820416	7/16 x 2	50
120-820419	7/16 x 2-1/2	50
120-820421	7/16 x 3	50

PART NO.	SIZE	O/M
120-820266	1/4 x 2	100
120-820269	1/4 x 2-1/2	100
120-820458	1/2 x 1	50
120-820460	1/2 x 1-1/4	50
120-820462	1/2 x 1-1/2	50
120-820466	1/2 x 2	50
120-820469	1/2 x 2-1/2	50
120-820471	1/2 x 3	50
120-820473	1/2 x 3-1/2	25
120-820475	1/2 x 4	25
120-820562	5/8 x 1-1/2	25
120-820566	5/8 x 2	25
120-820569	5/8 x 2-1/2	25
120-820571	5/8 x 3	25
120-820573	5/8 x 3-1/2	25
120-820575	5/8 x 4	25
120-820576	5/8 x 4-1/2	25
120-820577	5/8 x 5	25
120-820621	3/4 x 3	20
120-820625	3/4 x 4	20
120-820626	3/4 x 4-1/2	20
120-820627	3/4 x 5	20
120-820629	3/4 x 6	20



PARTS BINS
Available
This Section



To Order Call Toll Free 877-55 GO SMA 877-554-6762

HEX BOLT GRADE 8

ZINC PLATED - UNC-COARSE THREAD
PACKAGED

STOCKED ONLY AT SMA SOUTHWEST

PART NO.	SIZE	O/M
120-818256	1/4 x 3/4	100
120-818258	1/4 x 1	100
120-818262	1/4 x 1-1/2	100
120-818266	1/4 x 2	100
120-818269	1/4 x 2-1/2	100
120-818271	1/4 x 3	100
120-818308	5/16 x 1	100
120-818310	5/16 x 1-1/4	100
120-818312	5/16 x 1-1/2	100
120-818314	5/16 x 1-3/4	100
120-818316	5/16 x 2	100
120-818319	5/16 x 2-1/2	100
120-818321	5/16 x 3	100
120-818323	5/16 x 3-1/2	50
120-818358	3/8 x 1	100
120-818360	3/8 x 1-1/4	100
120-818362	3/8 x 1-1/2	100
120-818366	3/8 x 2	100
120-818369	3/8 x 2-1/2	50
120-818371	3/8 x 3	50
120-818373	3/8 x 3-1/2	50
120-818375	3/8 x 4	50
120-818376	3/8 x 4-1/2	50
120-818377	3/8 x 5	50
120-818408	7/16 x 1	100
120-818410	7/16 x 1-1/4	50
120-818412	7/16 x 1-1/2	50
120-818416	7/16 x 2	50
120-818419	7/16 x 2-1/2	50
120-818421	7/16 x 3	50
120-818423	7/16 x 3-1/2	25
120-818425	7/16 x 4	25



PART NO.	SIZE	O/M
120-818458	1/2 x 1	50
120-818460	1/2 x 1-1/4	50
120-818462	1/2 x 1-1/2	50
120-818464	1/2 x 1-3/4	50
120-818466	1/2 x 2	50
120-818469	1/2 x 2-1/2	50
120-818471	1/2 x 3	50
120-818473	1/2 x 3-1/2	25
120-818475	1/2 x 4	25
120-818476	1/2 x 4-1/2	25
120-818477	1/2 x 5	25
120-818479	1/2 x 6	25
120-818562	5/8 x 1-1/2	25
120-818566	5/8 x 2	25
120-818569	5/8 x 2-1/2	25
120-818571	5/8 x 3	25
120-818573	5/8 x 3-1/2	25
120-818575	5/8 x 4	25
120-818576	5/8 x 4-1/2	25
120-818577	5/8 x 5	25
120-818578	5/8 x 5-1/2	25
120-818579	5/8 x 6	25
120-818581	5/8 x 7	25
120-818612	3/4 x 1-1/2	20
120-818616	3/4 x 2	20
120-818619	3/4 x 2-1/2	20
120-818621	3/4 x 3	20
120-818623	3/4 x 3-1/2	20
120-818625	3/4 x 4	20
120-818626	3/4 x 4-1/2	20
120-818627	3/4 x 5	20
120-818628	3/4 x 5-1/2	20
120-818629	3/4 x 6	20



WE SUPPLY SUCCESS

WWW.SMALINK.COM

HEX BOLT GRADE 5

ZINC PLATED - UNF-FINE THREAD (SAE) PACKAGED

STOCKED ONLY AT SMA SOUTHWEST

PART NO.	SIZE	O/M		PART NO.	SIZE	O/M
120-816254	1/4 x 1/2	100		120-816566	5/8 x 2	25
120-816258	1/4 x 1	100		120-816569	5/8 x 2-1/2	25
120-816262	1/4 x 1-1/2	100		120-816619	3/4 x 2-1/2	20
120-816269	1/4 x 2-1/2	100		120-816621	3/4 x 3	20
120-816306	5/16 x 3/4	100		120-816625	3/4 x 4	20
120-816308	5/16 x 1	100		120-816666	7/8 x 2	10
120-816312	5/16 x 1-1/2	100		120-816671	7/8 x 3	10
120-816319	5/16 x 2-1/2	100		120-816675	7/8 x 4	10
120-816321	5/16 x 3	100		120-816677	7/8 x 5	10
120-816362	3/8 x 1-1/2	100		120-816721	1 x 3	10
120-816366	3/8 x 2	100		120-816725	1 x 4	10
120-816369	3/8 x 2-1/2	50				
120-816371	3/8 x 3	50				
120-816373	3/8 x 3-1/2	50				
120-816408	7/16 x 1	100				
120-816410	7/16 x 1-1/4	50				
120-816412	7/16 x 1-1/2	50				
120-816416	7/16 x 2	50				
120-816458	1/2 x 1	50				
120-816460	1/2 x 1-1/4	50				
120-816462	1/2 x 1-1/2	50				
120-816464	1/2 x 1-3/4	50				
120-816466	1/2 x 2	50				
120-816469	1/2 x 2-1/2	50				
120-816471	1/2 x 3	50				
120-816473	1/2 x 3-1/2	25				
120-816475	1/2 x 4	25				



To Order Call Toll Free 877-55 GO SMA 877-554-6762

HEX BOLT GRADE 5

ZINC PLATED - UNC-COARSE THREAD, PACKAGED

STOCKED ONLY AT SMA SOUTHWEST

PART NO.	SIZE	O/M		PART NO.	SIZE	O/M
120-814254	1/4 x 1/2	100		120-814354	3/8 x 1/2	100
120-814255	1/4 x 5/8	100		120-814356	3/8 x 3/4	100
120-814256	1/4 x 3/4	100		120-814358	3/8 x 1	100
120-814258	1/4 x 1	100		120-814360	3/8 x 1-1/4	100
120-814260	1/4 x 1-1/4	100		120-814362	3/8 x 1-1/2	100
120-814262	1/4 x 1-1/2	100		120-814364	3/8 x 1-3/4	100
120-814264	1/4 x 1-3/4	100		120-814366	3/8 x 2	100
120-814266	1/4 x 2	100		120-814368	3/8 x 2-1/4	50
120-814268	1/4 x 2-1/4	100		120-814369	3/8 x 2-1/2	50
120-814269	1/4 x 2-1/2	100		120-814370	3/8 x 2-3/4	50
120-814271	1/4 x 3	100		120-814371	3/8 x 3	50
120-814273	1/4 x 3-1/2	100		120-814372	3/8 x 3-1/4	50
120-814275	1/4 x 4	100		120-814373	3/8 x 3-1/2	50
120-814276	1/4 x 4-1/2	100		120-814374	3/8 x 3-3/4	50
120-814277	1/4 x 5	100		120-814375	3/8 x 4	50
				120-814376	3/8 x 4-1/2	50
				120-814377	3/8 x 5	50
120-814304	5/16 x 1/2	100		120-814378	3/8 x 5-1/2	50
120-814305	5/16 x 5/8	100		120-814379	3/8 x 6	50
120-814306	5/16 x 3/4	100		120-814381	3/8 x 7	50
120-814308	5/16 x 1	100				
120-814310	5/16 x 1-1/4	100		120-814406	7/16 x 3/4	100
120-814312	5/16 x 1-1/2	100		120-814408	7/16 x 1	100
120-814314	5/16 x 1-3/4	100		120-814410	7/16 x 1-1/4	50
120-814316	5/16 x 2	100		120-814412	7/16 x 1-1/2	50
120-814318	5/16 x 2-1/4	100		120-814414	7/16 x 1-3/4	50
120-814319	5/16 x 2-1/2	100		120-814416	7/16 x 2	50
120-814321	5/16 x 3	100		120-814418	7/16 x 2-1/4	50
120-814322	5/16 x 3-1/4	50		120-814419	7/16 x 2-1/2	50
120-814323	5/16 x 3-1/2	50		120-814420	7/16 x 2-3/4	50
120-814325	5/16 x 4	50		120-814421	7/16 x 3	50
120-814326	5/16 x 4-1/2	50		120-814423	7/16 x 3-1/2	25
120-814327	5/16 x 5	50		120-814425	7/16 x 4	25
120-814328	5/16 x 5-1/2	50		120-814426	7/16 x 4-1/2	25
120-814329	5/16 x 6	50		120-814427	7/16 x 5	25
				120-814428	7/16 x 5-1/2	25
				120-814429	7/16 x 6	25



WE SUPPLY SUCCESS

WWW.SMALINK.COM

HEX BOLT GRADE 5

ZINC PLATED - UNC-COARSE THREAD
PACKAGED

STOCKED ONLY AT SMA SOUTHWEST

PART NO.	SIZE	O/M
120-814456	1/2 x 3/4	50
120-814458	1/2 x 1	50
120-814460	1/2 x 1-1/4	50
120-814462	1/2 x 1-1/2	50
120-814464	1/2 x 1-3/4	50
120-814466	1/2 x 2	50
120-814468	1/2 x 2-1/4	50
120-814469	1/2 x 2-1/2	50
120-814470	1/2 x 2-3/4	50
120-814471	1/2 x 3	50
120-814472	1/2 x 3-1/4	25
120-814473	1/2 x 3-1/2	25
120-814475	1/2 x 4	25
120-814476	1/2 x 4-1/2	25
120-814477	1/2 x 5	25
120-814478	1/2 x 5-1/2	25
120-814479	1/2 x 6	25
120-814480	1/2 x 6-1/2	25
120-814481	1/2 x 7	25
120-814483	1/2 x 8	25
120-814487	1/2 x 10	25
120-814508	9/16 x 1	25
120-814512	9/16 x 1-1/2	25
120-814516	9/16 x 2	25
120-814519	9/16 x 2-1/2	25
120-814521	9/16 x 3	25
120-814523	9/16 x 3-1/2	25
120-814525	9/16 x 4	25
120-814526	9/16 x 4-1/2	25
120-814527	9/16 x 5	25



PART NO.	SIZE	O/M
120-814558	5/8 x 1	25
120-814560	5/8 x 1-1/4	25
120-814562	5/8 x 1-1/2	25
120-814564	5/8 x 1-3/4	25
120-814566	5/8 x 2	25
120-814568	5/8 x 2-1/4	25
120-814569	5/8 x 2-1/2	25
120-814570	5/8 x 2-3/4	25
120-814571	5/8 x 3	25
120-814572	5/8 x 3-1/4	25
120-814573	5/8 x 3-1/2	25
120-814574	5/8 x 3-3/4	25
120-814575	5/8 x 4	25
120-814576	5/8 x 4-1/2	25
120-814577	5/8 x 5	25
120-814578	5/8 x 5-1/2	25
120-814579	5/8 x 6	25
120-814580	5/8 x 6-1/2	25
120-814581	5/8 x 7	25
120-814582	5/8 x 7-1/2	25
120-814583	5/8 x 8	25
120-814585	5/8 x 9	25
120-814587	5/8 x 10	25
120-814608	3/4 x 1	20
120-814612	3/4 x 1-1/2	20
120-814614	3/4 x 1-3/4	20
120-814616	3/4 x 2	20
120-814618	3/4 x 2-1/4	20
120-814619	3/4 x 2-1/2	20
120-814620	3/4 x 2-3/4	20
120-814621	3/4 x 3	20
120-814623	3/4 x 3-1/2	20
120-814624	3/4 x 3-3/4	20



To Order Call Toll Free 877-55 GO SMA 877-554-6762

HEX BOLT GRADE 5

ZINC PLATED - UNC-COARSE THREAD
PACKAGED

STOCKED ONLY AT SMA SOUTHWEST


PART NO.	SIZE	O/M
120-814625	3/4 x 4	20
120-814626	3/4 x 4-1/2	20
120-814627	3/4 x 5	20
120-814628	3/4 x 5-1/2	20
120-814629	3/4 x 6	20
120-814630	3/4 x 6-1/2	20
120-814631	3/4 x 7	20
120-814632	3/4 x 7-1/2	20
120-814633	3/4 x 8	20
120-814635	3/4 x 9	20
120-814637	3/4 x 10	20
120-814638	3/4 x 11	15
120-814639	3/4 x 12	15
120-814666	7/8 x 2	10
120-814669	7/8 x 2-1/2	10
120-814671	7/8 x 3	10
120-814673	7/8 x 3-1/2	10
120-814675	7/8 x 4	10
120-814676	7/8 x 4-1/2	10
120-814677	7/8 x 5	10
120-814678	7/8 x 5-1/2	10
120-814679	7/8 x 6	10
120-814680	7/8 x 6-1/2	10
120-814681	7/8 x 7	10
120-814682	7/8 x 7-1/2	10
120-814683	7/8 x 8	10
120-814685	7/8 x 9	10
120-814687	7/8 x 10	10
120-814688	7/8 x 11	10
120-814689	7/8 x 12	10



PART NO.	SIZE	O/M
120-814716	1 x 2	10
120-814719	1 x 2-1/2	10
120-814721	1 x 3	10
120-814723	1 x 3-1/2	10
120-814725	1 x 4	10
120-814726	1 x 4-1/2	10
120-814727	1 x 5	10
120-814728	1 x 5-1/2	10
120-814729	1 x 6	10
120-814730	1 x 6-1/2	10
120-814731	1 x 7	10
120-814732	1 x 7-1/2	10
120-814733	1 x 8	10
120-814735	1 x 9	10
120-814737	1 x 10	10
120-814739	1 x 12	6



**PARTS BINS
Avaliable
This Section**



WE SUPPLY SUCCESS

WWW.SMALINK.COM