

FARM IMPLEMENT REPAIR PARTS

Disc Harrow and Tillage • Planter and Grain Drill
Hay and Mower • Combine



BOOK
1

Table of Contents Book 1


Disc Blades and Coulter Blades	Section 1
Disc Harrow & Hipper Products	Section 2
Cultivator & Tillage Products	Section 3
Planter, Grain & Drill Products	Section 5
Combine Belts & Repair Products	Section 6
Cutting Products.....	Section 7

Table of Contents Section 1

Coulter Blades – Fluted	1-6
Coulter Blades – Ripple.....	1-7
Coulter Blades – Wavy	1-8
Disc Blades Deep Cone	1-4
Disc Blades For Miller Harrows.....	1-5
Disc Blades Notched Edge	1-3
Disc Blades Plain Edge	1-1
Disc Blades Raised Flat Center	1-5
Disc Ripper Blades.....	1-11
Vertical Till Blades	1-11
Vertical Till Blades – Samurai	1-9
Vertical Till Turbo® Blades - Original	1-10
Vertical Till Turbo® Blades - Samurai	1-10

DISC BLADES SMOOTH EDGE

Made in North America to same specifications
as many OEM disc harrow manufacturers.



PART NO.	THICKNESS		AXLE SIZE	CONCAVITY
	INCH or GA.	MM		
16 INCH DIAMETER				
114-16110107P	11	3	7/8" Square x 1" Round	1.5"
114-16110203P	11	3	1" X 1-1/8" Square	1.5"
114-16090203P	9	3.5	1" X 1-1/8" Square	1.5"
114-160903P	9	3.5	1-1/8" Square	1.5"
114-16070203P	7	4.5	1" x 1-1/8" Square	1.5"
114-160703P	7	4.5	1-1/8" Square	1.5"
114-160705P	7	4.5	1-1/2" Square	1.5"
18 INCH DIAMETER				
114-18090203P	9	3.5	1" X 1-1/8" Square	1.75"
114-180903P	9	3.5	1-1/8" Square	1.75"
114-18090317P	9	3.5	1-1/8" X 1-1/4" Square	1.75"
114-180904P	9	3.5	1-1/8" Round	1.75"
114-18070203P	7	4.5	1" X 1-1/8" Square	1.75"
114-180706P	7	4.5	1-1/2" Round	1.75"
114-180703P	7	4.5	1-1/8" Square	1.75"
114-183603P	3/16"	5	1-1/8" Square	1.75"
114-18360317P	3/16"	5	1-1/8" x 1-1/4" Square	1.75"
114-183605P	3/16"	5	1-1/2" Square	1.75"
114-181403P	1/4"	6	1-1/8" Square	1.75"
114-181405P	1/4"	6	1-1/2" Square	1.75"
20 INCH DIAMETER				
114-20090203P	9	3.5	1" x 1-1/8" Square	2"
114-20090317P	9	3.5	1-1/8" X 1-1/4" Square	2"
114-20070203P	7	4.5	1" X 1-1/8" Square	2"
114-200703P	7	4.5	1-1/8" Square	2"
114-20070317P	7	4.5	1-1/8" X 1-1/4" Square	2"
114-200705P	7	4.5	1-1/2" Square	2"
114-200718P	7	4.5	1-3/4" Round	2"
114-203603P	3/16"	5	1-1/8" Square	2"
114-20360317P	3/16"	5	1-1/8" X 1-1/4" Square	2"
114-203605P	3/16"	5	1-1/2" Square	2"
114-203606P	3/16"	5	1-1/2" Round	2"
114-201423P	1/4"	6	2" Round	2"
114-201405P	1/4"	6	1-1/2" Square	2"
114-201403P	1/4"	6	1-1/8" Square	2"

– Continued next page –



WE SUPPLY SUCCESS

WWW.SMALINK.COM

DISC BLADES SMOOTH EDGE CONT.

PART NO.	THICKNESS		AXLE SIZE	CONCAVITY
	INCH or GA.	MM		
22 INCH DIAMETER				
114-220703P	7	4.5	1-1/8" Square	2.5"
114-22070317P	7	4.5	1-1/8" x 1-1/4" Square	2.5"
114-220706P	7	4.5	1-1/2" Round	2.5"
114-220723P	7	4.5	2" Round	2.5"
114-223603P	3/16"	5	1-1/8" Square	2.5"
114-22360317P	3/16"	5	1-1/8" x 1-1/4" Square	2.5"
114-223605P	3/16"	5	1-1/2" Square	2.5"
114-223606P	3/16"	5	1-1/2" Round	2.5"
114-223618P	3/16"	5	1-3/4" Round	2.5"
114-221403P	1/4"	6	1-1/8" Square	2.5"
114-22140317P	1/4"	6	1-1/8" x 1-1/4" Square	2.5"
114-22141706P	1/4"	6	1-1/4" Square x 1-1/2" Round	2.5"
114-221405P	1/4"	6	1-1/2" Square	2.5"
114-22140518P	1/4"	6	1-1/2" Square x 1-3/4" Round	2.5"
114-221406P	1/4"	6	1-1/2" Round	2.5"
114-221418P	1/4"	6	1-3/4" Round	2.5"
114-221423P	1/4"	6	2" Round	2.5"
114-221466P	1/4"	6	6" Bolt Circle, 6 Bolt	2.59"
24 INCH DIAMETER				
114-24360317P	3/16"	5	1-1/8" x 1-1/4" Square	3"
114-243606P	3/16"	5	1-1/2" Round	3"
114-243618P	3/16"	5	1-3/4" Round	3"
114-241403P	1/4"	6	1-1/8" Square	3"
114-24140317P	1/4"	6	1-1/8" x 1-1/4" Square	3"
114-241405P	1/4"	6	1-1/2" Square	3"
114-24140511P	1/4"	6	1-1/2" Square x 1-5/8" Round *	3"
114-24140518P	1/4"	6	1-1/2" Square x 1-3/4" Round	3"
114-241406P	1/4"	6	1-1/2" Round	3"
114-241417P	1/4"	6	1-1/4" Square	3"
114-241418P	1/4"	6	1-3/4" Round	3"
114-241423P	1/4"	6	2" Round	3"
114-241423SP	1/4"	6	2" Round	2.3"
26 INCH DIAMETER				
114-261405P	1/4"	6	1-1/2" Square	3.5"
114-26140511P	1/4"	6	1-1/2" Square x 1-5/8" Round *	3.5"
114-26140518P	1/4"	6	1-1/2" Square x 1-3/4" Round	3.5"
114-261417P	1/4"	6	1-1/4" Square	3.5"
114-26560518P	.315"	8	1-1/2" Square x 1-3/4 Round	3.5"
114-26561706P	.315"	8	1-1/4" Square x 1-1/2 Round	3.5"
114-26564223P	.315"	8	1-3/4 Square x 2" Round	3.5"

* 1-5/8" Fits Rome Plow



To Order Call Toll Free 877-55 GO SMA 877-554-6762

DISC BLADES NOTCHED EDGE

Made in North America to same specifications
as many OEM disc harrow manufacturers.



PART NO.	THICKNESS		AXLE SIZE	CONCAVITY
	INCH / GA.	MM		
16 INCH DIAMETER				
114-16110102N	11	3	7/8" x 1" Square	1.5"
114-16110107N	11	3	7/8" Square x 1" Round	1.5"
114-16110203N	11	3	1" x 1-1/8" Square	1.5"
114-16090102N	9	3.5	7/8" x 1" Square	1.5"
114-16090203N	9	3.5	1" x 1-1/8" Square	1.5"
114-16070203N	7	4.5	1" x 1-1/8" Square	1.5"
18 INCH DIAMETER				
114-18090102N	9	3.5	7/8" x 1" Square	1.75"
114-18090107N	9	3.5	7/8" Square x 1" Round	1.75"
114-18090203N	9	3.5	1" x 1-1/8" Square	1.75"
114-180903N	9	3.5	1-1/8" Square	1.75"
114-18090317N	9	3.5	1-1/8" x 1-1/4" Square	1.75"
114-18070203N	7	4.5	1" x 1-1/8" Square	1.75"
114-18070317N	7	4.5	1-1/8" x 1-1/4" Square	1.75"
114-18360203N	3/16"	5	1" x 1-1/8" Square	1.75"
114-183603N	3/16"	5	1-1/8" Square	1.75"
114-18360317N	3/16"	5	1-1/8" x 1-1/4" Square	1.75"
114-183605N	3/16"	5	1-1/2" Square	1.75"
20 INCH DIAMETER				
114-20090102N	9	3.5	7/8" x 1" Square	2"
114-20090203N	9	3.5	1" x 1-1/8" Square	2"
114-200903N	9	3.5	1-1/8" Square	2"
114-20090317N	9	3.5	1-1/8" x 1-1/4" Square	2"
114-20070107N	7	4.5	7/8" Square x 1" Round	2"
114-20070203N	7	4.5	1" x 1-1/8" Square	2"
114-200703N	7	4.5	1-1/8" Square	2"
114-200705N	7	4.5	1-1/2" Square	2"
114-20070317N	7	4.5	1-1/8" x 1-1/4" Square	2"
114-203602N	3/16"	5	1" Square	2"
114-203603N	3/16"	5	1-1/8" Square	2"
114-20360317N	3/16"	5	1-1/8" x 1-1/4" Square	2"
114-203605N	3/16"	5	1-1/2" Square	2"
114-203606N	3/16"	5	1-1/2" Round	2"
114-201405N	1/4"	6	1-1/2" Square	2"

– Continued next page –



WE SUPPLY SUCCESS

WWW.SMALINK.COM

DISC BLADES NOTCHED EDGE CONT.

PART NO.	THICKNESS		AXLE SIZE	CONCAVITY
	INCH or GA.	MM		
22 INCH DIAMETER				
114-220703N	7	4.5	1-1/8" Square	2.5"
114-220718N	7	4.5	1-3/4" Round	2.5"
114-22070317N	7	4.5	1-1/8" x 1-1/4" Square	2.5"
114-223602N	3/16"	5	1" Square	2.5"
114-223603N	3/16"	5	1-1/8" Square	2.5"
114-22360317N	3/16"	5	1-1/8" x 1-1/4" Square	2.5"
114-223605N	3/16"	5	1-1/2" Square	2.5"
114-223606N	3/16"	5	1-1/2" Round	2.5"
114-221403N	1/4"	6	1-1/8" Square	2.5"
114-22140317N	1/4"	6	1-1/8" x 1-1/4" Square	2.5"
114-221405N	1/4"	6	1-1/2" Square	2.5"
114-221406N	1/4"	6	1-1/2" Round	2.5"
114-221418N	1/4"	6	1-3/4" Round	2.5"
114-221466N	1/4"	6	6" Bolt Circle, 6-Bolt Pattern	2.57"
24 INCH DIAMETER				
114-241403N	1/4"	6	1-1/8" Square	3"
114-24140317N	1/4"	6	1-1/8" x 1-1/4" Square	3"
114-241405N	1/4"	6	1-1/2" Square	3"
114-241406N	1/4"	6	1-1/2" Round	3"
114-24140511N	1/4"	6	1-1/2" Sq. x 1-5/8" Rd. *	3"
114-24140518N	1/4"	6	1-1/2" Sq. x 1-3/4" Rd.	3"
114-241418N	1/4"	6	1-3/4" Round	3"
26 INCH DIAMETER				
114-261405N	1/4"	6	1-1/2" Square	3.5"
114-26140518N	1/4"	6	1-1/2" Sq. x 1-3/4" Rd.	3.5"
114-26561706N	.315"	8	1-1/4" Sq x 1-1/2 Rd.	3.5"
114-26564223N	.315"	8	1-3/4 Sq x2" Rd.	3.5"

* 1-5/8" Round Fits Rome Plow

DISC BLADES DEEP CONE

PART NO.	THICKNESS		AXLE SIZE	CONCAVITY
	INCH or GA.	MM		
PLAIN 22 INCH DIAMETER				
114-223603CP	3/16"	5	1-1/8" Square	3.6"
PLAIN 24 INCH DIAMETER				
114-241417CP	1/4"	6	1-1/4" Square	4.17"
114-241405CP	1/4"	6	1-1/2" Square	4.17"
NOTCHED 24 INCH DIAMETER				
114-241417CN	1/4"	6	1-1/4" Square	4.17"
114-241405CN	1/4"	6	1-1/2" Square	4.17"
NOTCHED 26 INCH DIAMETER				
114-261405CN	1/4"	6	1-1/2" Square	4.95"

FOR
JOHN
DEERE®



To Order Call Toll Free 877-55 GO SMA 877-554-6762



DISC BLADES RAISED FLAT CENTER

Made in North America to same specifications
as many OEM disc harrow manufacturers.



FOR CASE / NEW HOLLAND

PART NO.	THICKNESS		AXLE SIZE	CONCAVITY
	INCH or GA.	MM		
PLAIN 18 INCH DIAMETER				
114-180703FP	7	4.5	1-1/8" Square	1.75"
PLAIN 20 INCH DIAMETER				
114-200703FP	7	4.5	1-1/8" Square	2"
114-203603FP	3/16"	5	1-1/8" Square	2"
114-203606FP	3/16"	5	1-1/2" Round with 6" Center	2"
PLAIN 22 INCH DIAMETER				
114-220703FP	7	4.5	1-1/8" Square	2.5"
114-220706FP	7	4.5	1-1/2" Round Fits Models 496, 3800, 3850, 3900, 3950	2.5"
114-223603FP	3/16"	5	1-1/8" Square with 6" Center	2.5"
114-223606FP	3/16"	5	1-1/2" Round with 6" Center	2.5"
114-221403FP	1/4"	6	1-1/8" Square with 6" Center	2.5"
114-221406FP	1/4"	6	1-1/2" Round with 6" Center	2.5"
PLAIN 24 INCH DIAMETER				
114-241405FP	1/4"	6	1-1/2" Sq, 6" Center, will Fit W&A, Greenline	3"
114-241406FP	1/4"	6	1-1/2" Round with 6" Center	3"
PLAIN 26 INCH DIAMETER				
114-261405FP	1/4"	6	1-1/2" Square	3.5"
NOTCHED 20 INCH DIAMETER				
114-200703FN	7	4.5	1-1/8" Square	2"
114-203603FN	3/16"	5	1-1/8" Square	2"
NOTCHED 22 INCH DIAMETER				
114-220703FN	7	4.5	1-1/8" Square	2.5"
114-223603FN	3/16"	5	1-1/8" Square with 6" Center	2.5"
114-223606FN	3/16"	5	1-1/2" Round with 6" Center	2.5"
114-221406FN	1/4"	5	1-1/2" Round with 6" Center	2.5"
NOTCHED 24 INCH DIAMETER				
114-241405FN	1/4"	6	1-1/2" Sq, 6" Center, will Fit W&A, Greenline	3"

DISC BLADES FOR MILLER HARROWS




PART NO.	THICKNESS		SIZE / AXLE	CONCAVITY
	INCH or GA.	MM		
PLAIN EDGE				
114-243618MFP	3/16"	5	24" / 1-3/4" Round	2.63"
114-243618MRP	3/16"	5	24" / 1-3/4" Round	3.75"



WE SUPPLY SUCCESS

WWW.SMALINK.COM


COULTER BLADES – FLUTED



- Good Penetration and Cutting
- Good for Varying Conditions
- Moderate Soil Disturbance and Tilling Action
- Dual 4-Bolt Pattern Fits Both 5" and 5-1/4"

Will Fit: Adams, Bigham Bros., DMI, Great Plains, KBH, Kinze, Landoll, Marliss, Melroe, Oliver/White, Sukup, Unverferth, Wilrich, Yetter and Others.

PART NO.	DESCRIPTION / APPLICATION
845-F174512	17" x 4.5mm (7 ga) Replaces F17401, F17402.
845-F204512	20" x 4.5mm (7 ga) Replaces F20451, F20452 and Yetter 2571-076.




COULTER BLADES – SMOOTH




- Good Penetration and Cutting
- Virtually No Soil Disturbance or Tilling Action

Will Fit: Acra Plant, Ag Systems, Bigham Bros., Caldwell-Hamby, DMI, Flexi Coil, Harrell, Landoll, Marliss, Melroe Tufline, Monroe, Noble, Sunflower, Thurston/Blu Jet Tye, United Farm Tools, Wetherell, Wiese, Wilrich, York Agri Products and Others.




PART NO.	DESCRIPTION / APPLICATION
845-P204512	20" x 4.5mm (7 ga) Has Dual 4-Bolt Pattern for 5" & 5-1/4".




Will Fit: Allis Chalmers Mini Till, Bush Hog Soil Hog, Case, DMI, Ford, Glencoe/Farmland Soil Saver, Hiniker, IH, Kent, Landoll and Noble.

PART NO.	DESCRIPTION / APPLICATION
845-P20505	20" x 5mm (3/16")




Will Fit: Krause Dominator

PART NO.	DESCRIPTION / APPLICATION
845-P256518	25" x 6.5mm Plain Coulter











PART NO.	DESCRIPTION / APPLICATION
845-P22149	22" x 6.35mm, Has Double Bevel. Used on CNH Air Seeder. Replaces 306001A1.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

COULTER BLADES – RIPPLE

PART NO.	DESCRIPTION / APPLICATION
845-R16402	16" x 4mm (8ga) Yetter, Replaces 2571-161
845-R174512	17" x 4.5mm (7 ga) with Dual 4-Bolt Pattern, Fits 5" & 5-1/4" Bolt Circle. Will Fit Adams, Great Plains, KBH, Kinze, Marlist, Oliver/White, Sukup, Unverferth and others. Replaces KMC 16-050-007; CT511708.
845-R20452	20.4" x 4.5mm (7ga) Will Fit Adams, Great Plains, Kinze, Marlist, Oliver/White, Sukup, Unverferth, Yetter and others.
845-R20451	20" x 4.5mm (7ga) Will Fit Bigham Bros, DMI, KMC, Landoll, Melroe, Tye, UFT, Wilrich and others. Replaces DMI 33502043, KMC 16-050-004, Krause 30-251
845-R204512S	20.4" x 4.5mm (7ga) with Slotted Bolt Holes to Fit 5" & 5-1/4" Bolt Circle. Will Fit Adfams, Bigham Bros, DMI, Great Plains, Kinze, KMC, Landoll, Marlist, Melroe, Oliver/White, Sukup, Tye, UFT, Unverferth, Wilrich, Yetter and others. Replaces DMI 33502043, KMC 16-050-004, Krause 30-251
845-R204510	20" x 4.5mm (7ga) KMC, Replaces 03-050-042
845-R204511	20" x 4.5mm (7ga) Will Fit Unverferth and Rawson, Replaces 93934



R204512S



R16402

Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM












COULTER BLADES – WAVY

- Moderately Good Penetration
- Very Effective at Slower Speeds
- Good Cutting and Tilling Action



Will Fit: Acra Plant, Ag Systems, Bigham Bros., Caldwell-Hamby, DMI, Flexi Coil, Harrell, KMC, Landoll, Marliiss, Melroe, Monroe Tuflin, Noble, Sunflower, Thurston/Blu Jet Tye, United Farm Tools, Wetherell, Wiese, Wil Rich, York Agri Products and others.

PART NO.	SIZE	DESCRIPTION / APPLICATION
Vertical Till		
845-W2050068	20" x 5mm (.197)	1.75" 8-Wave, Round Center Hole
845-W205005188	20" x 5mm (.197)	1.75" 8-Wave, Sq. x Rd. Center Hole
845-W205006	20" x 5mm (.197)	3/4" 13-Wave, Round Center Hole
845-W20500518	20" x 5mm (.197)	3/4" 13-Wave, Sq. x Rd. Center Hole
845-W20500317	20" x 5mm (.197)	1.75" 13-Wave, Sq. x Sq. Center Hole
Will Fit: Great Plains, KBH, Kinze, Marliiss, Oliver/White, Unverferth, Yetter & others		
845-SMA9254	16" x 4mm (8ga)	3/4" 13-Wave. Replaces Kinze D9254
845-W174512	17" x 4.5mm (7ga)	3/4" 13-Wave. Dual 4-Bolt Pattern, Fits 5" & 5.25"
845-W205012	20" x 5mm (.197)	3/4" 13-Wave. Dual 4-Bolt Pattern, Fits 5" & 5.25". Replaces 20451, W20452; Yetter 2571-076
Will Fit: John Deere MaxEmerge-2 & Plus, Pro, XP, XP-Pro, 1530, 1535		
845-W72678	16" x 4mm (.177)	3/4" 13-Wave, 5-Bolt Pattern
845-W72680	16" x 4mm (.177)	5/8" 25-Wave, 5-Bolt Pattern
Will Fit: KMC		
845-W174518	17" x 4.5mm (7ga)	1.75" 8-Wave. Replaces 16-050-009
845-W205018	20" x 5mm (.197)	2.0" 8-Wave. Replaces 16-050-028
Will Fit: Salford		
845-W174528	17" x 4.5mm (7ga)	1.75" 8-Wave. Replaces CT511708
845-W1745128	17" x 4.5mm (7ga)	1.25" 8-Wave, has Dual 4-Bolt Pattern Fits 5" & 5.25". Replaces CT511708
845-W204528	20" x 4.5mm (7ga)	2.0" 8-Wave. Replaces CT5112008
845-W20508	20" x 5mm (.197)	1.75" 8-Wave, has Dual 4-Bolt Pattern Fits 5" & 5.25". Replaces CT5112008
845-W225028	22" x 5mm (.197)	8-Wave, 4" Center Hole with 5.5" Bolt Circle, 5 Bolt-Hole Pattern. Replaces Salford CT512208
Will Fit: Unverferth/Rawson		
845-W17458	17" x 4.5mm (7ga)	0.83" 13-Wave. Replaces 93931
845-W20458	20" x 4.5mm (7ga)	1.0" 13-Wave. Replaces 93938
845-W205020	20" x 5mm (.197)	7/8" 13-Wave. Replaces 93938



To Order Call Toll Free 877-55 GO SMA 877-554-6762

VERTICAL TILL BLADES – SAMURAI

The **Samurai Edge** excels on high speed vertical tillage because it uniquely sizes the residue back into the soil. Its design also stays sharp longer and positively turns with the tractor which decreases fuel consumption.

PART NO.	SIZE	DESCRIPTION / APPLICATION
SHALLOW CONCAVITY — High Speed Vertical Till		
114-22140518SSA	22" x 6.5mm	24 Wave Serrated Edge, 1.5" Square x 1.75" Round Center Hole, 2" Concavity. For John Deere®, Krause, Landol, Sunflower, and Other Disc Harrows or Tillage Tools for 1.5" Square or 1.75" Round Axle.
STANDARD CONCAVITY		
114-24140518SA	24" x 6mm	24 Wave Serrated Edge, 1.5" Square x 1.75" Round Center Hole, 2.8" Concavity
114-26140518SA	26" x 6.5mm	24 Wave Serrated Edge, 1.5" Square x 1.75" Round Center Hole, 3.5" Concavity



DIRECTIONAL TURBO-TILL & SOIL REBEL

PART NO.	SIZE	DESCRIPTION / APPLICATION
TURBO-TILL DESIGN — 5/8" Continuous Wave Height, For Vertical Till, Minimum & No Till Machines		
845-VT20500317	20" x 5mm	1-1/8" x 1-1/4" Sq. Center Hole
845-VT20500518	20" x 5mm	1.5" Sq. x 1.75" Rnd. Center Hole. Replaces Great Plains 820-261C
845-VT20650518	20" x 6.5mm	1.5" Sq. x 1.75" Rnd. Center Hole. Replaces Great Plains 820-011C
845-VT175012	17" x 5mm	4" Center Hole. Has 4 Slotted 1/2" Bolt Holes, Fits 5" & 5.25" Bolt-Circles. Fits Great Plains & Others. Replaces Great Plains 820-156C
845-VT185012S	18" x 5mm	4" Center Hole. Has 4 Slotted 1/2" Bolt Holes, Fits 5" & 5.25" Bolt-Circles. Fits Great Plains & Others. Replaces Great Plains 820-215C
SOIL REBEL — SHALLOW CONCAVITY, 25 WAVE		
845-SR22500518	22" x 5mm	Center Hole to Fit 1-1/2" Sq. x 1-3/4" Rnd. Shafts. Ideal for Shallow, High Speed Vertical Tillage Applications
845-SRF20501706	20" x 5mm	Center Hole to Fit 1-1/4" Sq. x 1-1/2" Rnd. Shafts, Flat Center. Ideal for Shallow, High Speed Vertical Tillage Applications.

SoilRebel

- Aggressive Wave Profile
- Shallow Concavity Produces High Speed Operation and Reduced Compaction



SRF

VT Wave

- Continuous Wave Height Design
- Design Allows for Easier Soil Penetration In Tough Conditions



WE SUPPLY SUCCESS

WWW.SMALINK.COM

VERTICAL TILL TURBO® BLADES - ORIGINAL

For CNH True-Tandem™ 330 Turbo.

All blades are .256" (6.5mm) thick and have a 4.5" raised flat center.

PART NO.	REPLACES	SIZE	AXLE SIZE	CONCAVITY
114-SMA74695	87574695, 47654443	16" LH	1-1/2" Round	7/8"
114-SMA74698	87574698, 47654442	16" RH	1-1/2" Round	7/8"
114-SMA74699	87574699, 47654441	18" LH	1-1/2" Round	1"
114-SMA74703	87574703, 47654440	18" RH	1-1/2" Round	1"
114-SMA30573	87630573, 47654439	20" LH	1-1/2" Round	1-1/4"
114-SMA30572	87630572, 47654438	20" RH	1-1/2" Round	1-1/4"



LH



RH



VERTICAL TILL TURBO® BLADES - SAMURAI FOR CNH TRUE-TANDEM™ 330, 335 TURBO

All blades are 6.5mm (.256") thick, 4.5" raised flat center, shallow concave.

PART NO.	REPLACES	DESCRIPTION / APPLICATION
SAMURAI TURBO FLUTE		
114-SMA30573SA	87630573, 47654439	20" LH, Shallow 1-1/4" Concavity, 1-1/2" Round Axle, Raised Flat Center
114-SMA30572SA	87630572, 47654438	20" RH, Shallow 1-1/4" Concavity, 1-1/2" Round Axle, Raised Flat Center



LH



RH



To Order Call Toll Free 877-55 GO SMA 877-554-6762

VERTICAL TILL BLADES

PART NO.	REPLACES	DESCRIPTION / APPLICATION
For Landoll		
114-246518PR	142662	24" x 6.5mm Rollable Boron Steel Blade with 1.75" Center Hole, 3" Concavity.
For Horsch Joker		
114-4559503	04559503	20" x 6.5mm Notched Blade, Has Flat Center with No Hole, 5 Bolt Pattern on 4.2" Bolt Circle for 1/2" Bolts. For MT, PT, and RT Series.
For Sunflower		
114-206518SP	SN4662N	20" x 6.5mm Smooth with 1-3/4" Round Center Hole, Shallow Concavity.
For McFarlane		
114-M4477	RD4477	20" x 3/16" 5mm with 1-1/2" Square Center Hole, .95" Shallow Concavity.
114-M4479	RD4479	20" x 1/4" 6mm with 1-1/2" Square Center Hole, .95" Shallow Concavity.
For Kuhn Krause		
845-SRX226518	8014420	22" X 6.5 mm Soil Razor by Ingersoll. 1-3/4" Round Axle, 25 Flutes, Shallow Concavity, Reverse Crimp Center



246518PR



4559503



M4477



2065185SP



SRX226518

DISC RIPPER BLADES

Will Fit Case/NH, DMI, Ecolo Tiger, Sunflower,
Land Commander, Soil Commander



87443010



58934

PART NO.	DESCRIPTION / APPLICATION
845-84180366	18" x 3.5mm for Rear Leveling. 7" Flat Center, 2.53" Center Hole, 5" Bolt Circle with 4 Bolt Holes for 1/2" Carriage Bolts. Fits Ecolo Tiger, Replaces 84180366.
845-87443010	22" x 6.5mm 7" Flat Center, 4.1" Center Hole. 5.5" Bolt Circle with 5-Bolt Pattern for 1/2" Bolts. Fits Ecolo Tiger and Some Sunflower, Soil & Land Commanders. Replaces 87443010
845-87691879	24" x 6mm with 7" Raised Flat Center, 4" Center Hole, 5.5" Bolt Circle with 5-Bolt Pattern, Uses 1/2" Bolts. Fits CNH, DMI, 870, 875 Ecolo Tiger. Replaces CNH 87691879
114-58934	26" x 6mm, 7" Raised Flat Center. Fits 1.50" Square Axle for Gang Mounted Coulters. Fits 870, 875 Ecolo Tiger with Gang Mounted Coulters. Replaces 58934C3



84180366



87691879



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Table of Contents Section 2

Disc Harrow Bearing Kit - Kelly	2-11
Disc Harrow Parts For AMCO.....	2-1
Disc Harrow Parts For Case IH	2-2-2-7
Disc Harrow Parts For John Deere	2-8-2-11
Disc Harrow Parts For Krause	2-12
Disc Harrow Parts For Landoll.....	2-13
Disc Harrow Parts For M&W	2-12
Disc Harrow Parts For Summers	2-12
Disc Harrow Parts For Sunflower.....	2-13
Disc Harrow Utility Axles & Parts	2-15
Gang Bolt End Washer - Flex Washers.....	2-14
Hipper Parts For AMCO.....	2-16
Hipper Parts For Forrest City Hippers.....	2-18
Hipper Parts For John Deere	2-17
Hipper Parts For Tye & Burch.....	2-18
Hipper Parts For W & A	2-19
Hipper Parts For Wil-Rich.....	2-20
Levee Plow & Cane Cultivator Parts - Prime	2-21
Levee Plow Parts For AMCO	2-20
Levee Plow Parts For W & A.....	2-22
Miscellaneous.....	2-14
Oil Bath Bearing For Rome.....	2-14

Aftermarket

DISC HARROW PARTS FOR AMCO

F15 Series and Others

PART NO.	REPLACES	DESCRIPTION
864-SMA3091	16003	Bearing Housing
308-GW211PP3	G11071	Gang Bearing-Fafnir
851-SMAGW211PP3	G11071	Gang Bearing-Agsmart
747-11064	11064	Snap Ring
1-1/2" SQUARE AXLE WITH 1-1/2" FINE THREAD		
868-SMA944	9444	70-5/8" For 8 Blade, 9" Spacing
868-SMA945	9445	79-7/8" For 9 Blade, 9" Spacing
868-SMA946	9446	89-1/8" For 10 Blade, 9" Spacing
120-84224	10489	1-1/2" NF Hex Nut for Disc Axles – Order Multiple 10 –



DISC HARROW & VT PARTS FOR CASE IH 330, 335, 340, 345

PART NO.	REPLACES	DESCRIPTION
864-SMA193907	193907A1	Bearing Housing for SBX1226. Also For 370, 690, 870
321-SBX1226	193906A1	Cushion Gang Bearing for SMA 193907 Housing.
747-87016938	87016938	Retaining (snap) Ring for SMA193907 Bearing Housing
444-SMA193929	193929A1	Bearing Retaining Washer for SMA193907 Housing
864-SMA195109	195109A1	Trunnion Bearing Mount, Also For 370, 690, 870
864-SMA197334	197334A1	Bushing for Trunnion Bearing Mount SMA195109
864-SMA1263631	1263631C1	Full Spool 7.5" Long for 1.5" Round Axle
864-SMA1263636	1263636C1	Half Spool 2.6" Long for 1.5" Round Axle
864-SMA101190	101190C1	Half Spool 3" Long for 1.5" Round Axle
864-SMA14	652412R1	Axle Sleeve 7.25" for Bearing Assembly



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket DISC HARROW PARTS FOR CASE IH



PART NO.	REPLACES	DESCRIPTION
FOR 1-1/8" AXLE		
864-SMA468584	468584R2	Bumper washer for models 46, 48, 150, 330, 350, 370, 470, 475, 480, 485, 490 and 496.
864-SMA481611	481611R1	End washer for models 132, 150, 330, 350, 370, 470, 475, 480, 490, 496 and 610.
864-SMA4167	PA4167	End washer for models 470-490
864-SMA472592	472592R3	1-5/8" Spool, square hole with machined bearing surface, for models 37, 46, 48, 60, 61, 120, 122, 130, 132, 150, 330, 350, 370, 470, 480 and 490 with 7-1/2" spacing.
864-SMA472593	472593R3	3" Spool, square hole with machined bearing surface for models 37, 46, 48, 60, 61, 76, 120, 122, 130, 132, 150, 330, 350, 370, 470, 480, 490, 610, 760 with 9" spacing.
864-SMA472591	472591R3	4" Spool, square hole with machined bearing surface, for models 37, 46, 48, 60, 61, 76, 120, 122, 130, 132, 150, 330, 350, 370, 470, 480, 490, 610 and 760 with 7-1/2" spacing.
864-SMA481416	481416R1	7-1/2" Spool, square hole with machined bearing surface, for models 46, 48, 60, 61, 120, 122, 130, 132, 150, 330, 350, 370, 470, 475, 480, 485, 490 and 496 with 7-1/2" spacing.
864-SMA481417	481417R1	9" Spool, square hole with machined bearing surface, for models 37, 46, 48, 60, 61, 120, 122, 130, 132, 150, 330, 350, 370, 470, 475, 480, 485, 490, 496, 610 and 760 with 9" spacing.
864-SMA101189	101189C1	1-5/8" Spool, round hole with machined bearing surface, for models 350, 370, 470, 475, 480, 490 and 496 with 7-1/2" and 9" spacing.
864-SMA101190	101190C1	3" Spool, round hole with machined bearing surface, for models 132, 350, 370, 470, 475, 480, 485, 490, 496, 3900 and 3950 with 9" spacing.
864-SMA101191	101191C1	4" Spool, round hole with machined bearing surface, for models 132, 350, 370, 470, 475, 480, 485, 490, 496, 3900 and 3950 with 7-1/2" and 9" spacing.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket DISC HARROW PARTS FOR CASE IH

PART NO.	REPLACES	DESCRIPTION
FOR 1-1/2" AXLE		
864-SMA139918	139918C1	9" Spool, round hole with machined bearing surface, for model 3900.
864-SMA549977	549977R1	4-1/8" X 1-1/2" Square hole spool with machined bearing surface for models 500, 501, 596, 770.
864-SMA549976	549976R1	Spool for models 500, 501, 596, 770.
864-SMA549973	549973R1	End washer for models 500, 501, 596, 770.
864-SMA549975	549975R1, 60615C1	Bumper washer for models 500, 501, 596, 770.
BEARINGS		
308-DHU491A	ST491A, FD209TTRJA	Riveted flange bearing for models 37, 46, 48, 60, 61, 120, 122, 130 132, 150, 330, 350, 370, 470, 475, 480, 485, 490, 496, 610 and 760. 1.77" Round ID, 2-3/16" OD tube. Fafnir
851-SMA491A	ST491A, FD209TTRJA	Riveted flange bearing for models 37, 46, 48, 60, 61, 120, 122, 130 132, 150, 330, 350, 370, 470, 475, 480, 485, 490, 496, 610 and 760. 1.77" Round ID 2-3/16" OD tube. AgSmart
308-DHU2316R211	ST740B, FD211RJA	Riveted flange bearing for models 500, 501, 596, 770 and 780. 2.188" Round ID. Fafnir
851-SMA211B	ST740B, FD211RJA	Riveted flange bearing for models 500, 501, 596, 770 and 780. 2.188" Round ID. AgSmart
864-SMA129753HD	129753C1	Heavy duty wear guard for ST740B bearing. Used on models 500, 501, 596, 770, 780



FAFNIR®

**AgSmart Bearings
Carry a Two Year Warranty**



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



Aftermarket DISC HARROW PARTS FOR CASE IH



PART NO.	REPLACES	DESCRIPTION
864-SMA12	652383R1 5480	5-1/16" Sleeve for models 37, 46, 48, 60, 61, 120, 122, 130, 132, 150, 330, 350, 370, 470, 480 and 490 with 7-1/2" spacing. Used with 472591 and 472592.
864-SMA13	472594R1 6480	6-1/16" Sleeve for models 37, 46, 48, 60, 61, 76, 120, 122, 130, 132, 150, 330, 350, 370, 470, 480, 490, 610, 760 with 9" spacing. Used with 472591 and 472593.
864-SMA14	652412R1 7140	7-1/4" Sleeve for models 350, 370, 470, 475, 480, 490, 496 with 7-1/2" spacing. Used with 101189, 101191.
864-SMA15	112410C1 7480	8-3/4" Sleeve for models 132, 350, 370, 470, 475, 480, 485, 490 and 496 with 9" spacing. Used with 101190, 101191.
864-SMA18	549971R1 8450	5-7/8" Sleeve for models 500, 501, 596, 770, 780. Used with 549977 spool.
864-SMAP34102	87412142	Slack washer for 1-1/2" round axle, 1/4" thick.
864-SMAP34103	—	Slack washer for 1-1/8" square axle, 1/4" thick.
864-SMAP34105	—	Slack washer for 1-1/8" square axle, .10" thick.
864-SMA129532	129532C2 GS400	Gang bearing standard for models 475, 490, 496, 3800, 3850, 3900, 3950 and RMX340.
864-SMA491921	491921R1	Wheel shaft bearing for models 48, 470, 475, 480, 490, 496, 500 and 610.
864-SMA60134	60134C1	Hitch leveling trunnion with grease fitting for models 475, 490, 496, 501, 596, 3900 leveling assembly.
873-16924	60420C2, 60423C2	Leveling link assembly with one threaded end. 13-1/2" closed on-center, 7/8" diameter pin hole.

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trade marks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket DISC HARROW PARTS FOR CASE IH

PART NO.	REPLACES	DESCRIPTION
982-465493	465493R2	Hub with cups, bolts and grease fitting for transport wheel assembly on models 48, 470, 475, 480, 490, 500, 501, 610, 760, 770, early 496 (1987 and before).
982-606468	606468R21 IH468H	Hub with cups for the transport wheel assembly on models 770, 780, 3900 and late 496 (after 1987).
982-909970	663906R1	Hub cap for 606468 hub.
982-478375	478375R1	Spindle 1-3/4" diameter for 465493 hub.
982-1978726	1978726C1 IH468S	Spindle for 606468 hub.
982-283740	B91354 IH493HSA	Hub assembly; includes hub 465493 and spindle 478375.
982-912951	70120D	Spindle nut 7/8" -14 slotted for 1978726 spindle.
982-912945	69442D	Spindle nut for 478375 spindle.
982-913608	369857R1	Spindle washer for 478375 spindle.
982-913612	469873R1	Spindle washer 7/8" for 1978726 spindle.
864-SMA9801	481474R93	Spindle tube (weld-in) for models 48, 470, 480, 490, 500, 610 transport wheel axle assembly.
913-TKR5KITP	63881C91	Bearing kit for transport wheel hub, contains:
LM48510	371883R1	Inner bearing cup
LM48548	371882R91	Inner bearing cone
M12610	618024R1	Outer bearing cup
M12649	618023R91	Outer bearing cone
SMA200886	667599R92	Seal
SMA667564	654675R1	Seal retainer
909917	663908R1	Dust cap
864-SMA63881P		Same as TKR5KITP but with AgSmart bearings
913-TKR6KITP	123096A2 IH468BK	Bearing kit for 606468 hub, contains:
LM501310	663558R1	Inner bearing cup
LM501349	663557R91	Inner bearing cone
LM67010	651817R1	Outer bearing cup
LM67048	651815R91	Outer bearing cone
19844	594702R91	Seal
79941	594703R1	Seal retainer
909970	663906R1	Cap
864-SMA123096P		Same as TKR6KITP but with AgSmart bearings



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
**DISC HARROW PARTS
 FOR CASE IH**

PART NO.	REPLACES	LENGTH
1-1/8" SQUARE AXLES		
868-SMA468607	468607R1	39.8"
868-SMA471014	471014R1	49.5"
868-SMA471015	471015R1	57.6"
868-SMA652939	652939R2	67.4"
868-SMA472586	472586R2	71.9"
868-SMA468582	468582R2	76.4"
868-SMA468583	468583R2	79.4"
868-SMA481844	481844R1	85.5"
868-SMA487168	487168R1	95"
868-SMA588329	58829C1	103.4"
868-SMA546831	546831R1	112.5"
868-SMA57000	57000C1	121.5"
864-SMAP34101	P34101	Gang Bolt Lock Tab
120-84018	220089	Gang Axle Hex Nut, 1-1/8" - 7
1-1/2" SQUARE AXLES		
868-SMA58831	58831C1	47.3"
868-SMA549978	549978R1	57.9"
868-SMA549979	549979R1	68.2"
868-SMA549980	549980R1	78.9"
868-SMA549981	549981R1	89.4"
120-84024	—	Gang Axle Hex Nut, 1-1/2" - 6

NOTE: Length is Measured from Under the Head to End of Thread



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trade marks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket
**DISC HARROW PARTS
 FOR CASE IH**

PART NO.	REPLACES	DESCRIPTION
SCRAPERS		
864-CB480AL	483139R92	Left hand front (right rear) gang scraper assembly for model 480.
864-CB480AR	483140R92	Right hand front (left rear) gang scraper assembly for model 480.
864-CB480	483096R2, 4801	Scraper blade for models 350, 370, 470, 475, 480 and 490.
864-CB485AL	121195C91	Left hand scraper assembly for model 485
864-CB485AR	121196C91	Right hand scraper assembly for model 485
864-CB496AL	121119C92, 4903	Left hand front (right rear) gang scraper assembly for model 490 and 496.
864-CB496AR	121120C92, 4902	Right hand front (left rear) scraper assembly for model 490 and 496.
864-CB496	121118C1, 4901	Scraper blade only for CB485AL, CB485AR, CB496AL, CB496AR, SMA19538 and SMA19539 assemblies.
864-SMA121470	121470C92	LH Scraper assembly for models 500, 501, 596, 770, 780.
864-SMA121471	121471C92	RH Scraper assembly for models 500, 501, 596, 770, 780.
864-SMA121469	1214169C1	Scraper blade for models 500, 501, 596, 770, 780.



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket

DISC HARROW PARTS FOR JOHN DEERE



PART NO.	REPLACES	DESCRIPTION
864-SMA25694	A25694	Bumper Washer, for models 100, 105, 110, 111, 115, 210, 215, 220, 230, 235, 620, 630, 635, 637, 640, 650, 2620, 2623, 2625 series disc. For 2623 vertical tillage, 710, 712, 722, 724 tillers and 955 ripper.
864-SMA20621	N241315 A20621	Spool, 1-7/8" for models with 7-1/4" & 9" spacing. For 220, 225, 230, 235, 621, 627, 630, 637, 655, and 660 disc. For 714 and 724 tillers, 726 and 2310 finishers.
864-SMA20622	N241318 A20622	Spool, 3.8" for models with 7-1/4" spacing. For 621, 627, 630, 637 disc. For 724 tiller and 2310 finisher.
864-SMA37023	N241314 A37023	Spool, 5-1/2" for models with 9" spacing. For 220, 225, 230, 235, 621, 627, 630, 637, 655, 660 disc and 714 tiller.
864-SMA28448	AN183629	Double spool, for models with 9" spacing. For 220, 621, 627, 630, 637 disc and 714 tiller.
864-SMA28369	AN183748	Double spool, for models with 7-1/4" spacing. For 621, 627, 630, 637 disc, 724 tiller and 726, 2310 finisher.
864-SMA241320	N241320 N262576	Spacer for 635 middlebreaker disc.
864-SMA16	A20647	Sleeve, 6-11/16" for models with 7-1/4" spacing. Used on 200 and 600 series discs and 700 series mulch finishers.
864-SMA17	A20648	Sleeve, 8-1/2" for models with 9" spacing. Used on 200 and 600 series discs and 700 series mulch finishers.
864-SMAP34102	P34102	Slack washer for 1-1/2" round axle, 1/4" thick.
864-SMAP34103	P34103	Slack washer for 1-1/8" square axle, 1/4" thick.
864-SMAP34105	P34105	Slack washer for 1-1/8" square axle, .10" thick.

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trade marks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket
**DISC HARROW PARTS
 FOR JOHN DEERE**

PART NO.	REPLACES	DESCRIPTION
864-SMA188346	N188346	Tongue Hitch. Used on 640 Series Disc.
982-630S	—	Transport Wheel Spindle (Weld in required)
982-24325	AA24325	Transport Wheel Spindle for A27616 Hub. For 14 ft. and Over JD Plows
982-913538	JD16	Lug Bolt, 9/16"-18 for 183318 Hub and Transport Wheel (24325)
982-912952	14H1086	Slotted Nut, 7/8" for 630S
120-84616	K40018	Nylon Lock Nut Fine Thread for 24325 Spindle.
982-913607	D10134	Spindle Washer for 630S and 24325 Spindle
982-27616	A27616	Transport Wheel Hub, For Models 115, 210, 215, 220, 230, 235, 310, 315, 330, 331, 335, 340, 350, 355, 360, 370, 375, 440, 455, 1630 -1640 ASN 017301. Uses Bearing Kit SMA235BK
864-SMA235BK	—	Bearing Kit for Transport Wheel Hub (27616) Containing:
207KYY	88107	Ball Bearing (2)
SMA235B	28H2613	Bearing Spacer
27617	A27617	Snap Rings (2)
864-SMA630BK	—	Bearing Kit for Transport Wheel Hub (183318) Containing:
IM29710	JD8271	Inner Bearing Cup
IM29749	JD8988	Inner Bearing Cone
IM67010	JD8225	Outer Bearing Cup
IM67048	JD8187	Outer Bearing Cone
IM18030	AH20017	Grease Seal
SMA630R	B30887	Seal Retainer
909970	D10025	Grease Cap



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket DISC HARROW PARTS FOR JOHN DEERE



NOTE: Axle Length is Measured from Bottom of Head.

PART NO.	REPLACES	LENGTH	DESCRIPTION
1-1/8" SQUARE AXLES			
868-SMA20133	A20133	50-11/16"	For models 100, 111, 115, 220, 230, 235, 621, 627, 630 & 637
868-SMA20134	A20134	59-11/16"	For models 100, 111, 115, 220, 230, 235, 621, 627, 630 & 637
868-SMA20615	A20615	68-11/16"	For models 110, 111, 115, 210, 215, 220, 230, 235, 621, 627, 630 & 637
868-SMA20616	A20616	77-11/16"	For models 110, 111, 115, 210, 215, 220, 230, 235, 621, 627, 630 & 637
868-SMA20617	A20617	87"	For models 110, 111, 115, 210, 215, 230, 235, 621, 630 & 637
868-SMA40826	A40826	95-11/16"	For models 215, 235, 630 & 637
868-SMA40827	A40827	104-11/16"	For models 215, 235, 630 & 637

Other size axles available in quantities of 25 or more. Call for quote.



SMA20006,
SMA22394



SMA240886

SMA240887

PART NO.	REPLACES	DESCRIPTION
SCRAPERS		
864-SMA20006	A20006	Scraper blade for model 110, 111, 115, 210, 220, 230 disc.
864-SMA22394	A22394	Scraper blade for model 310, 330, 331, 340, 350, 360, 370 disc.
864-SMA38364	A38364 N242551	Scraper blade for model 215, 235, 315, 630, 635, 637 discs; 512 disc hipper, and 722 mulch finisher.
864-SMA240886	AN240886	Scraper arm RH front, LH rear for model 630. Has 5/8" standard width slot, uses 5/16" roll pin. Also for 15, 235, 627, 635, 637 and 726 mulch finisher.
864-SMA240887	AN240887	Scraper arm LH front, RH rear for model 630. Has 5/8" standard width slot, uses 5/16" roll pin. Also for 215, 235, 627, 635, 637 and 726 mulch finisher.



SMA38364

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trade marks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket

DISC HARROW PARTS FOR JOHN DEERE

DISC BEARING KITS



Supplied as shown, includes all parts



SMA241911K

PART NO.	REPLACES	DESCRIPTION
851-SMA241911K	AN241911 AAK16196	Kit Includes Bearing 2 SMA243180 Nylon Liners, Non-relube, O.D. 3.937", I.D. 2.195". For 2620, 2623, 2625 Disc; 2623VT; 2720 Discripper.
851-SMA30941	AA30941	Disc Bearing Kit Used on 210, 215, 220, 230, 235, 621, 627, 630 & 637 Disc Harrows.
851-SMA30942	AA30942	Disc Bearing Kit Used on 310, 315, 330, 331, 335, 340, 350, 355, 360, 512, 637, 640, 650 & 670 Disc Harrows.
WEAR GUARD		
864-SMA28474	A28474	Wear Guard for Disc Bearing. Used on 210, 215, 220, 225, 230, 235, 621, 630, 637 and 650.



DISC HARROW BEARING KIT FOR KELLY

PART NO.	DESCRIPTION / APPLICATION
851-K62112	Bearing Unit for Kelly Chain Harrow Swivel 20-ft. to 50-ft. Wide. Replaces PCHB55
851-K62112KIT	Replacement Bearing and Seal Kit for K62112



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

DISC HARROW PARTS FOR KRAUSE



SMAK010



SMAK1013




SMAK1014



SMAK408



SMAK409



SMA1927KIT

PART NO.	REPLACES	DESCRIPTION
864-SMAK010	1280-0-10, K010	Spool, 1.5" Round Concave, 2.375" Long
864-SMAK1013	1441-0-13, K013	Spool, 1.5" Square x 1.75" Round Convex, 5" Long
864-SMAK1014	1441-0-14, K014	Spool, 1.5" Square x 1.75" Round, 2.75" Long
864-SMAK408	364-0-8, K408	Spool, 1.5" Round Concave, 3" Long
864-SMAK409	364-0-9, K409	Spool, 1.5" Round Convex, 4.75" Long
864-SMA1927KIT	1927-11-0, 40-174	Bearing Kit with SMAGW209PPB22BR Bearing, SMA1927U and SMA1927L
851-SMA1927	1927-11-0, 40-174, CDS209TTR6P	Rubber Mounted Disc Harrow Bearing for High Shock Load Tillage Applications. For 1.5" Round Axle. AgSmart
852-GW209PPB22	1927-11-0, CDS209TTR6P	Rubber Mounted Disc Harrow Bearing for High Shock Load Tillage Applications. For 1.5" Round Axle
864-SMA1927U	1927-10-2	Upper Bearing Housing
864-SMA1927L	1927-10-1	Lower Bearing Housing
864-SMA45105	45-105	Steel Shield or Side Ring, Works with 209 Series Bearings - 2 Required
852-GW209PPB23	40-167	Rubber Mounted Disc Harrow Bearing for Shock Load Tillage Applications. For 1.75" Round Axle.
851-SMA2410110	2410-11-0, CDS211TTR23	Bearing Rubber Mounted for High Shock Load Tillage Applications, for 1.75" Round Axle. Peer
321-CDS211TTR23	2410-11-0, CDS211TTR23	Rubber Mounted Disc Harrow Bearing for High Shock Load Tillage Applications. For 1.75" Round Axle
864-SMA11	—	1-5/8" Long Sleeve to Convert 1-3/4" Round I.D. Bearing to 1-1/2" Round. (ST491A to Krause)
873-70105	70-105, 1402-40-0	Levelling Link Tube and End, Extra Heavy Duty

FOR M&W



SMA8K2050

PART NO.	DESCRIPTION
864-SMA2460138	Bearing Trunnion, uses TKR3KITP Bearing Kit & 4 Snap Rings (747-19832)
864-SMA2435520	Trunnion Only
FOR SUMMERS	
851-SMA8K2050	Housing with 2" Bearing for VTI and Summers



SMA2460138



SMA2435520



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket
**DISC HARROW PARTS
 FOR LANDOLL**



PART NO.	REPLACES	DESCRIPTION
864-SMA144155	144155	Scrapers Arm for 6000 Series Discs, 7000 Series VT and Weatherproofer.
864-SMA140488	140488	Scrapers Blade 4.5", Also Fits Weatherproofer. Requires 2 Hex Bolts and Lock Nuts 1/2" x 2" (not included).
864-SMA151550	151550	4" Scrapers Blade For 7410 VT and 8530 Disc Harrow. Requires 2 Carriage Bolts and Lock Nuts 1/2" x 1.25" (not included).



FOR SUNFLOWER



PART NO.	REPLACES	DESCRIPTION
114-N7588	7588	Disc 24.51" x .256 Smooth, 2.42 Concavity, for 1.75 Round Axle
114-N1964	1964	Disc 24" x .256 Smooth, for 1.75" Round Axle
864-SMA2816	SU2816	Short Disc Spool Half, 7.5" & 8.5" Spacing
864-SMA3107	SU3107	Long Disc Spool Half, 7.5" Spacing
864-SMA3108	SU3108	Long Disc Spool Half, 8.5" Spacing
864-SMA6103	SN6103	Scrapers Blade 4"
864-SMA6732	SN6732	Disc Scrapers Arm
864-SMA3090i	3090	Bearing Assembly, Will Also Replace Landoll 140464.
864-SMA140479	SN3096	Trunion Bearing Mount, Used with SMA3090i Assembly. Two Required
864-SMA3091	3091	Bearing Housing
444-SMA4924	4924	Shimming Washer



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM



Aftermarket

OIL BATH BEARING FOR ROME

All Oil Bath Bearings Come with Hardfaced Guard Installed

PART NO.	REPLACES	DISC SPACING	FITS	FOR MODELS
855-CHA0915GHF	3C-605B	9.5" / 242mm	1-5/8" Rnd Axle	2140, Disk Ridger, DC Series, TCH, TCW, TPW
855-CHA1006GHF	501048457	10.5" / 262mm	1-5/8" Rnd Axle	2240
855-CHA1104GHF	3B-605D	11" / 273mm	1-5/8" Rnd Axle	2250, TBH, TBW
855-CHA1405GHF	7A-605	14" / 350mm	2-1/8" Rnd Axle	AH -200, 240, 280, 320, 360, TAHB, TAWB,
BEARING GUARD — HARDFACED				
855-CHP2803HF	—	—	2-1/8" I.D. Bearing	CHA1405

FLEX END GANG BOLT END WASHER

Flex End Washer exerts constant reactive force for positive holding of the gang assembly.
7-3/16" outside diameter x 3/8" thick.

864-H2007

For 1-1/8" x 1-1/4"
Sq. Axle

864-H2009

For 2" Rd.
Axle



UTILITY DISC HARROW

AXLES

1" Square 2" Thread Length and
7/16" Thick Head



PARTNO.	LENGTH
868-2051	21-5/8"
868-2052	26-1/2"
868-2055	30-5/8"
868-2053	34"
868-2056	39-5/8"
868-2054	41"

AXLE FOR THOMPSON



868-AX11825

Axle for Thompson Cane Hipper
1-1/8" square x 25"

AGSMART SPRING STEEL FLEX WASHERS

864-90537

For 1" x 1-1/8" Sq.
Axle

864-90540

For 1-1/4" Sq. and
1-1/2" Rd. Axle

864-90538

For 1-1/2" Sq.
Axle. Replaces Great
Plains 802-200C.

864-90539

For 1-3/4" Rd.
Axle. Replaces
Wil-Rich 24190



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket DISC HARROW PARTS UTILITY

PART NO.	REPLACES	DESCRIPTION
FOR 1" SQUARE AXLES		
For Howse, KingKutter, IHC, Modern, Monroe-Tuffline and Others		
864-CFG10P	—	Bearing & Spool Assembly: Includes 1-CFG1 Spool, 2-CFG2 Caps & Fasteners
864-CFG1	118-2001, CFG-1	7-1/4" Ribbed Spool
864-CFG11	CFG11	9" Ribbed Spool
864-CFG2	118-2002, CFG-2	Bearing Cap for Ribbed Spool
864-CFG3	118-2004, CFG-3	End Washer
864-CFG4	118-2003, CFG-4	Bumper Washer
864-CFG5	118-2005, CFG-5	7-1/2" Plain Spool
864-CFG7	118-2007, CFG-7	2-3/8" Spacer Spool
864-CFG8	118-2008, CFG-8	3-5/8" Spacer Spool
864-CFG9	118-2009, CFG-9	5-1/8" Spacer Spool
308-W208PPB6	—	1" Disc Bearing - Fafnir
851-SMAW208PPB6	—	1" Disc Bearing - Import
851-F80	—	80mm 4-Hole Round Flange (sold in pairs)
FOR 1-1/8" SQUARE AXLES		
For Dearborn, Howse, Long, Monroe-Tuffline, Taylor/Pittsburg and Others		
864-URBC	118-2010	Ribbed Bearing Cap
864-UR712	118-2011	7-1/2" Ribbed Spool
864-UEW	118-2021	End Washer
864-U3	118-2018	3-1/4" Spacer Spool
864-U712	118-2019	7-1/2" Spacer Spool
864-U9	118-2020	9" Spacer Spool
864-UR9	—	9" Spacer Spool Ribbed
864-U134	118-2022	1-3/4" Spacer Spool
864-U412	118-2023	4-1/2" Spacer Spool
308-W208PPB5	—	1-1/8" Disc Bearing - Fafnir
851-SMAW208PPB5	—	1-1/8" Disc Bearing - Import
851-F80	—	80mm 4-Hole Round Flange (sold in pairs)



CFG10P



CFG1
CFG11



CFG3



CFG4



CFG5



URBC



U3




UR9



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket HIPPER PARTS FOR AMCO



PART NO.	REPLACES	DESCRIPTION
FOR 1-1/8" SQUARE AXLE		
864-SMA93416	3416 AM3416	Bearing housing for 1-1/8" square axle.
308-W210PP4	10446	Fafnir bearing for 1-1/8" sq. axle 2 used.
851-SMAW210PP4	10446	AgSmart bearing for 1-1/8" sq. axle 2 used. – SEE SECTION 9 FOR MORE BEARINGS –
747-11005	11005	Snap ring for SMA93416 housing.
864-SMA3180	3180 AM3180	Spool, 2-1/4" x 4" O.D. for 1-1/8" square axle.
864-SMA3181	3181 AM3181	Spool, 3-1/2" x 4-7/8" O.D. for 1-1/8" square axle.
864-SMAP34101	2116 4178	Lock plate for 1-1/8" square axle.
868-SMA705	0705 AM0705	1-1/8" Gang square axle with welded bumper washer. Replaces individual pieces of axle and bumper washer.
868-SMA15143	3467	1-1/8" Gang square axle with NC threads. Includes nut and lock washer
FOR 1-1/2" SQUARE AXLE		
868-SMA20561	20561 AM302	1-1/2" Square x 15-1/8" axle. Used with bumper washer 864-SMA578.
120-84024	10489	1-1/2" UNC hex nut for AM302 axle.

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trade marks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket HIPPER PARTS FOR JOHN DEERE®

Also For 955 Row Crop Ripper and 2700 Mulch Ripper

PART NO.	REPLACES	DESCRIPTION
FOR 1-1/8" SQUARE AXLE		
864-SMA262032	A15141 N262032	Hipper bearing housing. Also used on 955, 2700 Rippers and 637 Disc. Two internal snap rings required.
308-W208PP5	JD9350	Bearing for SMA15141 housing 2 used, Fafnir
851-SMAW208PP5	JD9350	Bearing for SMA15141 housing 2 used, Import
864-SMA15142	A15142	Bearing spacer for SMA15141 housing.
747-32184	32184	Snap ring for SMA15141 housing.
868-SMA15143	A15143	1-1/8" Hipper axle square, 12" long with NC threads. Includes nut and lock washer.
864-SMA16690	A16690	Axle washer 3/16" thick
864-SMA13208	A13208	Bumper washer
864-SMA15144	A15144	Spool 4-1/2" x 2-1/4", also used on 955 ripper.
864-SMA15145	A15145	Spool 5-1/2" x 1-15/16", also used on 955 ripper.
864-SMA3745	KK3745B	End washer
SCRAPERS		
864-SMA15554	A15554	Scraper blade, also used on 955 ripper
864-SMA4844	AA4844	Left hand scraper bracket, also used on 955 ripper.
864-SMA4843	AA4843	Right hand scraper bracket, also used on 955 ripper.



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
HIPPER PARTS
FOR FORREST CITY HIPPER



PART NO.	REPLACES	DESCRIPTION
FOR 1-1/8" SQUARE AXLE		
308-W208PP5	2251	Fafnir bearing for SMA764 housing 2 used,
851-SMAW208PP5	2251	AgSmart bearing for SMA764 housing 2 used,
747-32184	2763	Snap ring for SMA764 housing
864-SMA13208	2758	Bumper washer
868-SMA2757	2757	1-1/8" Gang axle square 12" long, SAE threads with nut and lock washer.



HIPPER PARTS
FOR TYE & BURCH



PART NO.	REPLACES	DESCRIPTION
FOR 1-1/8" SQUARE AXLE		
864-SMA5025	550-025 B400-0702	Right hand bearing housing
864-SMA5026	550-026 B400-0704	Left hand bearing housing
308-W208PP5	—	Fafnir bearing for SMA5025 and 5026 housing, 2 used.
851-SMAW208PP5	—	AgSmart bearing for SMA5025 and 5026 housing, 2 used.
747-32184	—	Snap Ring
864-SMA5027	550-027 B400-0720 B400-0722	Spool 2-5/8" made to fit convex and concave side of disc.
868-SMA15143	—	1-1/8" Axle square, 12" long with 2-1/4" of threads. Includes nut and lock washer.
864-SMA16690	—	Axle washer (10 per bag)



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket
**HIPPER PARTS
FOR W & A**

PART NO.	REPLACES	DESCRIPTION
FOR 1-1/8" SQUARE AXLE		
864-SMA2013	201306 WA1306	Bearing housing
308-W208PP5	481202	Bearing for SMA2013 housing, 2 used. Fafnir
851-SMAW208PP5	481202	Bearing for SMA2013 housing, 2 used. Import
864-SMA15142	200881	Bearing spacer
864-SMA8020	478020 WA8020	6" Bumper washer
864-SMA2092	201492 WA1492	Spool 1-7/8" tall x 4-5/16" O.D.
864-SMA2093	201493 WA1493	Spool 2-3/16" tall x 4-13/16" O.D.
864-SMA1494	201494 WA1494	End washer, 1-3/8" x 4-1/4" O.D.
868-SMA4781	478100	1-1/8" Axle square, 12-1/2" long with NC threads. Includes washer and nut.
864-SMA41193	411930 WAVB	Tool bar V-bolt 5/8" used with W&A 407012 clamp.
1-1/2" AXLE		
868-SMA478302	478302 WA8302	1-1/2" Axle square, 13-3/4" long



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
HIPPER PARTS FOR WIL-RICH

FOR 1-1/8" SQUARE AXLE



PART NO.	REPLACES	DESCRIPTION
864-SMA15141	42795	Bearing housing
308-W208PP5	42794	Bearing for SMA15141, 2 used. Fafnir
851-SMAW208PP5	42794	Bearing for SMA15141, 2 used. Import
864-SMA15142	42796	Bearing spacer
747-32184	42813	Snap ring
864-SMA13208	42791	Bumper washer
864-SMA15144	42793	Spool 4-1/2" x 2-1/4"
864-SMA15145	42797	Spool 5-1/2" x 1-15/16"

LEVEE PLOW PARTS FOR AMCO

FOR 1-1/2" SQUARE AXLE



PART NO.	REPLACES	DESCRIPTION
864-SMA3091	16003	Bearing housing
308-GW211PP3	G11071	Bearing, Fafnir
851-SMAGW211PP3	G11071	Bearing, Import
851-SMAGW211PP27	DC211TTR27 12233	Bearing, Import
747-11064	11064	Snap ring
444-SMA4924	—	Washer for SMA3091 housing
864-SMA105	—	Spacer 1.5" square x 2.75" round x .22" thick. Allows GW211PP3 to be used for DC211TTR27/12233 or GW211917/DC211TTR4/11503.
868-SMA940	9440	1.5" square axle, 33.75" long with SAE threads on both ends.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket LEVEE PLOW AND CANE CULTIVATOR PARTS FOR PRIME

Some Parts also fit Prime and Midland Disc Harrows

PART NO.	REPLACES	DESCRIPTION
864-SMA40000P		Bearing assembly with housing. Uses 4 retaining rings (747-19832)
864-SMA15410	M15410	Bearing housing
913-TKR3KITP		Timken bearing kit for JD, Prime, PICOU
868-SMA83451	M83451	1-1/2" Axle, 32" long for 8 blade levee plow.
868-SMA83461	M83461	1-1/2" Axle, 41" long for 10 blade levee plow.
868-SMA83471		1-1/2" Axle, 50" long for tapered blade levee plow.
120-84024		1-1/2" -6 UNC hex nut plated
864-SMA3180	3180	Spool, 2-1/4" x 4" O.D. for 1-1/8" square axle
864-SMA3181	3181	Spool, 3-1/2" x 4-7/8" O.D. for 1-1/8" square axle
864-SMA93416		Bearing housing off bar assembly
308-W210PP4		Bearing, Fafnir
851-SMAW210PP4		Bearing, Import
747-11005		Retaining ring
864-SMAP34101		Nut lock for disc axle
120-84018		1-1/8" -7 UNC hex nut plated



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket
LEVEE PLOW PARTS
FOR W&A

FOR 1-1/2" SQUARE AXLE



PART NO.	REPLACES	DESCRIPTION
308-GW211PP3	481213	Bearing for SMA2006 housing. Fafnir
851-SMAGW211PP3	481213	Bearing for SMA2006 housing. Import
747-11064	483393	Snap ring
868-SMA478114	478114 WA8114	1-1/2" Square axle, 31" long
120-84224	412824	1-1/2" NF hex nut

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trade marks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Table of Contents Section 3

Box Blade Parts.....	3-22
Chisel Plow Shank	3-7
Chisels and Spikes – Straight.....	3-9
Chisels and Spikes – Twisted.....	3-10
Chromium Carbide Parts.....	3-8
Cotton Point	3-21
Crescent Hoes	3-10
Cultivator Shank	3-7
Ditcher Parts – Blades.....	3-25
Fertilizer Knives - Anhydrous.....	3-19
Field Cultivator Points	3-4
Field Cultivator Sweeps	3-5
Field & Row Crop Cultivator	3-26
Finishing Harrow	3-29
Furrowers	3-11
Harrow Spring Tines	3-34-3-35
Knock-On Cast Sweeps	3-5
Landscape Parts	3-22
Plow Parts - Conventional	3-15-3-16
Plow Parts - Lehman.....	3-17
Plow Parts - Lister.....	3-17-3-18
Plow Parts - Switch.....	3-14
Ripper Points.....	3-24
Rolling Cultivator Gangs	3-30-3-32
Rotary Hoes	3-4
Scarifier and Backhoe Teeth	3-21
Shank & Point.....	3-24
Shank Protectors	3-8
Shovels - Corn, Irrigation & Turn.....	3-10
Spike Harrow Teeth	3-33
S-Tines	3-2
S-Tine Sweeps	3-3
SubSoiler – Ripper Points.....	3-23
Sweeps - Alabama.....	3-3
Sweeps - Chisel.....	3-6-3-7
Sweeps - Heel	3-8
Sweeps - Planter.....	3-3
Sweeps - Row Crop	3-1
Tool Bar Accessories.....	3-20
Weeder Tine	3-22

SWEEPS - ROW CROP

ULTRA WEAR OSMUNDSON "HSSUW" SWEEPS

The Osmundson HSSUW Sweep is Designed with a Longer Nose for Wear and Penetration. The Tapered Wings are Designed for Less Distribution of the Soil and the Parallel Wings Hold a True Width of the Sweep until it has Completely Worn Out.

1/4" Thick, 54° Stem Angle

Order Multiple 10

PART NO.	SIZE
PLAIN	
686-4HSSUW4	4"
686-6HSSUW4	6"
686-8HSSUW4	8"
686-10HSSUW4	10"
686-12HSSUW4	12"

PART NO.	SIZE
HARDSURFACED	
686-6HSSUW4H	6"
686-8HSSUW4H	8"



PLAIN HIGH SPEED

Wrap Around Shank, Two Holes for 7/16" Diameter Plow Bolt and 2" On-Center Spacing. Middle Hole for 5/8" Diameter Carriage Bolt.

1/4" Thick, 54° Stem Angle

PART NO.	SIZE	O/M
686-14HSS4	14"	5
686-16HSS4	16"	5
686-18HSS4	18"	5
304-1220	20"	1
304-1222	22"	1

PART NO.	SIZE	O/M
304-1224	24"	1
304-1226	26"	1
304-1228	28"	1
304-1230	30"	1



TAPER SWEEPS

EMPIRE SWEEP FOR ALL ROW CROP CULTIVATORS

Punched Two Holes for 7/16" Diameter Bolt, 2-1/4" On-Center Spacing.

Middle Hole for 5/8" Diameter Carriage Bolt.

1/4" Thick with 55° Stem Angle

PART NO.	SIZE
304-E1504	4"
304-E1506	6"
304-E1508	8"
304-E15010	10"
304-E15012	12"
304-E15014	14"

PART NO.	SIZE
304-E15016	16"
304-E15018	18"
304-E15020	20"
304-E15022	22"
304-E15024	24"



WE SUPPLY SUCCESS

WWW.SMALINK.COM

S-TINES

PART NO.	DESCRIPTION
348-3210560	1-1/4" (32mm) Wide, 3/8" (10mm) Thick, 22" (560mm) Overall Length. Uses Clamp with 1/2" Bolt Hole. Order Multiple 10.
348-3212560	Heavy Duty, 1-1/4" (32mm) Wide, 1/2" (12mm) Thick, 22" (560mm) Overall Length. Uses Clamp with 1/2" Bolt Hole. Order Multiple 10.
348-3212645	High Clearance, 1-1/4" (32mm) Wide, 1/2" (12mm) Thick, 25.4" (645mm) Overall Length. Fits JD 960 Cultivator. Replaces JD N185521. Uses Clamp with 1/2" Bolt Hole. Order Multiple 10.
348-3212660	High Clearance, 1-1/4" (32mm) Wide, 1/2" (12mm) Thick, 26" (660mm) Overall Length. Uses Clamp with 1/2" Bolt Hole. Order Multiple 10.
348-4512775	High Clearance Heavy Duty, 1-3/4" (45mm) Wide, 1/2" (12mm) Thick, 30-1/2" (775mm) Overall Length. Fits JD 860 Cultivator. Replaces JD N231489, N237810. Order Multiple 4.
404-HSP80EO	For Baker Cultivator, 1-3/4" (45mm) Wide, 1/2" (12mm) Thick, 29-3/4" Overall Length. Hole for 5/8" Bolt on Tool Bar End, Hole & Slot for 7/16" Bolt, 1-1/2" to 2-1/4"
S-TINE CLAMPS	
109-6470	For 2" Tool bar. Fits 3/8" (10mm) Regular Tine, Use 7/16" Bolt.
109-6475	For 2" Tool bar. Fits 3/8" (10mm) Regular Tine, Use 1/2" Bolt.
109-6860	For 2" Tool bar. Fits 1/2" (12mm) Heavy Duty Tine, Use 1/2" Bolt.
109-6935	For 2-1/2" Tool Bar. Fits 1/2" (12mm) Heavy Duty Tine, Use 1/2" Bolt.
109-1209850	For 3" Tool Bar. Fits 1/2" (12mm) x 1.77 (45mm) Tine, Use 1/2" Bolt.
CULTIVATOR SHANKS	
404-110450	Cultivator Shank with Pad 7/16" Thick. 7 lbs. Fits JD 174 Wheeled, I.H. Hydra Harrow, Noble, Speed King CrustBuster, Portatiller.
404-110460	Cultivator Shank with Pad 1/2" Thick Fits Kent. 8 lb.



S-TINE SWEEPS

6mm (.236") THICK – IMPORT

Order Multiple 10




PART NO.	DESCRIPTION
030-DS1	Reversible Point 1-3/8" wide x 8-1/4" long
030-DS3	2-3/4" Duckfoot Style Sweep
030-DS4	4" Duckfoot Style Sweep
030-DS7	7" Duckfoot Style Sweep
030-DS9	9" Duckfoot Style Sweep
030-WS4	4" Triple-K Style Sweep



(For S-Tine Sweep Bolts, See Section 31)

CHROMIUM CARBIDE S-TINE SWEEP

PART NO.	DESCRIPTION
693-8601	1" Spike - Replaces Acra-Plant 8601-01
693-8602	2-1/2" Goosefoot - Replaces Acra-Plant 8602-01
693-8604	4" Sweep - Replaces Acra-Plant 8604-02
693-8607	7" Sweep - Replaces Acra-Plant 8607-02



Note: Includes Bolt, Nut, and Rubber Shim

DANISH S-TINE SWEEP

PART NO.	DESCRIPTION
030-DS32	2.75" x .236" - 2 Bolt Holes, 1-1/2" Spacing



SWEEPS - ALABAMA

Alabama Sweeps are Manufactured from High Carbon Steel and Heat Treated for Longer Wear. Punched with Two Holes for 7/16" Plow Bolts 2-1/4" On-Center. Square Hole in Middle for 5/8" Carriage Bolt.

1/4" Thick



PART NO.	SIZE	WT/LB
2127-E4712	12"	4.2
2127-E4714	14"	5.2
2127-E4716	16"	6.7

SWEEPS - PLANTER

Planter Sweeps are Manufactured from High Carbon Steel and Heat Treated for Long Wear. Punched with (1) 3/4" Hole & (1) 1/2" Hole and a Lug for Easy Attachment.

1/4" Thick



PART NO.	SIZE	WT/LB
304-3414	14"	8
304-3416	16"	9
304-3418	18"	10
304-3420	20"	11
304-3422	22"	12
304-3424	24"	13

FIELD CULTIVATOR POINTS

DROP FORGED

Double Points Drop Forged for Better Wearability, Self Sharpening Edge for Good Soil Penetration. 3/8" Thick x 2" Wide x 11-3/4" Long. 2 lbs. each.

Order Multiple **10**

PART NO.	HOLES AND SPACING
972-DP2238	3/8" holes on 1-5/8" to 1-3/4" centers
972-DP223	3/8" holes on 2" centers
972-DP2276	7/16" holes on 1-5/8" to 1-3/4" centers
972-DP2237	7/16" holes on 2" centers



DP2238
DP2276
DP2237



- 211 Series is 5/16" Thick x 11" long x 2" Wide at Point
- BT14 fits Crustbuster and Kent. 1/4" Thick x 11" Long and 2-1/2" Wide at Point
- 103 and 107 are 5/16" Thick x 10" Long x 1-3/4" Wide
- E792 is 1/4" Thick x 9" Long x 2" Wide
- IF210 Series is 5/16" Thick x 10-1/2" Long x 2" Wide

PART NO.	BOLT SIZE	SPACING
686-211D	3/8"	1-5/8" - 2" (2 Slots)
686-211	7/16"	1-5/8" - 2" (2 Slots)
686-BT14	3/8"	1-5/8" - 2" (Hole & Slot)
686-103	3/8"	1-5/8" - 2" (Hole & Slot)
686-107	7/16"	1-5/8" - 2" (Hole & Slot)
2127-E792	3/8"	VP(One Hole)
2127-IF210	7/16"	1-3/4" on Center (2-Holes)
2127-IF210UB	7/16"	1-1/4" - 2-1/4" (Hole & Slot)



IF210UB

ROTARY HOES

- Sixteen curved tines on each wheel
- Triple-Sealed Bearing
- Spoon-Formed tine for excellent aeration & weed eradication
- Accurately peened rivets strengthen wheel construction



PART NO.	DESCRIPTION
864-SMA3400111B	Rotary Hoe Black, Replaces Yetter 3400-111, JD AN142664
864-SMA3400111G	Rotary Hoe Green, Replaces JD AN142664, Yetter 3400-111
864-SMA141229	Rotary Hoe Bearing Housing, Replaces JD N141229, Yetter 3400-341
851-CG203KRR2	Bearing for Rotary Hoe, 5/8" I.D.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

FIELD CULTIVATOR SWEEPS

Order Multiple 10

The FCO Series Sweep is Punched with a Hole and a Slot to Fit 1-5/8" to 1-3/4" Bolt Spacing. These Sweeps Use Two 3/8" #3 Head Bolts 40° Stem Angle. **1/4" Thick.**

Will Fit: John Deere 1000 Series. Brady ('70-'71), Glencoe (old) 1250 and Oliver 245, 345. (Same as 944 Adams)

PART NO.	SIZE
686-4FCO440	4"
686-6FCO440	6"
686-7FCO440	7"
686-8FCO440	8"
686-9FCO440	9"
686-10FCO440	10"



The FCDF Series Sweep is Punched with a Hole and a Slot to Fit 1-5/8" to 1-3/4" Bolt Spacing. These Sweeps Use Two 3/8" x 1-1/4" #3 Head Bolts. 47° Stem Angle.

1/4" Thick.

Will Fit: Anderson; Calkins; Case FC, FCW, FCM; Cockshutt; Ford 208; Glencoe FC, MFC, FCSW; Kewanee; Bush Hog; Krause 600, 900; Massey Ferguson 160; Morris L240, L320; Oliver 285, 385, 485; Taylor; Early A.C.; Brady; John Deere CCA, C10, C20; White (Same as 934 Adams)

PART NO.	SIZE
686-4FCDF447	4"
686-6FCDF447	6"
686-7FCDF447	7"
686-9FCDF447	9"




The FCH & FM Series Sweeps are Punched with a Hole and a Slot to Fit 1-5/8" to 1-3/4" Bolt Spacing. These Sweeps Use Two 7/16" #3 Head Bolts. 47° Stem Angle.

1/4" Thick.

Will Fit:

Massey Harris	Frontier	Flexi-Coil
C/IH Vibrashank	Bourgault	Wil-Rich
CrustBuster	D.M.I.	Kewanee
Landoll	Kent	Hesston
Sunflower	Hiniker	Ingham
Rhino	Athens	
Baker (Same as 924 Adams)		

PART NO.	SIZE
FCH SERIES	
686-4FCH447	4"
686-6FCH447	6"
686-7FCH447	7"
686-8FCH447	8"
686-9FCH447	9"
686-10FCH447	10"
686-12FCH447	12"
FIELD MASTER SERIES	
686-FM477	7"
686-FM479	9"
686-FM4710	10"
Wear-Tuff Coated	
686-FM477DF	7"
686-FM479DF	9"



KNOCK-ON CAST SWEEPS




PART NO.	DESCRIPTION
686-15029C7	7" Knock-On Cast Sweep
686-15029E9	9" Knock-On Cast Sweep
686-CL47	Forged Clip for Use with 47 Degree Curved Shanks
686-SP47	Retainer Spring for Use with CL47 Clip



SWEEPS - CHISEL



6" - 8"



XD5024K

LOW CROWN 50° SHANK ANGLE

Holes Are Punched on 2-1/4" Center for Two #3 Plow Bolts. 1/4" Thick

PART NO.	SIZE	BOLT
PLAIN		
686-6CP412	6"	1/2"
686-8CP412	8"	1/2"
686-14LC5012	14"	1/2"
686-16LC5012	16"	1/2"
686-18LC5012	18"	1/2"
686-20LC5012	20"	1/2"
686-24LC5012	24"	1/2"
304-XD5024K	24"	1/2"
(Empire Dart Design)		

PART NO.	SIZE	BOLT
HARDSURFACED		
686-6CP412H	6"	1/2"
686-8CP412H	8"	1/2"
686-14LC5012H	14"	1/2"
686-16LC5012H	16"	1/2"
686-18LC5012H	18"	1/2"

HARDSURFACED

MEDIUM CROWN - 50° SHANK ANGLE

Holes Are Punched on 2-1/4" Center for Two #3 Plow Bolts

PART NO.	SIZE	BOLT
PLAIN		
686-10MC5012	10" x 1/4"	1/2"
686-12MC5012	12" x 1/4"	1/2"
686-14MC5012	14" x 1/4"	1/2"
686-16MC5012	16" x 1/4"	1/2"
686-18MC5012	18" x 1/4"	1/2"



PART NO.	SIZE	BOLT
HARDSURFACED		
686-8MC90516H	8" x 5/16"	1/2"
686-10MC5012H	10" x 1/4"	1/2"
686-12MC5012H	12" x 1/4"	1/2"

FIELD MASTER CHISEL SWEEPS

These Sweeps are Made with Boron Steel for Breakage Resistance and Long Wear.

50° Stem Angle, 1/4" Thick with Two Holes for 1/2" Plow Bolts on 2-1/4" Centers.

The Ultra Wing Style Sweeps have Radiused Wings for More Effective Weed Cutting Ability.

PART NO.	SIZE	WT.
PLAIN		
100-SW141450	14"	6.5 lbs.
100-SW161450	16"	7.5 lbs.
100-SW181450	18"	8.5 lbs.



PART NO.	SIZE	WT.
HARDSURFACED		
100-SWH181450	18"	9 lbs.

SWEEPS - CHISEL PENETRATOR

The Penetrator was Designed to Overcome Cultivating Problems in Hard Soil Areas.

Approximately 70% of the Penetrator's Cutting Blade is Inclined at 37° While the Remainder is Flattened Out to 10°. This Design Requires Less Weight for Penetration. The Raised "Dart" Center Rib Helps Direct Dirt to the Sides and Away from Shank and Bolts.



- 1/4" Thick
- 50 Degree Stem Angle
- 1/2" Plow bolts on 2-1/4" Center

PART NO.	SIZE
304-P5016K	16"
304-P5018K	18"
304-P5020K	20"
304-P5022K	22"
304-P5024K	24"
304-P5026K	26"
304-P5028K	28"



Landoll, W & A and Sukup are some OEM users of the Penetrator.

The above sizes represent current stock. 6", 8", 10", 12", and 14" are also available from manufacturer. We will be glad to call for availability and price upon request.

CULTIVATOR SHANK FOR CASE IH & DMI TIGERMATE

Fits Tigermate II-DMI Cultivators and Double Fold, 340, 370 True Tandem Discs, RMX340, RMX370 Tandem Discs. 5/8" Thick. Replaces 33017584.



CHISEL PLOW SHANK 26-IN. RADIUS FOR KRAUSE

404-11015

1-1/4" x 2"
50° Angle,
41" Length Around Curve
Weight 28 lb.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SHANK PROTECTORS


Manufactured of High Density Polyethylene,
These Protectors Mount Between the Shank and Tool
Minimizing Wear and Reducing Need for Replacement of Expensive Shanks.



1.95" Wide x 10" Long x .25" Thick,
1/2" Holes Slotted for 1.75" to 2.5"
Centers, White



1.95" Wide x 10" Long x .25" Thick,
Made to Fit Between Wrap-around
on Cultivator Sweep. 1/2" Holes
Slotted for 1.75" to 2.5"
Centers, White



1.8" Wide x 9" Long x .21" Thick,
7/16" Holes Slotted for 1.75" to 2"
Centers, Replaces JD TY15990,
Yellow





1.75" Wide x 8.8" Long x .21" Thick,
7/16" Holes Slotted for 1.5/8" to 2"
Centers, Replaces CNH 892811,
Gray

CHROMIUM CARBIDE PARTS

WEAR SHINS

(Agri-Chrome Alloy – The Tough One)



PART NO.	DESCRIPTION
2179-D038	1-1/4" x 14" Half Round Shin Guard
2179-D035	1-1/2" x 14" Half Round Shin Guard
2179-D036	1-3/4" x 14" Half Round Shin Guard

SWEEPS - HEEL

1/4" THICK

Heel Sweeps are Used to Break Up Hard Pan and Encourage Better Root Penetration. Chisel Spikes are Mounted Over Sweeps so that the Point of the Chisel Extends about 2" Below the Leading Edge of the Sweep.



PART NO.	SIZE	WT.
686-16HEEL	16"	6.5
686-18HEEL	18"	7.5



To Order Call Toll Free 877-55 GO SMA 877-554-6762

CHISELS AND SPIKES – STRAIGHT

Chisels are Manufactured from High Carbon Steel and Heat-treated for Added Strength and Wear Life.

1858 Series



- 582 Series Punched on 2-1/4" Center for 7/16" or 1/2" Plow Bolt
- 1858 and 1878 Series are Punched for Plow Bolts with Hole and Slot for 2-1/4" to 2-1/2" Bolt Centers
- SD225 are Punched on 2-1/4" Center for 1/2" Hex Bolts
- HD88 and PHD88 are Punched for 1/2" Hex Bolts with Hole and Slot for 2-1/4" to 2-1/2" Bolt Centers

582 Series




NOTE: "H" Suffix Designates Hardsurfaced Points

SD225



PHD88 with Chrome Caps



HD88



PART NO.	SIZE	BOLT SIZE	WT.
582 SERIES – Order Multi. 5			
686-582716	5/8" x 2" x 18"	7/16"	5.4
686-58212	5/8" x 2" x 18"	1/2"	5.4
686-582716H	5/8" x 2" x 18"	7/16"	5.5
686-58212H	5/8" x 2" x 18"	1/2"	5.5
1858 & 1878 SERIES – Order Multi. 5			
686-1858716	5/8" x 2" x 18"	7/16"	5.1
686-185812	5/8" x 2" x 18"	1/2"	5.1
686-185812H	5/8" x 2" x 18"	1/2"	5.3
686-187812	7/8" x 2" x 18"	1/2"	7.4
686-187812H	7/8" x 2" x 18"	1/2"	7.7
Order Multiple 1			
972-SD225	7/8" x 2" x 19-1/2"	1/2"	8
2127-HD88	1" x 2" x 18"	1/2"	9.3
2183-PHD88	1-1/2" x 2" x 18" (Chrome Capped)	1/2"	15

CHISELS

WITH CHROMIUM CARBIDE POINT

Chromium Carbide Pointed Chisels will Outwear Plain Parts of Equal Thickness Up to 10 Times. This Point is not Double Ended as the Carbide Point will Normally Outwear the Chisel Body.

20229



PART NO.	THICKNESS	WIDTH	LENGTH	HOLES AND SPACING	WT.
686-20229	3/4"	2"	14"	1/2" on 2.25" centers	5.7
686-C7812	7/8"	2"	15"	1/2" on 2.25" to 2.5" centers	6.7

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

CHISELS AND SPIKES – TWISTED

Forged from High Carbon Steel, Heat-treated and Oil-quenched.

Built for Use with Bigger, More Powerful Tractor Equipment.

CC124L5
Left Hand

Order Multiple 5

CC124R5
Right Hand

PART NO.	THICKNESS	WIDTH	LENGTH	HOLES AND SPACING	WT.
686-123L	1/2"	3"	22"	7/16" on 2-1/4" centers	8.4
686-123R	1/2"	3"	22"	7/16" on 2-1/4" centers	8.4
686-123HL	1/2"	3"	22"	1/2" on 2-1/4" centers	8.4
686-123HR	1/2"	3"	22"	1/2" on 2-1/4" centers	8.4
Slash Points — Left & Right					
686-CC124L5	1/2"	4"	26"	2-1/4" to 2-1/2" centers	—
686-CC124R5	1/2"	4"	26"	2-1/4" to 2-1/2" centers	—

CRESCENT HOES

These Crescent Hoes are Designed for Use on a Universal Straight Shank with 2 Slots Adjustable for Pitch. These Weeding Knives Feature a Round Turn Shape Which Enables Fast, Accurate, Close Cultivation in Young Crops and are Designed for Shallow Soil Penetration. 6" in Length.

1/4" Thick

PART NO.	DESCRIPTION	HOLE & SPACING	
304-4711	S1016R (RH)	3/8"	1.25" to 2"
304-4712	S1017L (LH)	3/8"	1.25" to 2"

SHOVELS - CORN, IRRIGATION & TURN

IRRIGATION SHOVELS

PART NO.	DESCRIPTION
686-IS7	7" x 3/16" with 3/8" Plow Bolt Hole
686-IS75	7" x 3/16" with 5/8" Carriage Bolt Hole

CORN SHOVELS

Punched with two holes for 7/16" plow bolts and one (center hole) for 5/8" carriage bolt.

1/4" Thick

PART NO.	DESCRIPTION
304-E255X8	5" x 8" x 1/4" Corn Shovel
304-E256X9	6" x 9" x 1/4" Corn Shovel
304-E257X9	7" x 9" x 1/4" Corn Shovel
304-E258X10	8" x 10" x 1/4" Corn Shovel

TURN SHOVELS

3/16" Thick

PART NO.	DESCRIPTION
304-9628L	7-1/2" x 9" LH
304-9629R	7-1/2" x 9" RH
304-10UBL	6" x 10" LH
304-10UBR	6" x 10" RH

9628L

9629R

10UBR



FURROWERS

EMPIRE

Punched with Two Holes on 2-1/4" Centers for 7/16" Plow Bolts and One Center Hole for 5/8" Carriage Bolt.



PART NO.	SIZE	WEIGHT
304-F27308	8" x 3/16"	3.28
304-F27310	10" x 3/16"	3.74



PLAIN AND HARDSURFACED

Wide and Narrow Widths.
Punched with Single Slot for 1-3/4" to 2-1/4" Spacing with hole below for 7/16" Plow Bolt.



PART NO.	SIZE	WT.
686-42411NO	8.25" Narrow Plain	6.7
686-42411NOH	8.25" Narrow Hardsurfaced	7.0
686-42411WO	9.63" Wide Plain	7.0
686-42411WOH	9.63" Wide Hardsurfaced	7.3



HIGH WING

Made from high carbon steel for optimum wear. Punched with Two Holes for 7/16" Plow Bolt with One Square Hole Between for 5/8" Carriage Bolt. Holes on 1-1/4" to 2-1/4" Centers.

1/4" Thick



PART NO.	SIZE	WT.
686-OSNF8	8"	4.8
686-OSNF10	10"	6.4
686-OSNF12	12"	8.8
686-OSNF15	15"	12.4
686-OSNF18	18"	14.5
2127-H1120UB	3"	Replacement Tip Only




WE SUPPLY SUCCESS

WWW.SMALINK.COM

FURROWERS – LISTER

Punched with Single Hole for 3/4" Carriage Bolt.
Comparable to Nichols SQ Series

PART NO.	REPLACES	SIZE	TOP WIDTH	BOTTOM WIDTH	WT.
194-4408	8SQ	1/4" x 8"	9"	7"	9.0
194-4411	11NSQ	1/4" x 11"	11"	8"	10.0
194-4412	12SQ	1/4" x 12"	15"	12"	9.0
194-4414	14SQ	1/4" x 14"	15"	13"	12.0
194-4415	15SQ	1/4" x 15"	17"	15"	12.0



1/4" Material, Replaces Lister Share and Mouldboards.
17" Top and 16" Bottom Widths

PART NO.	DESCRIPTION	WT.
304-346	One Piece Lister #346	15.0
304-346HF	One Piece Lister #346 Hardsurfaced	15.5

PLOW SHARES HARDSURFACED

Osmundson Shares are Made from 1080 High Carbon Steel, Heat Treated and Oil Quenched.

Ribbed Shares (RIB) are 3/8" Thick on the Top Edge and 5/8" Thick on the Center Front of Share with a Deep Suck Nose for Better Soil Penetration. **Rock Shares (RS)** are 3/8" Thick in the Body and Thickened in the Nose area for Greater Breakage Resistance in Rocky Soil. Both types use clip head bolts.

Left Hand Shares available where noted (LH).

Order Multiple 6

PART NO.	REPLACES	SIZE	BOLTS REQUIRED
FOR CASE IH			
686-HSOI164RIB	463237R1HF	16"	One 1/2" & Three 7/16"
686-HSOI184RIB	463254R1HF	18"	One 1/2" & Three 7/16"
686-HSOI184LRIB (LH)	463254R1LHHF	18"	One 1/2" & Three 7/16"
FOR JOHN DEERE®			
686-HSOD164RIB	A10227HF	16"	One 1/2" & Three 7/16"
686-HSODNU185RIB	A14243HF	18"	One 1/2" & Four 7/16"
686-HSODNU185LRIB (LH)	A14243LHHF	18"	One 1/2" & Four 7/16"



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PLOW SHARES – PLAIN

Left Hand Shares available where noted (LH).




Order Multiple 6

PART NO.	REPLACES	SIZE	BOLTS REQUIRED
FOR CASE			
686-OC185RS	—	18"	One 1/2" & Three 7/16"
686-OC185LRS (LH)	—	18"	One 1/2" & Three 7/16"
FOR CASE IH			
686-Oi144RIB	1980953	14"	One 1/2" & Three 7/16"
686-Oi164RIB	1980954	16"	One 1/2" & Three 7/16"
686-Oi184RIB	1980956	18"	One 1/2" & Three 7/16"
686-Oi184LRIB (LH)	463254R1LH	18"	One 1/2" & Three 7/16"
FORD			
686-OF144RIB	7100369	14"	Four 7/16"
686-OF164RIB	7100370	16"	Four 7/16"
FOR JOHN DEERE®			
686-ODNU185RS	A10225	18"	One 1/2" & Four 7/16"
686-ODNU185LRS	A10225	18"	One 1/2" & Four 7/16"
686-OD144RIB	A10225	14"	One 1/2" & Three 7/16"
686-OD164RIB	A10227	16"	One 1/2" & Three 7/16"
686-ODNU185RIB	A14243	18"	One 1/2" & Four 7/16"
686-ODNU185LRIB (LH)	A14243LH	18"	—
FOR MASSEY FERGUSON			
686-MF14RIB	660005	14"	Three 7/16"
686-MF144RIB	475161M1	14"	Four 1/2"
686-MF16RIB	660208	16"	Three 7/16"
686-MF164RIB	475167M1	16"	Four 1/2"
686-MF184RIB	475823M1	18"	Four 1/2"
FOR OLIVER			
686-OO164RIB	RCA6R	16"	One 1/2" & Three 7/16"
686-ONOC185RIB	RCA8R	18"	One 1/2" & Four 7/16"
686-ONOC185LRIB (LH)	RCA8RLH	18"	One 1/2" & Four 7/16"



WE SUPPLY SUCCESS


WWW.SMALINK.COM




ALL SWITCH PLOW SHARES USE 7/16" #3 PLOW BOLTS

Order Multiple 6


PART NO.	FOR	DESCRIPTION
686-SB100	Baker	Plain
686-SD57270	John Deere	Plain
686-SD57043	John Deere	Hardsurfaced
686-SH79006	Harrell	Plain
686-SH79028	Harrell	Hardsurfaced
686-SL791406	Long	Plain



**HARRELL
LANDSIDE
L79206**



**HARRELL
LANDSIDE
L79010**



**HARRELL
MOLDBOARD
MB7921736**

Order Multiple 6

PART NO.	DESCRIPTION
686-L79010	Short Land for Harrell, 2 Holes
686-L79206	Long Landside for Harrell, 4 Holes
686-S79208	Lower Cast Shin for Harrell, 2 Holes
686-S98207	Upper Steel Shin for Harrell, 2 Holes
686-SSB101	ASB101 Shin for Baker, 4 Holes

PART NO.	DESCRIPTION
686-MB7921736	Moldboard for Harrell
686-LSB102	Long Landside for Baker
686-LSB103	Short Landside for Baker
686-S57265	Shin for JD, 2-Way Share LH
686-S57266	Shin for JD, 2-Way Share RH



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PLOW PARTS - CONVENTIONAL SHINS

Engineered for a Perfect Fit with Your Share and Moldboard.

High Carbon Steel, Heat Treated and Oil Quenched.

Left Hand Shares available where noted (LH).

Order Multiple 6

PART NO.	REPLACES	BOTTOM SERIES	SIZE
FORD			
686-S201344	104403, 201344 112136, 251435 FSHIN	General Purpose	12", 14", 16"
CASE IH			
686-S522325	522325, 132001C11 IHSIN	Super Chief	14", 16", 18"
JOHN DEERE®			
686-S14700	A14700, 8195, DSHIN14	HS314	14"
686-S14702	A14702, 8196, DSHIN16	HS316	16"
686-S15594	A15594, 14883, DNUSHIN	NU1036-46-48	NU 16", 18"
686-S15606 (LH)	A15606, 14887, WD3L	NU1036-46-48L	NU 16", 18"
686-S30129	A30129, DMETRICSHIN	NU400/450	ALL METRIC
MASSEY FERGUSON			
686-S660020	660020, 660008, MFSHIN	N-N Heavy Duty	12", 14", 16", 18"
OLIVER			
686-S7488	EP7488, W08	225, 425, 625	12", 14", 16", 18"
686-S7490	EP7490, OSHIN	219, 419, 519	12", 14", 16", 18"



Heat-Treated, Bolts Included

Order Multiple 6

PART NO.	REPLACES	SERIES
FOR CASE IH		
686-L59057	59057, 522342, 522343	Super Chief/TF Front & Rear
686-L59057L	59057L, 522342L, 522343L	Super Chief/TF Front & Rear (LH)
686-L59058	59058, 058UV	Super Chief/TF Wear Pad
686-L59058L	59058L, 058UVL	Super Chief/TF Wear Pad (LH)
FOR FORD		
686-L107980	107980, 251448	General Purpose Front
686-L107981	107981, 251449	General Purpose Rear
FOR JOHN DEERE®		
686-L15262	AA15262, 262W	HS/NU Wear Pad
686-L15263	AA15263, 263W	HS/NU Wear Pad (LH)
686-L16493	A16493, 493W	HS/NU Inner Plate
686-L16494	A16494, 494W	HS/NU Inner Plate (LH)
FOR OLIVER / WHITE		
686-L835	30-1012835, 270WA	419, 425, 619, 625 Front

Manufactured from High Carbon Solid Grade Material.
Heat-treated, Fitted, Bolted and Polished.

PART NO.	SIZE	SERIES
FOR CASE IH		
686-MB462314	16"-20" x 5/16"	High Speed
686-MB464603	16"-20" x 5/16"	High Speed (LH)
FOR FORD		
686-MB104409	14" x 5/16"	General Purpose
686-MB104412	16" x 5/16"	General Purpose
FOR JOHN DEERE®		
686-MB314	14" x 5/16"	High Speed
686-MB316	16" x 5/16"	High Speed
686-MB14885	16" x 5/16"	NU 1036-1046
FOR MASSEY FERGUSON		
686-MB660022	14" x 5/16"	N & N H.D.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PLOW PARTS - LISTER

LISTER SHARES

FOR JOHN DEERE®

PART NO.	SIZE
194-346H	14" x 5/16"
194-287DF	14" x 5/16"
194-60WDF	20" x 5/16"
194-BC393WDF	22" x 5/16"
194-BC394WDF	24" x 5/16"



FOR CASE IH


PART NO.	SIZE
194-OA776WDF	20" x 5/16"
194-OA777WH	22" x 5/16"

*DF = Wear Tuff Coated *H = Hard Surfaced

PLOW PARTS - LEHMAN



PART NO.	DESCRIPTION
194-100107L	Moldboard LH
194-100107R	Moldboard RH
194-21513L	12" LH Blade
194-21513R	12" RH Blade
194-21913L	15" LH Blade
194-21913R	15" RH Blade



MOLDBOARD ASSEMBLY



PART NO.	DESCRIPTION
194-SB584AH	Lister Hardsurfaced Moldboard Assembly, Complete with 114RH & 114LH Wings, BC393WH Share, BA19A Frog, 7973A Strap and Two P025767 Ties.

PLOW PARTS - LISTER

MOLDBOARDS

Lister and MiddleBreaker Moldboards Are Made from High Carbon Solid Grade Plow Steel.



LH

PART NO.	SIZE
John Deere®	
194-114RH	14" x 1/4"
194-114LH	14" x 1/4"
Case IH®	
194-03156RH	14" x 1/4"
194-03157LH	14" x 1/4"




RH

BUTTWELD POINTS

Drop Forged High Carbon Steel

PART NO.	WIDTH	LENGTH	APPLICATION
194-BW400	4-3/4"	5"	M. B. Share



LISTER FROG

PART NO.	APPLICATION
194-BA19A	Lister Frog

FERTILIZER KNIVES - ANHYDROUS

PART NO.	TYPE	THICKNESS	TUBE	DISCHARGE	PROTECTOR	FINISH
FRONT SWEEP 9"						
972-38923460	F4	7/16"	3/8" PL	Crimped	No	Rod Facing
FRONT SWEEP 13"						
972-36301470	F2	3/8"	1/2" PL	Open	No	Plain
972-36303470	F2	3/8"	3/8" PL	Open	No	Plain
972-36321470	F2	3/8"	1/2"	Open	No	Rod Facing
FRONT SWEEP 15"						
972-32503470	F1	3/8"	3/8" PL	Open w/divider	No	Plain
972-32513578	F1	1/2"	3/8" SS	Open	Yes	Chrome
972-32513468	F1	1/2"	3/8" PL	Crimped	Yes	Chrome
972-32513568	F1	1/2"	3/8" SS	Crimped	Yes	Chrome
972-32513279	F1	1/2"	3/8" SS	Open	Yes, Has Sealer	Chrome
972-37503460	F3	5/8"	3/8" PL	Crimped	No	Plain
972-37523460	F3	5/8"	3/8" PL	Crimped	No	Rod Facing
BACK SWEEP 13"						
972-33303470	B1	3/8"	3/8" PL	Open	No	Plain
972-33313578	B1	3/8"	3/8" SS	Open	Yes	Chrome
972-33313778	B1	3/8"	3/8" SS	Open/Crushed	Yes	Chrome
BACK SWEEP 17"						
972-33713578	B3	3/8"	3/8" SS	Open	Yes	Chrome
972-35711478	B4	1/2"	1/2" PL	Open	Yes	Chrome
972-35713478	B4	1/2"	3/8" PL	Open	Yes	Chrome

*Type F3 - Chisel plow

*Type F4 - Field Cultivator



WE SUPPLY SUCCESS

WWW.SMALINK.COM

TOOL BAR ACCESSORIES

CLAMPS FOR 1" X 3" SHANKS

509-L44

Fits 4" x 4" Toolbar



3/8" x 6" Body with 1" Bolts and Plated Nuts, 5/8" Set Screws
Shipping Weight: 17 lbs.

509-L47

Fits 4" x 7" Toolbar



3/8" x 6" Body with 1" Bolts and Plated Nuts, 5/8" Set Screws
Shipping Weight: 17 lbs.

509-LW57

Fits 5" x 7" Toolbar



Fitted Cap, 3/8" x 6" Body with 1" Bolts and Plated Nuts, 5/8" Set Screws
Shipping Weight: 23 lbs.

509-LW77

Fits 7" x 7" Toolbar



Fitted Cap, 3/8" x 6" Body with 1" Bolts and Plated Nuts, 5/8" Set Screws
Shipping Weight: 23 lbs.

SHANKS

SF130



SH130



All of Our Shanks are Manufactured from C1080-High Carbon Steel. Our Shanks are DRILLED - Not Heated and Punched - to Assure that the Temper of the Steel is Not Lost in the Heating Process and Even Very Long Sweeps Run Level

PART NO.	SIZE
509-SF130	1" x 30" *
509-SF134	1" x 34" *
509-SH130	(Shank only) 1" x 30"

* Includes footpiece as shown at left.

FOOT PIECE

1" x 3" Footpiece, 3/8" steel all welded.
5/8" bolt holes on 4" centers.
FP1F has steel plate with holes welded in on top and bottom.



509-FP1



509-FP1F




To Order Call Toll Free 877-55 GO SMA 877-554-6762

SCARIFIER AND BACKHOE TEETH

POINTS



BIG OX SLIP-ON STYLE



Available in Plain or with a Choice of Two Different Chromium Carbide Cap Styles Installed. 1-5/8" Wide x 6-1/2" Long (Less Cap).

Replaces Bucyrus CAW-GT014, Caterpillar 580946, Champion 8111, Fiat Allis 062160, WABCO 120746.

PART NO.	DESCRIPTION
693-2D5	Big Ox Point, Ductile Iron
693-2D5BE	Cast Alloy Point with Full Bottom & Nose Cap
693-8201	Big Ox Replacement Foot
CHROMIUM CARBIDE CAPS	
693-D27812W	2-7/8" x 12" Subsoiler Wedge Nose Cap Over
693-D27812FW	2-7/8" x 12" Subsoiler Flat Wedge nose
693-D178312F	1-7/8" x 3-1/2" Cap
693-D2183F	2-1/8" x 3" Cap
693-D2383F	2-3/8" x 3" Cap
693-D2783F	2-7/8" x 3" Cap



D178312F
D2183F
D2383F
D2783F

COTTON POINT



HARDSURFACED

2D5 Point with Welded
and Angled Down Wings

686-2D5W



BOX BLADE PARTS SHANK AND POINTS




PART NO.	DESCRIPTION
873-103107	15-7/10" x 2-1/2" wide x 3/4" thick with 3 Punched Holes with Heat-Treated Crimped-On Point. 1/2" Diameter Holes on 1-1/2" C-C Spacing. Shank is made of 5160 Spring Steel. Fits Ag-Meier, Kodiak, Southern, King Cutter, Monroe-Tuflin, Howse, Great Plains.
873-103110	17-1/2" x 2-1/2" wide x 3/4" thick with 3 Front Notches and Crimped-On Point. Top Notch is 7-3/5" from Top. Shank and Point are Heat-Treated. Fits Hardee and Modern
873-103109	16" Rear Notched with Point
873-2638	Heat-Treated and Painted Crimped-on Point. Fits 103107, 103110 and 103109.
972-41WILOC	1-1/2" x 6" Crimp-On Point with Heat-Treated Tooth and Chrome Cap. Fits Bigham, Hamby, Roll-A-Cone, Johnson, Howard and Texas Ripper.
873-7111	1/2" x 3" Bent Hitch Pin for Use with Punched Shank

LANDSCAPE PARTS RAKE TINE

023-10454

One Hole Landscape Rake Tine 1" x 5/16". These Rake Tines are Made of 5160 Material and Heat Treated to 36.5 RC Hardness. Will fit Dale Phillips, Alamo, J-Bar, Ag-Meier and Howse



WEEDER TINE

109-M9507

OVERALL LENGTH: 16-3/8"
 MATERIAL WIDTH: 1"
 THICKNESS: 5/32"
 HOLE: .405" Square for 3/8" Carriage Bolt
 WEIGHT: .90 lbs.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SUBSOILER – RIPPER POINTS

Made from High Carbon Steel and Heat-Treated. Available in Most Styles with High Chrome Cap Installed. High Chrome will Outwear Plain by up to 10 Times.

PART NO.	FOR	DESCRIPTION / APPLICATION	WT.
BOLT ON STYLE			
972-412013JD	John Deere	1" x 2" x 13", 1/2" Plow Bolts, 3" Spacing. JD 5 & 90 Series, Replaces A17994	7
972-412013JDC	John Deere	1" x 2" x 13", Capped, 1/2" Plow Bolts, 3" Spacing. JD 5, 90 Series, Replaces A17995	7
972-412512JD	JD, Kelley	1" x 2.50" x 12", 1/2" Hex Bolts, 3" Spacing	9
972-412512JDC	JD, Kelley	1" x 2.50" x 12", Capped, 1/2" Hex Bolts, 3" Spacing	9
WELDED BOOT			
972-41B2512JD	John Deere	1" x 2.50" x 12", for Models 510, 912, 915, 2700, Replaces AA21507	9
972-41B2512JDC	John Deere	1" x 2.50" x 12", Capped. For Models 510, 912, 915, 2700, Replaces AA21507	9
972-41B2512JDW	John Deere	1" x 2.50" x 12", with 10" Wing, Capped. For Models 510, 912, 915, 2700, Replaces AA21507	12
023-69547U	Kelley	1.25" x 1.75" x 11" with Dorsal Fin, Capped, 3/4" Shank. For No-Till Ripper, Replaces 16-080-282	9
023-34800	Kelley	1.25" x 1.25" x 11", 3/4" Shank, Replaces 16-080-075	5
023-39579	Kelley	1.25" x 1.75" x 11", 3/4" Shank, Replaces 16-080-102	7
304-SS15BK	Kelley	1.25" x 1.75" x 11", Empire, 1" Shank, Replaces 16-080-096	7
023-15483	Kelley	1.25" x 1.75" x 11", Import, 1" Shank, Replaces 16-080-096	7
972-KMC100	Kelley	1.25" x 1.75" x 11", Cast Chrome Wear Strip, Replaces 17-057-004	4
444-RP516X134	Kelley	Roll Pin 5/16" x 1.75"	—
444-RP38X2	Kelley	Roll Pin 3/8" x 2"	—
972-41B2512B	Brillion	1" x 2.50" x 12", 1" Shank	9
972-41B2512BC	Brillion	1" x 2.50" x 12", 1" Shank, Capped	9
972-41B2509BH	Bush Hog	1" x 2.50" x 9", 1.25" Shank	7
972-41B2509BHC	Bush Hog	1" x 2.50" x 9", 1.25" Shank, Capped	7
972-41B2008FC	Forrest City	1" x 2" x 8", 1.125" Shank	7
972-41B2008FCC	Forrest City	1" x 2" x 8", 1.125" Shank, Capped	7
972-41B2512SFMW	M & W, Sunflower	1" x 2.50" x 12", 1.25" Shank	9
972-PBS30012	MG Dickey, BoyDog,	1" x 3" x 14.75", Full Length Cap	17
972-U64332B	Unverferth	2" x 1.625" x 11", 3/4" Shank. For Ripper-Stripper	9
972-69547KU	Unverferth	1-3/8" Square Base and Narrow Boot for 3/4" Shank, Wear Cap and Fin.	9
972-41B2010WA2	W & A	1" x 2" x 10", 1.25" Shank.	7
972-41B2010WA2C	W & A	1" x 2" x 10", 1.25" Shank, Capped	7




PBS30012



41B2512JDW



Capped Bolt-on



69547KU



41B2512JDC



WE SUPPLY SUCCESS

WWW.SMALINK.COM

All With Full Chrome Cap



PART NO.	DESCRIPTION / APPLICATION	WT.
972-41BDMI211442	2" x 10" Point, 1.25" Shank	11
972-41BDMI711442	2" x 10" Point, 1.25" Shank, 7" Hardfaced Wing	17
972-41BDMI211441	2" x 10" with Dorsal Fin, 1.25" Shank	12
972-41BDMI711441	2" x 10" with Dorsal Fin, 1.25" Shank, 7" Hardfaced Wing	18
972-41BDMI211242	2" x 12" Point, 1.50" Shank	15
972-41BDMI711242	2" x 12" Point, 1.50" Shank, 7" Hardfaced Wing	22
972-41BDMI011242	2" x 12" Point, 1.50" Shank, 10" Hardfaced Wing	23
972-41BDMI011241	2" X 12" with Dorsal Fin, 1.50" Shank, 10" Hardfaced Wing	24
972-42406	6" Covering Point	—
972-42408	8" Covering Point	—

FOR CASE IH, DMI, KRAUSE, JOHN DEERE® & SUNFLOWER RIPPERS

Made of High Strength Ductile Steel with Chromium Carbide for Extended Wear. Patent Pending



PART NO.	REPLACES	DESCRIPTION
972-1251907	CNH 87460070, 47465172	7" Wide Wing Span, for 1.25" Shank. One Piece Cast, No Welds. For CASE IH 870 & 875. Weight 23 lbs.



FOR CASE IH ECOLOTIL 2500 IN-LINE RIPPER

7" No-Till Ripper Point,
Replaces 87388006

972-87388006



3/4" No-Till Shank,
Replaces 33020046

972-33020046



To Order Call Toll Free 877-55 GO SMA 877-554-6762

PARABOLIC SUBSOILER PARTS

PART NO.	REPLACES	DESCRIPTION
FOR TYE & BIGHAM BROTHERS		
918-TF123	550-148, SUB1RP, 681-002HF	Chromium carbide para-till ripper point. Replaces 693-599T
444-RP860	951M0860, 681-015, SUB1RP	Roll pin for TF123 ripper point
693-003L	550-151, 681-003L	Chromium carbide instep, left hand
693-003R	550-150, 681-003R	Chromium carbide instep right hand
693-004L	501-315, 681-004L	Chromium carbide upper shin left hand
693-004R	501-314, 681-004R	Chromium carbide upper shin right hand
693-005L	501-313, 681-005L	Chromium carbide lower shin left hand
693-005R	501-312	Chromium carbide lower shin right hand
693-TY1512	902-1844, 610-1822Z	Shear bolt. 1-1/8" x 5-1/2"
693-TY1512N	920-1800, 613-1800Z	Nylon lock nut for 693-TY1512, 1-1/8" dia.



Aftermarket Parts FIELD CULTIVATOR

FOR JOHN DEERE MODELS 960, 1000, 1010, 1050

PART NO.	REPLACES	DESCRIPTION
864-SMA188346	N188346	Tongue hitch
348-3212645	N185521	S-tine for 960 Field cultivator, same as original.



DITCHER PARTS – BLADES

PART NO.	REPLACES	DESCRIPTION
FOR GLENCOE – AMCO		
864-SMA100662	100662	Blade 3/8" thick for PD5-18 Power Ditcher
FOR LEVCO		
864-FC22B	LDA22	Blade for Model HDQ Rotary Ditcher



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket Parts

FIELD & ROW CROP CULTIVATOR FOR HINIKER



PART NO.	REPLACES	DESCRIPTION
GAUGE WHEELS		
864-SMA5P	1279445C91	Gauge wheel assembly 4" x 12" for field and row crop cultivators. White wheel halves, long stem grooved bearing.
864-9568W	526768R1	Gauge wheel half white for SMA5 wheel assembly.
851-SMA885151E	526769R91	Gauge wheel bearing for SMA5 wheel assembly. (See Section 9 for Bearings)
013-412SC	516492R1 C1093N	Gauge wheel tire for SMA5 wheel assembly.

FOR GLENCOE



PART NO.	REPLACES	DESCRIPTION
864-SMA5P	—	Gauge wheel assembly 4" x 12" with white wheel halves, long stem grooved bearing. For series B,W and models 240, 430, 440, 630, 640, 830, 840, 1230 row crop cultivators.
864-9568W	—	Gauge wheel half white for SMA5 wheel assembly.
851-SMA885151E	—	Gauge wheel bearing for SMA5 wheel assembly. — See Section 9 for More Bearings —
013-412SC	—	Gauge wheel tire for SMA5 wheel assembly.
864-SMA63355	63355 GL63355	Leaf spring for PDFC series field cultivator.
925-S12212212	P1987 58563 GL1987	U-bolt, 1/2" x 2-1/2" x 3-5/8" for gang assembly, shank brackets, extensions and shields on B-W, S, SF, TF series and models 240, 440, 630, 640, 830, 40 and 1230.
925-S5844	P1993 GL1993	U-Bolt, 5/8" x 4" x 5-1/4" for gang mounting brackets on B-W series.

Aftermarket Parts
ROW CROP CULTIVATOR
FOR JOHN DEERE

PART NO.	REPLACES	DESCRIPTION
GAUGE WHEELS		
864-SMA4P	AN182942	Gauge wheel assembly for RM series, 815, 825, 835, 845, 875 and 725 cultivator. Uses short stem grooved bearing.
864-9568Y	N187926	Gauge wheel half for RM series, 815, 825, 835, 845, 875, 725 cultivator.
851-SMA885154B	AN131668	Gauge wheel bearing for RM series, 815, 825, 835, 845, 875 and 725 cultivator. – See Section 9 for More Bearings –
013-412401	AN231757	Gauge wheel assembly 4" x 12". Nylon wheel with 5203KYY2 double-row bearing. For model 856. Will fit Krause 4600 row crop cultivator.
864-SMA2P	CA3311N	Gauge wheel assembly 4" x 12" for old style Noble crop cultivator. Uses SMA1 hub kit. Fits 4260, 4650, 4660, RO4, RR2, RR4.
013-412SC	516492R1	Gauge wheel tire for SMA4, SMA2P assembly.
864-SMA1	AN130260	Gauge wheel Hub Kit for SMA2 assembly. Containing hub, bearings, spacer, bolt, nut and lock washer.
864-SMA1D	C1094N	Gauge wheel half used in SMA2 assembly.
851-C203KRR2	JD9214	Gauge wheel bearing used in SMA1 kit.
864-SMA6	N137475	Gauge wheel shank sleeve for RM series and 845.



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



Aftermarket Parts

ROW CROP CULTIVATOR FOR HINIKER

Reversible baldes also fit 955 Row Crop Ripper



PART NO.	DESCRIPTION
304-RB14	5/16" x 14" reversible blade
304-RB17	5/16" x 17" reversible blade
304-RB19	5/16" x 19" reversible blade
304-RB21	5/16" x 21" reversible blade
304-RB23	5/16" x 23" reversible blade
304-RB25	5/16" x 25" reversible blade
304-RB27	5/16" x 27" reversible blade
NOTE: The following blades will also fit units made by Kinze, Buffalo, Krause, Orthman, Sukup and others.	
972-41BMPS	Chrome capped point with two bolt holes for Ridge Till Cultivator. Replaces 8216

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




FINISHING HARROW FOR JOHN DEERE

Models 400, 410, 600, 610, 810

(May Also Fit Noble Do-All & Case IH)


PART NO.	REPLACES	DESCRIPTION
982-62509	G2900696	6-Bolt hub.
982-64821	GZ246851	Spindle for 62509 Hub.
864-SMA216	GZ280121 GZ280551	Buttonhead rivet pin 5/8" x 2" for Do-All, JD and others. Requires 3/16" x 1-1/2" cotter pin. Use 8 on 400, 12 on 600 & 610, 16 on 810.
864-SMA1003	—	Bearing kit for transport wheel hub containing:
IM29710	JD8271	Inner bearing cup.
IM29749	JD8988	Inner bearing cone.
IM67010	JD8225	Outer bearing cup.
IM67048	JD8187	Outer bearing cone.
906284	E50607	Grease seal.
909905	GZ186301	Dust cap.



FOR JOHN DEERE, CASE IH & FORREST CITY DO-ALL

JD Models 400, 410, 600, 610, 810; C/IH Models 468, 568

PART NO.	REPLACES	DESCRIPTION
864-SMA1100	1100	Flex chain center link with bushings.
488-123218	1099	Bushing for SMA1100 link.
864-30DS0051	GZ500051	Leaf spring assembly.
925-D38134	GZ180111	Harrow tooth U-bolt, 3/8" x 1-3/4"
925-D716134	1026	Harrow tooth U-bolt, 7/16" x 1-3/4"
925-SMA1025	1025	Harrow tooth saddle.



ROLLING CULTIVATOR GANGS FOR LILLISTON / BUSH HOG

PART NO.	SIZE	DESCRIPTION	FINISH
332-H144RH	14-1/2"	4 Spider Gang RH	Extended Wear
332-H144LH	14-1/2"	4 Spider Gang LH	Extended Wear
332-H145RH	14-1/2"	5 Spider Gang RH	Extended Wear
332-H145LH	14-1/2"	5 Spider Gang LH	Extended Wear
332-H164RH	16"	4 Spider Gang RH	Extended Wear
332-H164LH	16"	4 Spider Gang LH	Extended Wear
332-H165RH	16"	5 Spider Gang RH	Extended Wear
332-H165LH	16"	5 Spider Gang LH	Extended Wear




– NOTE: COMPLETE GANG ASSEMBLIES ARE NOT UPS SHIPPABLE –

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

ROLLING CULTIVATOR GANGS



REPLACEMENT SPIDERS

PART NO.	SIZE	DESCRIPTION	WT (Lb.)
332-14RH	14-1/2"	Plain RH	9
332-14LH	14-1/2"	Plain LH	9
332-H16RH	16"	Extended Wear RH	10
332-H16LH	16"	Extended Wear LH	10

REPLACEMENT COMPONENT PARTS


REF.	PART NO.	DESCRIPTION
1	332-1825	4 Spider Gang Axle
1	332-2125	5 Spider Gang Axle
2	332-2501	Scraper for Gang Assembly
3-5	332-103052	Flange and Shield Kit
3	332-2510	Inner Bearing Shield
4	332-2520	Flat Bearing Shield
5	332-2530	Outer Bearing Shield



For Bearings, Use 205PPB7 - For Flanges, Use 52T.

See Section 9 of Catalog for Bearing and Flange.

ROLLING CULTIVATOR CONT.



SPIDER GANG PARTS

REF.	PART NO.	DESCRIPTION
1-27	332-75013000	Short Pipe Bar Assembly
1-27	332-75023000	Long Pipe Bar Assembly
See Description	332-75356000	Gang Pivot Clamp Assembly Diagram Nos. 2,5,11,13,19,20,24
2	332-75356010	Gang Pivot Clamp Body
3	332-75353110	Trunnion
4	332-75353120	Trunnion Bracket
5	332-75356020	Gang Spacer
6	332-75353130	Hardened Pivot Bushing
7	332-75353170	Tension Rod
8	332-75003010	Short Gang Pipe
9	332-75003020	Long Gang Pipe
10	332-75353150	Rubber Spring buffer
12	332-75353160	Adjusting Collar
14	332-75353140	Spring
15	332-75353180	Pipe Support Bracket



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SPIKE HARROW TEETH

Made of high carbon 1045 Steel with Heat-Treated Point


FOR CLAMP ATTACHMENT



NEW

NEW


PART NO	DESCRIPTION	WEIGHT
672-560220	5/8" x 7/8" Diamond x 8" Long, Headed. Fits most Forrest City Do-Alls.	.56 lb
672-560221	5/8" x 7/8" Diamond x 8" Long, No Head. Fits JD Do-Alls. Replaces N188676	.56 lb
672-560232	5/8" Square x 10" Long, Headed	1.05 lb
672-560234	5/8" Square x 12" Long, Headed	1.33 lb
672-560236	5/8" Square x 14" Long, Headed	1.55 lb
672-560245	3/4" Square x 10" Long, Headed Fits JD Mulch Finishers and Field Cultivators. Replaces N188676	1.50 lb
672-560249	3/4" Square x 12" Long, Headed. Fits CIH and Noble Do-Alls. Replaces CIH 62576C1; Noble GZ180101	1.60 lb
672-560251	3/4" Square x 14" Long, Headed	2.75 lb
672-560252	3/4" Square x 18" Long, Headed. Replaces Landoll 203462	2.75 lb



SPIKE HARROW TEETH V-BOLTS




PART NO.	DESCRIPTION
925-D716230	Harrow tooth V-bolt, 7/16" x 1-7/16" Between Legs. Replaces JD N167577
925-D38134	Harrow tooth V-bolt 3/8" x 1-3/4" C-C. Replaces GZ180111
925-D716134	Harrow tooth V-bolt 7/16" x 1-1/8" Between Legs. Fits Forrest City Do-All
925-SMA1025	Harrow tooth saddle



FOR PIPE ATTACHMENT



PART NO	DESCRIPTION	WEIGHT
672-560216	5/8" x 7/8" Diamond x 8" Long. Shank is 2" L x 7/16" thread.	.58 lb
672-560217	5/8" x 7/8" Diamond x 8" Long. Shank is 2" L x 1/2" thread.	.58 lb
672-560218	5/8 "x 7/8" Diamond x 8-1/2" Long. Shank is 2-1/2" L x 7/16" thread. Fits Land Pride.	.66 lb
672-560219	5/8" x 7/8" Diamond x 8-1/2" Long. Shank is 2-1/2" L x 1/2" thread. Replaces 891-238C.	.66 lb




WE SUPPLY SUCCESS

WWW.SMALINK.COM

HARROW SPRING TINES

• All Tines Painted Black • Sold Full Cartons Only


PART NO.	ORIG. / U.S. NO.	WIRE	WT. (LB.)	QTY./CTN.	COIL I.D.	A	B	C
FOR CASE/IH								
936-IH5	814800C / IH5	.375	2.8	20	1.83"	16"	7-1/2"	3"
FOR DMI								
936-D1	33443707 / D1	.437	4.5	15	—	17"	8-3/4"	4-3/4"
FOR GLENCOE								
936-GL1	P1541 / GL1	.312	0.7	100	1.425"	11-1/8"	2-1/8"	—
936-GL2	P1546 / GL2	.375	1.3	50	2.5"	11-5/16"	2-7/8"	—
GRAIN DRILL — Fits JD, Tye, Great Plains, Crustbuster, Yetter								
936-GD1	807-079C / GD1	.244	0.8	50	—	10"	3-1/2"	2"
FOR JOHN DEERE								
936-JD1B	135002 / JD1B	.375	2.5	25	1.75"	12"	7-7/16"	3"
936-JD1B1	136767 / JD1B1	.375	2.5	25	1.67"	13-1/2"	7-3/8"	3-1/4"
936-JD1B2	181162 / JD1B2	.375	2.5	25	1.75"	12-3/4"	7-7/16"	3-1/8"
936-JD1B3	188605 / JD1B3	.375	1.68	20	1.68"	12-3/4"	8-3/4"	—
936-JD1B5	232353 / JD1B5	.412	6.5	15	1.75"	16-1/2"	8-3/4"	3-3/4"
936-JD1B6	N236890 / JD1B6	.375	3.85	15	2.125"	16"	9"	5-1/2"
FOR KRAUSE								
936-KS1	76126 / KS1	.375	2.5	25	1.67"	12-1/8"	7-3/8"	3"
936-KS2	76156 / KS2	.437	3.7	15	2.125"	16-1/2"	7-1/4"	3-1/2"
FOR MELROE								
936-ME2	6502210 / ME2	.312	2.0	25	1.32"	12"	7-3/4"	3-1/8"
936-ME1	6524795 / ME1	.375	3.3	25	2.188"	12-3/8"	7-1/4"	7"
FOR MIDWEST								
936-MW1	CH-133A / MW1	.375	2.5	25	1.50"	12-3/4"	6-1/2"	3-1/4"
FOR NOBLE								
936-N1	149781 / N1	.375	2.5	25	1.813"	11-1/4"	7-1/4"	3-1/2"
936-N2	—	.375	2.0	25	1.813"	11"	5-3/4"	4-1/4"
FOR SUMMERS								
936-HS7	8H-1190S / HS7	.562	9.0	5	—	26"	12"	5-1/2"
FOR SUNFLOWER								
936-SF1	3616 / SF1	.375	2.5	25	1.65"	12-1/8"	7-3/8"	4"
936-SF2	5715 / SF2	.375	2.6	20	1.65"	16"	7-3/8"	4"
FOR WILRICH								
936-WR1	13419 / WR1	.375	2.2	25	1.625"	12"	9-3/8"	5"
936-WR2	16429 / WR2	.375	2.5	20	1.625"	16"	9-3/8"	5"



To Order Call Toll Free 877-55 GO SMA 877-554-6762


HARROW SPRING TINES

(Profiles)




John Deere
JD1B


Krause
KS1,
KS2




Glencoe
GL2




John Deere
JD1B2,
JD1B3



Melroe
ME1



John Deere
JD1B1



Midwest
MW1
Noble
N1
Wilrich
N1, WR1,
WR2



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Table of Contents Section 5

Air Seeder Hose.....	5-21
Disc Opener Assembly For Krause.....	5-27
Drill and Planter Tubes.....	5-29
Grain Drill & Air Seeder Parts for Case IH	5-22
Grain Drill & Air Seeder Parts For Great Plains.....	5-26
Grain Drill & Air Seeder Parts for John Deere®	5-23-5-25
Grain Drill Disc For Landoll	5-27
Grain Drill Parts for Great Plains	5-25
Grain Drill Parts For Sunflower.....	5-27
Grain Drill Parts for TYE	5-28
Planter Parts for Case IH	5-1-5-3
Planter Parts for John Deere®	5-15
Planter Parts For Kinze.....	5-16-5-19
Planter Parts For Monosem	5-20
Planter Parts for White	5-21
Seed Flow – Dry Powder Lubricant.....	5-22
Universal Grain Drill Assembly	5-27
V-Shot.....	5-3

PLANTER PARTS FOR CASE IH

DISC OPENER ASSEMBLIES

PART NO.	REPLACES	DESCRIPTION
864-SMA90850	90850C92, 84389196	Disc opener assembly 14" x 3.5mm Left Hand Leading. Taper on same side as hub. For models 800, 900, 950, 955, 1200 series. Also grain drills 5200 to 5500 series. – Standard Pack 120 Per Box –
864-SMA90851	90851C92, 84389195	Disc opener assembly 14" x 3.5mm Right Hand Trailing. Taper on side opposite hub. For models 800, 900, 950, 955, 1200 series. Also grain drills 5200 to 5500 series. – Standard Pack 120 Per Box –
864-SMA98745	84398745	Disc opener assembly 14" x 3.5mm Left Hand Leading. Taper on same side as hub, 3-lip seal bearing. For 1200 series planters. – Standard Pack 120 Per Box –
864-SMA98746	84398746	Disc opener assembly 14" x 3.5mm Right Hand Trailing. Taper on side opposite hub, 3-lip seal bearing. For 1200 series planters. – Standard Pack 120 Per Box –
864-SMA68572	84268572	Disc opener assembly 14" x 4.5mm Left Hand Leading. Taper on same side as hub, uses double-row ball bearing. For 1200 series planters. – Standard Pack 100 Per Box –
864-SMA68573	84268573	Disc opener assembly 14" x 4.5mm Right Hand Trailing. Taper on side opposite hub, uses double-row ball bearing. For 1200 series planters – Standard Pack 100 Per Box –
527-204WC	324180A1	Dust cap for disc opener assembly
845-P22149	306001A1	Plain seeder blade 22" x 6.35mm, double bevel, for use on air seeder.

SEED SHOES AND SCRAPERS

864-SMA99800KIT	1547680C1	HD Opener Scraper Kit, Includes 2 Tungsten Carbide Scrapers and Arms (use 1 kit per row). Fits 800, 900, 950, 955, 1200 Series Planters, 5400, 5500 Soybean Special.
864-SMA84243285	84243285	Seed Shoe, Fits 800, 900, 955, 1200 Series Planters, 5400, 5500 Soybean Special.
864-SMA436702	436702A1	Seed Furrow Firming Point, Cast. Fits 800, 900, 1200 Series Planters, 5400, 550 Soybean Special.
864-SMA1263977K	1263977C1	Bolt Kit for Seed Shoe. Includes Two 3/8"-16 x 3/4" Flange Base Hex Head Bolts and Thread Lock.




SMA436702

SMA8243285



Aftermarket PLANTER PARTS FOR CASE IH

PART NO.	REPLACES	DESCRIPTION
GAUGE WHEELS & TIRES		
864-SMA146B	87604747	Gauge wheel 4.5" x 15.5" assembly, Black Steel Wheel with nylon cover, chined tire, bearing SMA5203PP2.
864-SMA144B	225349A1	Gauge wheel 4.5" x 15.5" assembly, Black Steel Wheel with nylon cover, chined tire, bearing SMA88515240.
864-SMA33297	—	Press Wheel, Metal with Stem Bearing (Cross Hole) for 5100 and 5400 Grain Drills.
013-451550C	128633C1, 87602293	Tire 4.5" x 15.5" for models 800, 900, 950 and 955.
013-6512CTT	90854C1, 149212C1	Traction tread tire 6.5" x 12" for 800 series, 5400-5500 series soybean special. (smooth)
CLOSING SYSTEM		
864-SMA1277891	1277891C91	Covering Disc Assembly 8" x .118" Thick, Cap Included. For 800, 900, 950, 955, 1200 Series and 5400, 5500 Grain Drills.
864-SMA1277891C	—	Dust Cap for Covering Disc Assembly
864-SMA1264391	1264391C1	Spring for Planter Covering Discs 6-7/8" Long. For Minimum Tillage Applications.
864-SMA147425	436715A1, 147425C5	Closing Wheel Tensioner Spring. For 800, 900, 950, 955, 1200 Series Planters.
864-SMA147425	147425C5	Press wheel spring (new style) for models 800, 900, 950 and 955.
PARALLEL LINKAGE		
864-SMA436740	436740A1	Upper Parallel Arm 15-7/8" Long, 2 Used Per Row. Fits 800, 900, 955, 1200 Planters and 5400, 5500 Soybean Special.
864-SMA436741	436741A1	Lower Parallel Arm 15-7/8" Long, 1 Used Per Row. Fits 800, 900, 955, 1200 Planters and 5400, 5500 Soybean Special.
864-SMA1254302	1254302C1	Parallel Arm Bushing 0.53" ID x 0.87"OD x 0.66" Wide. For Standard Rows of Planter, Fits 900, 1200 Series.
864-SMA137512	137512C3	Parallel Arm Bushing 0.53" ID x 0.87" OD x 0.53" Wide. For Lockup Rows of Split-Row Planters, Fits 900, 1200 Series.
864-IH12K	KIT	Parallel Arm Fastener Kit with 4 Each 88530 Carriage Bolts, 86992215 Lock Nuts and 81287 Washers.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket PLANTER PARTS FOR CASE IH V-SHOT



PART NO.	DESCRIPTION
918-9885VS	Includes Slicer, Fertilizer Tubing and Mounting Hardware. For Case IH 1200 Series Early Riser Planters.






CHAIN ASSEMBLIES & ACCESSORIES

PART NO.	REPLACES	DESCRIPTION
673-P41120	237999A1	Seed hopper meter drive chain, for 1200 series
673-P205056		Chain assembly for main wheel on 800 & 900 series CYCLO after S/N 14501. 55 Links plus 1 connector.
673-P204044		Outer seed drive chain for 800 series CYCLO. 43 Links plus 1 connector.

PLANTER PARTS FOR JOHN DEERE®


SCRAPERS AND ARMS



PART NO.	REPLACES	DESCRIPTION
864-RS231K	BA28945	Rotating disc scraper kit with nylon covers. Includes two wheels, spring and LH, RH arms. For models 1530, 1535, 1700, 1760, 1780, 7000, 7100, 7200, 7300, 7340.
864-RS331K	—	Rotating disc scraper kit with all metal wheels. Includes two wheels, spring and LH-RH arms. For models 1530, 1535, 1700, 1760, 1780, 7000, 7100, 7200, 7300, 7340.
864-RS221	AA37221	Rotating disc scraper wheel with nylon cover. (See kit RS-231K picture)
864-RS315	AH133315	Rotating disc scraper all metal wheel. (See kit RS-331K picture)
864-RS735	AA35734	Scraper arm, left hand. Used with RS-231K, RS-331K, 7012102 kits.
864-RS734	AA35735	Scraper arm, right hand. Used with RS-231K and RS-331K, 7012102 kits.
864-SMA98180KIT	A98182, A98183, A50047	Scraper kit with SMA-99160KIT. Fits 1705 to 1795 and DB44 to DB120 planters.
864-SMA50047	A50047	Spring for scraper kits RS231K, RS331K, SMA99160KIT, and SMA98180KIT.
488-123012L	AA26444	Scraper, left hand for models 7000, 7100.
488-123012R	AA26443	Scraper, right hand for models 7000, 7100.
488-123637	A32637	Seeder blade scraper for models 7000, 7100.
488-1237104	A22778	Dirt shield for models 7000 thru 7100.
TUNGSTEN CARBIDE BLADE SCRAPER KITS		
864-SMA99180KIT	A98182, A98183, A50047	HD Scraper kit with 1 each right hand, left hand carbide blades and spring (A50047). Fits 1705 to 1795 and DB44 to DB120 planters.
864-SMA99160KIT	—	HD Scraper kit with 1 each left hand, right hand carbide blades, LH, RH arms and spring (A50047). Fits 7200 and newer, XP, XP Pro, MaxEmerge Plus, MaxEmerge 2.
864-7012102	AA62559	HD Scraper kit with 1 each left hand, right hand carbide blades Only.
864-7012101		Carbide scraper blade left hand.
864-7012100		Carbide scraper blade right hand.
970-B22P		Hitch Pin Clip 5/64" x 1-5/16". Sold Per Bag, 10 Per Bag.




123637



PLANTER PARTS FOR JOHN DEERE®

GAUGE WHEEL DEPTH CONTROL & PARALLEL LINKAGE

PART NO.	REPLACES	DESCRIPTION
GAUGE WHEEL DEPTH CONTROL HARDWARE		
864-SMA82772K	KIT	Rocker Body Kit for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, XP, XP Pro, 1530 and 1535. Includes A82773 Stop, A62609 Pivot and A58670 Shoulder Bolt. Mounting Bolt Not Included.
864-SMA57482	AA57482	Rocker Body with Mounting Hardware (bolt and bushing) for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), 1530. Shoulder Bolt and Rocker Pivot Not Included.
864-SMA62609	A62609	Rocker Pivot for Walking Gauge Wheels. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), XP, XP Pro, MaxEmerge 5, 1530, 1535.
864-SMA58670	A58670	Shoulder Bolt for Rocker Body. Fits MaxEmerge Plus, Pro, MaxEmerge 2 (late), XP, XP Pro, MaxEmerge 5, 1530, 1535.
PARALLEL LINKAGE		
864-SMA76223	A76223	Upper Parallel Arm, Standard 15.75" Length, 2 Used. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
864-SMA52092	A52092	Lower Parallel Arm, Standard 15.75" Length, 1 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
864-SMA61571	A61571	Upper Parallel Arm, Extended 23" Length, 2 used. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
864-SMA84382	A84382	Lower Parallel Arm, Extended 23" Length, 1 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
864-SMA48515	A48515	Parallel Arm Bushing, 9/16" Wide, Up to 7 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
864-SMA49465	A49465	Parallel Arm Bushing, 21/32" Wide, Up to 2 Used Per Row Unit. Fits MaxEmerge 2, Plus, Pro, XP, XP Pro.
864-SMA78121	A78121	Parallel Arm Bushing, 13/16" Wide, 1 Used Per Row Unit. Fits Pro, XP, XP Pro, MaxEmerge 5, ExactEmerge.
488-123044	A43609	Down Pressure Spring for MaxEmerge, 2, Plus, Pro, XP, XP Pro Units.
488-123068	AA28046	HD Down Pressure Spring with Plug for MaxEmerge 7000, 7100 Series.
488-123052	AB10071	Down Pressure Spring with Plug for MaxEmerge 7000, 7100 Series.



Aftermarket
PLANTER PARTS FOR JOHN DEERE®
DISC OPENER ASSEMBLIES

PART NO.	REPLACES	DESCRIPTION
864-SMA55927	AA55927, AA37474	15" x 3mm Thick Blade, Bearing, Rubber Dust Cap. For Models 7000-7340, 1700, 1525, 1530. - Standard Pack 120 per Box -
864-SMA53860	AA53860	15" x 3.5mm Thick HD USA Blade, Bearing, Rubber Dust Cap. For Models 7000-7340, 1700, 1525, 1530. - Standard Pack 120 per Box -
864-JD8 60	—	15" x 3.5mm Thick, HD Import Blade, Bearing, Rubber Dust Cap. For Models 7000-7340, 1700, 1525, 1530. - Standard Pack 156 per Box -
864-SMA65248	AA65248	15" x 3.5mm Thick HD USA Blade, Double-row Bearing with SMA78218 Dust Cap. For XP, XP-Pro, 1530 TruVee Drill, 1535 Integral Drill, ExactEmerge and MaxEmerge 5. - Standard Pack 100 per Box -
864-HD65248	AA65248	HD with Cast Hub 15" x 3.5mm Thick USA Blade, Double-row Bearing with SMA78218 Dust Cap. For XP, XP-Pro, 1530 TruVee Drill, 1535 Integral Drill, ExactEmerge and MaxEmerge 5. - Standard Pack 100 per Box -
864-SMA48879	A48879	Opener Guard MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro. For Models 1530, 1535, 1760, 1780, 7200, 7300, XP Planter
DUST CAPS & BEARINGS		
488-SMA52024	A52024	Dust Cap, Rubberized Plastic for Disc Opener Assemblies 55927 and 53860
488-SMA78218	A78218	Dust Cap, Rubberized Plastic for Disc Opener Assembly SMA65248
851-SMA59196	A59196	AgSmart Double-row Bearing for SMA65248 Disc Opener Assembly.
851-K21480	—	Bearing for SMA55927 and SMA53860 Disc Opener Assemblies
COULTER BLADES		
845-W72678	A72678	16" 13-Wave, 3/4" Wide, .177 Thick, 4-3/4" Bolt Circle, 5-Bolt Pattern. Fits MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro, 1530, 1535
845-W72680	A72680	16" 25-Wave, 5/8" Wide, .177 Thick, 4-3/4" Bolt Circle, 5-Bolt Pattern. Fits MaxEmerge 2, MaxEmerge Plus, Pro, XP, XP Pro, 1530, 1535
COVERING DISC		
864-SMA58321	AA33061 AA58321	Covering Disc Assembly, 8" with Bearing, Hub and Bolt for Disc Closing Attachment Unit. For Models 7200, 7300, 1705, 1720, 1725, 1760, 1780, MaxEmerge Plus, XP and Pro, also Deere-Orthman DR Series Planters 12,16, 18, 24.



SMA55927




HD65248



SMA65248



W42678



SMA48879



59196



K21480



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket

PLANTER PARTS FOR JOHN DEERE®

FERTILIZER DISC OPENER ASSEMBLIES

PART NO.	REPLACES	DESCRIPTION
864-SMA27458	AA27458, AA57466	Fertilizer Disc Opener Assembly, 13.5" Blade. Uses Stamped Bearing Housing and SMA52024 Dust Cap. 150 Per Box
864-HD27458	AA27458	Fertilizer Disc Opener Assembly Heavy Duty, 13.5" Blade. Uses Machined Bearing Housing and Attaches Directly to Fertilizer Bar. No Ring/Spacer Required. 100 Per Box
864-HD57466	AA57467	Fertilizer Disc Opener Assembly, 13.5" Blade. Uses Machined Bearing Housing and Attaches Directly to Row Unit. Ring/Spacer Included. 100 Per Box
DUST CAP & NUTS		
514-32457C	—	Metal Dust Cap for Fertilizer Disc Opener Assembly HD27458, HD57466
488-1237188	14H821	Nut for Disc Opener Assembly - Right Hand
488-1237189	14H944	Nut for Disc Opener Assembly - Left Hand



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
PLANTER PARTS FOR JOHN DEERE®
ROW UNIT PARTS & ACCESSORIES

PART NO.	REPLACES	DESCRIPTION
488-123056	AA31217, GA6056	Closing wheel arm for models 7000, 7100 and Kinze planter.
864-SMA26311	A26311	Spiral pin, 1/4" x 1-1/4" for wheel arm 50 per bag. (Sold full bags only)
488-1237340	AA37552	Closing wheel arm for models 1760, 1780, 7200 and 7300 planters and attachments.
488-123723	A48430	Cam collar bushing - RH. For 1237340 closing wheel arm.
488-1236081	A53242	Non-eccentric bushing for 123056 closing wheel arm on models 7200, 7300. Shaft collar bushing for disc closing attachment on 1760, 1780.
864-SMA53118	A53118	Support Stop for models 7200, 7300 MaxEmerge and 1700.
864-SMA93258	A61351, A69141, A86763	Closing wheel arm for models MaxEmerge Plus, XP, Pro XP, Pro, 1750 and 1530, 1535 drills.
864-SMA93258KIT	KIT	Closing wheel arm kit. Includes cast iron wheel arm, support, T-handle, spring, bushings and fasteners. Wheels not included. For MaxEmerge 2, Plus, Pro, XP, XP Pro and 1530, 1535 Drills.
864-SMA55888	A55888	Wheel arm bushing for SMA61351
488-123054	AA23116	Closing wheel spring with plug for models 7000, 7100.
488-123052	AB10071	Down pressure spring with plug for models 7000, 7100.
488-123068	AA28046, AA35876	Heavy duty down pressure spring with plug.
488-123044	A43609	Standard down pressure spring for models 7200, 7300.
488-123132	A47132	Closing wheel spring for models 7200, 7300 and 7340.
851-SMAAB16768	AB16768	Press wheel bearing for cotton attachment.
864-SMA16787	AB16787	Press wheel bracket only.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket
PLANTER PARTS FOR JOHN DEERE®
CLOSING WHEELS, TIRES & BEARINGS

PART NO.	REPLACES	DESCRIPTION
With Steel Wheel Halves		
864-SMA39968M	AA39968	Closing wheel assembly 1" x 12", bearing SMA5203PP2, for model 1700.
864-SMA33297	—	Closing wheel assembly 1" x 12", bearing SMA885152, for models 7000, 7100.
With Nylon Wheel Halves		
864-SMA43899	AA43899	Closing wheel assembly 1" x 12", bearing SMA885152, for models 7000, 7100, grain drills 515, 520.
864-SMA43898	AA43898	Closing wheel assembly 1" x 12", bearing SMA5203TN1, cap not included. For models 7200, 7300
864-SMA39968	AA39968	Closing wheel assembly 1" x 12", bearing SMA5203PP2, for model 1700.
013-11240	A6434	Closing wheel assembly 1" x 12". Uses bearing 5203KYY2
Closing Wheel Halves & Tire		
013-11200	—	Black wheel half for SMA43899, 1" x 12" wheel assembly
013-112SC	A22325	Closing wheel tire, 1" x 12"
BEARINGS		
864-SMA35638P	AA35638	Closing wheel bearing kit for 7200, 7300 Max-Emerge 2. Also used on 750 grain drill and 886 row crop cultivator. Used in early SMA43898 nylon wheels and all AA34211 metal wheels.
851-SMA5203TN1	2-203JD	Double-row bearing 17mm I.D. for planter and drill wheels. Used in SMA35638 for SMA43898 planter wheel. AgSmart
851-SMA885152	AA35741, AA21015	Stem bearing with hole, fits closing and press wheel on 7000-7100 and CIH 800 planters. AgSmart
308-5203KYY2	AN212132	Double-row ball bearing 5/8" I.D. and 2-lip seal. Fits SMA39968 and many 4.5" x 16" wheel assemblies. Fafnir
851-SMA5203PP2	AN212132	Double-row ball bearing 5/8" I.D. and 3-lip seal. Fits SMA39968 and many 4.5" x 16" wheel assemblies. AgSmart



Listed parts are made by various manufacturers and are not original equipment parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of them is for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket
PLANTER PARTS FOR JOHN DEERE®
SEED TUBES & ACCESSORIES

PART NO.	REPLACES	DESCRIPTION
864-SMA55880	A48302, A55880	Seed tube with monitor hole for models 7200, 7300, 7340.
864-SMA26183	A26183	Seed tube with monitor hole for 7000, 7100. 24 per carton
864-SMA80203	A80203	Seed Tube Guard for XP and XP Pro Row Units Before SN 720100
864-SMA97107	A97107	Seed Tube Guard for XP and XP Pro Row Units After SN 720100
864-SMA25925	A57071	Seed tube no monitor hole for 7000, 7100. 24 per carton
864-SMA67780	AA67780	Seed tube kit. Smooth-faced translucent tube is made of polycarbonate material and allows for sensor to be mounted externally. This provides a completely smooth surface for the seed which results in a more consistent seed spacing. Compatible with all existing John Deere® planter seed sensors. Includes ensor seal and two nylon ties. For 1530, 1535, 1700 series, 7300, XP, XP-Pro.
864-SMA54755	AA54755	Seed tube guard with holder. Includes two spiral pins.
864-SMA41692	A61577, A41692	Guard-scraper (cast frog) for models 1530, 1535, 1700, 1760, 1786, 7000 thru 7340.
864-SMA48879	A48879	Opener guard for models MaxEmerge 2, MaxEmerge Plus, XP, XP-Pro, 1530, 1535, 1760, 1780, 7200, 7300.
488-123103	A41692	Guard-scraper (cast frog)
488-1230841	A41826	Roll pin used to attach SMA41692 guard-scraper.
488-1230104	A42737	Seed depth stop for models 7000, 7100.
488-123218	—	Parallel arm bushing 5/8" ID x 7/8" OD x 9/16" long.



Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket
PLANTER PARTS FOR JOHN DEERE®
SPOOLS & SPROCKETS

PART NO.	REPLACES	DESCRIPTION
864-SMA22838	A22838	Plastic idler spool 1-9/16" diameter for seed hopper chain on models 7000 to 7340
864-SMA30968	B30968 B30969	Plastic idler spool 1-7/8" diameter for models 7000 to 7340
864-SMA22628	A22628	Plastic idler spool 2-1/4" diameter for drive wheel on models 7000 to 7340
488-123646	AA35646	Hanger bearing, 7/8" hex bore
310-SMA17383	A17383	Hitch lift pin for model 7000 - 7100, MaxEmerge and Kinze. (Category 2 & 3)
514-JD32729	AA32729	Idler sprocket, 1/2" bore, #40 chain, 14 tooth
514-JD32776	AA32776	Idler sprocket, 1/2" bore, #50 chain, 12 tooth
488-1231212	G1K212	Idler update kit
514-JD22097	AA22097, JD9260, G2100-03	7/8" hex bore planter bearing
514-JD28271	AA28271	7/8" hex bore planter bearing, seed transmission and wheel support.



Listed parts are made by various manufacturers and are not original equipment parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

PLANTER PARTS FOR JOHN DEERE®


SLICER KNIVES & MOUNTING HARDWARE



PART NO.	REPLACES	DESCRIPTION
918-TF001785	001785	Slicer Knife Made from Cast Chrome Material. Used on MaxEmerge with Curved Seed Tube.
918-TF001985XP	001985XP	Slicer Knife Made from Cast Chrome Material. For XP Planters.
918-STCLIP	001785XPCLIP	Seed Tube Clip for 001785, 001985 Slicing Insert.
693-1786P	—	Fastener Kit for TF001785 (required). 5/16" x 7/8" Slotted Head Bolt, 5/16" Locking Jam Nut and 5/16" x 3/4" Roll Pin. (not shown)
918-TF954141	954141	7C Slicing Blade with J-Bolt for 959600 Lister. Also for Case Planter.
918-TF410000	410000	10C Slicing Blade with Square Head Bolt for 100040 Opener. Also for Case Planter.
918-1785VS	—	Includes Slicer, Fertilizer Tubing and Mounting Hardware. For MaxEmerge Pre-2006 and Kinze 2000 Series.
918-1985VS	—	Includes Slicer, Fertilizer Tube, Mounting Hardware For MaxEmerge after 2006, XP, and XP Pro.

GAUGE WHEEL ARMS

PART NO.	REPLACES	DESCRIPTION
864-SMA7017	AA41968, AA54179, AA79647	Gauge wheel arm kit with 2 bushings. For 7000-7300, MaxEmerge 2, MaxEmerge Plus and 1530, 1535 grain drills.
864-SMA79648	A79648	Gauge wheel arm kit with 1 bushing, for XP planters.
864-SMA57057	A57057	Threaded sleeve for 1" bolt
864-SMA57058	A57058	Threaded sleeve for 5/8" bolt
864-SMA26311	A26311	Heavy duty spirol pin, 1/4" x 1-1/4" for wheel arm 50/bag. Sold full bags only.
864-SMA97866	A97866, AA82684	Gauge Wheel Arm Kit with Grease Zerk and Set Screw. 16mm (5/8") ID Threaded Sleeve, 4 Shims, 1 Washer, Bolt M16x100mm. Fits MaxEmerge Plus, Pro Series.
864-SMA92817	A92817	Gauge Wheel Arm Kit with Grease Zerk. 16mm (5/8") ID Threaded Sleeve, 4 Shims, 1 ea. Bolts M16X100mm, M17x70mm. Fits Series 1700 s/n 760101 & up, DB s/n 755001 & up.



SMA7017



SMA97866



SMA92817



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket
PLANTER PARTS FOR JOHN DEERE®
GAUGE WHEELS

PART NO.	REPLACES	DESCRIPTION
864-SMA9Y	AA32046 AA35392	Gauge wheel 4.5" x 16" assembly, Yellow Steel Wheel , chined tire, bearing SMA88515240. For models 7000, 7100, 7300, MaxEmerge before 1992.
864-SMA9B	AA32046, AA35392	Gauge wheel 4.5" x 16" assembly, Black Steel Wheel , chined tire, bearing SMA88515240. For models 7000, 7100, 7300, MaxEmerge before 1992.
864-SMA132B	AA41359	Gauge wheel 4.5" x 16" assembly, Black Steel Wheel and a Nylon Cover, chined tire, bearing SMA88515440. For models MaxEmerge Plus, Pro. (SMA assembly)
864-SMA130B	AA41359	Gauge wheel 4.5" x 16" assembly, Black Nylon/Steel Wheel , chined tire, bearing SMA88515440. For models MaxEmerge Plus, Pro. (Carlisle assembly)
864-SMA99Y	AA41359	Gauge wheel 4.5" x 16" assembly, Yellow Steel Wheel , chined tire, bearing SMA88515440. For models 7300, MaxEmerge Two built after 1991, 1700, MaxEmerge Plus.
864-SMA99B	AA41359	Gauge wheel 4.5" x 16" assembly, Black Steel Wheel , chined tire, bearing SMA88515440. For models 7300, MaxEmerge Two built after 1991, 1700, MaxEmerge Plus.
864-SMA142B	AN281360	Gauge wheel 4.5" x 16" assembly, Black Steel Wheel and a Nylon Cover, chined tire, bearing SMA5203PP2. For models MaxEmerge Plus, Pro. (SMA assembly)
864-SMA140B	AN281360	Gauge wheel 4.5" x 16" assembly, Black Nylon/Steel Wheel , chined tire, bearing SMA5203PP2. For models MaxEmerge Plus, Pro. (Carlisle assembly)



SMA132B



Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

PLANTER PARTS FOR JOHN DEERE®

GAUGE WHEEL HALVES, TIRES & BEARINGS

PART NO.	REPLACES	DESCRIPTION
GAUGE WHEEL HALVES & TIRES		
864-730014	—	Wheel half 4.5" x 16" black with eight outside bolts for use with SMA142B. Will fit SMA9B, 98B and 99B.
864-416CV01	—	Nylon wheel cover 4" x 16" black for use with SMA142B.
864-9570Y	A22780	Yellow wheel half for SMA9Y wheel assembly
864-9570B		Black wheel half for SMA9B wheel assembly
013-45160C	A22884	Gauge wheel tire 4.5" X 16" for SMA9, 98 and 99. For models 610, 750, 1560, 1565, 1590, 1690, 1850, 1860, 1865, 1869, 1890, 1895.
013-4516XP	A77881, A84062	Offset planter tire 4.5" x 16 for MaxEmerge- Plus, XP; Pro XP, 1530, 1535, 1560, 1565, 1690, 1705, 1715, 1725, 1735, 1755, 1765, 1785, 1795, 1860, 1895, 1990.
013-6512CST	A58851	Gauge wheel planter tire 6.5" x 12" smooth crown
BEARINGS		
864-SL4X16	A25915, B118	Bearing sleeve, for SMA9 wheel assembly.
851-SMA885152	AA35741, AA21015,	AgSmart stem bearing with hole, for closing and press wheel on 7000-7100 & C/IH 800. SL4X16 sleeve required on press wheel. Replaces Kinze A2022, C/IH 128558C91.
851-SMA88515240	AA35951	AgSmart stem bearing with hole for 4"x16" wheel. No sleeve required.
851-SMA885154B	AN131668	Groove style stem bearing, short.
851-SMA88515440	—	AgSmart Groove style stem bearing for 4"x16" wheel. No sleeve required.
308-5203KYY2	AN212132	Double-row ball bearing 5/8" I.D. & 2-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.
851-SMA5203PP2	AN212132	AgSmart double-row ball bearing 5/8" I.D. and 3-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.

Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket

PLANTER PARTS FOR JOHN DEERE®

CHAIN ASSEMBLIES

All Assemblies Include One Connector

PART NO.	REPLACES	DRIVE CHAIN FOR	LINKS
7000 - 7100 SERIES			
673-P204038	AA21484	Countershaft to seed transmission	37
673-P204044	AA21483	Seed transmission	43
673-P205050	AA28486	Wheel drive for 7100	49
673-P205053	AA37881	Wheel drive for 4N, 4W, 6N, 7000, 1 offset	51
673-P205056	AA22372	Wheel drive for 6W, 8N, & 12N, 7000	55
673-P41110	A26048	Insecticide / herbicide	109
673-P4198	AA20978	Seed meter	97
7200 - 7300 SERIES			
673-P40105	AA32249	Countershaft to seed transmission, 1 offset	103
673-P41102	AA33049	Plateless seed meter	101
673-P41104	AA33048	Insecticide / herbicide	103
673-P41105	AA42795	Plateless seed meter, 1 offset	103
673-P41112	AA33060	Vacuum seed meter for 1720, 1760, 1780, MaxEmerge Plus & XP	111
673-P41113	AA43718	Vacuum seed meter for MaxEmerge 2 after 1992	112
673-P50113	AA37980	Wheel drive for 7200, 1 offset	111
673-P50116	AH131563	Wheel drive for 7300	115
1700 SERIES			
673-P40104	AA35365	Driver reverser for 1780	103
673-P40105	AA32249	Countershaft to seed transmission for 1770, 1 offset	103
673-P40128	AA35503	Seed transmission drive for 1780	127
673-P4160	AA35927	Jackshaft drive chain for 1770	59
673-P50140	AA32887	Wheel drive for 1770	139



NOTE:
NOT ALL CHAIN ASSEMBLIES STOCKED AT ALL LOCATIONS



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket PLANTER PARTS FOR KINZE

DISC OPENER & COULTER BLADES



Right



Left



1785VS




PART NO.	REPLACES	DESCRIPTION
864-SMA8324	GA8324	Seed disc opener assembly heavy duty, 15" x 3.5mm blade. Standard Pack 120 Per Box
845-SMA9254	D9254	16" wavy coultter blade. 13-wave 3/4" , 4mm thick (8ga), 4" center hole, 5-1/4" bolt circle with 4 bolt holes 17/32". – For More Coultter Blades See Section 1 –
SCRAPERS		
488-123012L	GA2012L	Scraper, left hand for planter disc openers
488-123012R	GA2012R	Scraper, right hand for planter disc openers
488-1237104	GD1104, GD1033	Dirt shield for disc openers
SLICER KNIFE		
918-TF001785	001785	Slicer knife made from cast chrome material. Used on Row Unit with curved seed tube.
918-1885VS	—	Includes Slicer, Fertilizer Tubing and Mounting Hardware. For Kinze 3000 Series Row Units.
918-1785VS	—	Includes Slicer, Fertilizer Tubing and Mounting Hardware. For Kinze 2000 Series.
SEED TUBES & ACCESSORIES		
864-SMA26183	GR0667	Seed tube with monitor hole. 24/ctn.
864-SMA25925	GD1130	Seed tube without monitor hole. 24/ctn.
864-SMA41692	—	Guard-Scraper (cast frog)
488-1230841	GB10241	Roll pin used to attach guard-scraper SMA41692
488-123102	GB0102	Handle for depth adjustment assembly on model GB0102
488-1230104	GB0104	Seed depth stop
488-123218	GB0218	Parallel arm bushing 9/16" long, 5/8" I.D. x 7/8" O.D.

PLANTER PARTS FOR KINZE

GAUGE WHEELS & ACCESSORIES

PART NO.	REPLACES	DESCRIPTION
GAUGE WHEELS		
864-SMA9W	A2021	Gauge wheel 4.5" x 16" assembly, Off-White Steel Wheel , chined tire, bearing SMA88515240. For row unit
864-SMA98W	GA7949	Gauge wheel 4.5" x 16" assembly, Off-White Steel Wheel , chined tire, bearing SMA5203PP2.
864-SMA142W	GA7949	Gauge wheel 4.5" x 16" assembly, Off-White Steel Wheel and a nylon cover, chined tire, bearing SMA5203PP2.
GAUGE WHEEL HALVES & TIRES		
864-416CV03	—	Nylon wheel cover 4" x 16" off-white for use with SMA142W.
864-9570W	—	White wheel half for SMA9W wheel assembly
864-640038	—	Wheel half 4.5" x 16" off-white with eight outside bolts for use with SMA98W & 142W.
013-204008	GD1086	Gauge wheel tire 4.5" x 16 for SMA -9, 98 & 99 also Kinze / White 6100 series planters.
GAUGE WHEEL ARMS		
488-1236614	GA6614	Gauge wheel arm new style. Threaded right hand 5/8"-11, smooth sleeve.
864-SMA26311	—	Spiral pin 1/4" x 1-1/4" heavy duty for wheel arms 50/bag. (Sold Full Bags Only)
BEARINGS		
864-SL4X16	GB0118	Bearing sleeve, for SMA9 wheel assembly.
851-SMA885152	—	AgSmart stem bearing with hole.
851-SMA88515240	AA35951	AgSmart stem bearing with hole for 4"x16" wheel. No sleeve required.
308-5203KYY2	GA6171	Double-row ball bearing 5/8" I.D. and 2-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.
851-SMA5203PP2	GA6171	AgSmart double-row ball bearing 5/8" I.D. and 3-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.



Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
PLANTER PARTS FOR KINZE

CLOSING WHEELS & ACCESSORIES



PART NO.	REPLACES	DESCRIPTION
864-SMA43899	—	Closing wheel assembly 1" x 12" nylon wheel halves, bearing SMA885152.
013-11240	A6434	Closing wheel assembly 1" x 12", double-row ball bearing 5/8" I.D. 5203KYY2
013-112SC	GA108	Closing wheel tire, 1" x 12"
851-SMA5203PP2	GA6171	AgSmart double-row ball bearing 5/8" I.D. and 3-lip seal. For SMA39968 and many 4.5" x 16" wheel assemblies.
488-123056	GA6056	Closing wheel arm for Kinze row units built before 1993.
864-SMA26311	—	Spiral pin, 1/4" x 1-1/4" for wheel arm. 50 per bag. (Sold Full Bags Only)
488-123113	GB0113	Arm stop for planter closing wheel arm assembly GB0113
488-123054	GA2054	Closing wheel spring with plug
488-123052	GA2052	Down pressure spring with plug
488-123249	GD8249	New style down pressure spring for quick adjustment


Listed parts are made by various manufacturers and are not original equipment parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

PLANTER PARTS FOR KINZE

IDLER ARMS, SPOOLS & SPROCKETS



PART NO.	REPLACES	DESCRIPTION
864-SMA22838	—	Plastic idler spool 1-9/16" diameter for seed hopper chain on models 7000 to 7340
864-SMA30968	GD1067	Plastic idler spool 1-7/8" diameter for models 7000 to 7340
864-SMA22628	—	Plastic idler spool 2-1/4" diameter for drive wheel on models 7000 to 7340
310-SMA17383	—	Hitch lift pin for model 7000 - 7100, MaxEmerge and Kinze. (Category 2 & 3)
488-123057	GA2057	Drive sprocket 9/16" hex bore
488-1231212	G1K212	Idler update kit
488-123213	G1K213	Idler arm for G1K213 herbicide drive



CHAIN ASSEMBLIES

All Assemblies Include One Connector



PART NO.	REPLACES	DESCRIPTION
673-P4196	G3303-96	Mechanical seed meter, push unit. #41, 95 links
673-P4198	G3303-98	Mechanical seed meter, pull unit. #41, 97 links
673-P41100	G3303-100	Vacuum seed meter, Push Unit. #41, 99 links
673-P41108	G3303-108	Vacuum seed meter, insecticide or pull unit. #41, 108 links
673-P41114	G3303-114	Mechanical insecticide, #41, 113 links
673-P40132	G3310-132	Connect wheel drive model 3000. #40, 131 links
803-US4080	G3310-80	Planter chain #40 Diamond USA, 179 links
803-US4092	G3310-92	Planter chain #40 Diamond USA, 91 links
803-US40100	G3310-100	Planter chain #40 Diamond USA, 199 links
803-US40110	G3310-110	Planter chain #40 Diamond USA, 109 links
803-US40118	G3310-118	Planter chain #40 Diamond USA, 117 links
803-US40132	G3310-132	Planter chain #40 Diamond USA, 131 links
803-US40208	G3310-208	Planter chain #40 Diamond USA, 207 links
803-US40226	G3310-226	Planter chain #40 Diamond USA, 225 links



PLANTER PARTS FOR MONOSEM

DISC OPENER ASSEMBLY, GAUGE & CLOSING WHEELS



PART NO.	REPLACES	DESCRIPTION
864-SMA9263	900263	Disc opener assembly heavy duty, 15" x 4mm blade with cast hub and double-row ball bearing. Standard pack 120 per box
GAUGE WHEELS – STEEL WHEELS HALVES, TIRE		
864-SMA9W	7073	Gauge wheel 4.5" x 16" assembly with Off-White Steel Wheel , chined tire and bearing SMA88515240. For row unit
864-SMA142B	7073.N	Gauge wheel 4.5" x 16" assembly with Black Steel Wheel and a nylon cover, chined tire, bearing SMA5203PP2.
864-730014	—	Wheel half 4.5" x 16" black with eight outside bolts for use with SMA142B. Will fit SMA9B, 98B and 99B.
864-416CV01	—	Wheel cover nylon 4"x16" black for use with SMA142B.
013-45160C	—	Gauge wheel tire 4.5" X 16"
CLOSING WHEELS – NYLON WHEEL HALVES, TIRE		
864-SMA43899	7074	Closing wheel assembly 1" x 12". Nylon wheel halves, bearing SMA885152.
864-SMA39968	7074.N	Closing wheel assembly 1" x 12". Nylon wheel halves, bearing SMA5203PP2.
013-112SC	—	Closing wheel tire, 1" x 12"

Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

PLANTER PARTS FOR WHITE

DISC OPENER ASSEMBLY, GAUGE & CLOSING WHEELS

PART NO.	REPLACES	DESCRIPTION
DISC OPENER ASSEMBLY		
864-SMA164107	700155037, 700164107	15" x 3.5mm Disc Opener Assembly for 8000 series. Standard pack 120 per box
527-204WC	IH204C	Dust cap for disc opener assembly
GAUGE WHEELS & TIRE		
864-SMA9W	—	Gauge wheel 4.5" x 16" assembly with Off-White Steel Wheel , chined tire, and bearing SMA88515240. For 5100 and 5700 series
864-SMA99W	853998	Gauge wheel 4.5" x 16" assembly with Off-White Steel Wheel , chined tire, bearing SMA88515440. For 6000 series
864-SMA142B	N859182	4.5" x 16" Assembly with Black Steel Wheel and a nylon cover, chined tire, bearing SMA5203PP2. For 8000 series
864-730014	—	Wheel half 4.5" x 16" black with eight outside bolts for use with SMA142B. Will fit SMA9B, 98B and 99B.
864-416CV01	—	Nylon wheel cover 4"x16" black for use with SMA142B.
013-45160C	852060	Offset planter tire 4.5" x 16"
CLOSING WHEEL & TIRE		
864-SMA39968	854262	Closing wheel assembly 1" x 12", nylon wheel halves with bearing SMA5203PP2.
013-112SC	17632	Closing wheel tire 1" x 12"



AIR SEEDER HOSE BLACK & CLEAR

OEM Specifications and Quality

PART NO.	REPLACES	DESCRIPTION
485-CB1121	JD-AA54445, Kinze GR1947, CNH-86993485	1" x 100-ft. Black/Clear Hose. 1.25" OD, 1.9" Minimum Bend Radius, .26-lb/ft.
485-CB112212	JD-AA54447, CNH-86992286	2.5" x 100-ft. Black/Clear Hose. 2.84" OD, 6.0" Minimum Bend Radius, .87-lb/ft.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

SEED FLOW – DRY POWDER LUBRICANT

PLANTER TALC & GRAPHITE

PART NO.	DESCRIPTION
TALC	
174-PT8P	AgSmart Planter Talc 8 lb. Jug - O/M 4
174-PT30P	AgSmart Planter Talc 30 lb. Bucket
TALC / GRAPHITE	
941-09058	AgSmart 50-50 Talc/Graphite 8 lb. Jug. O/M 4
941-09068	AgSmart 80-20 Talc/Graphite 8 lb. Jug. O/M 4
941-09014	AgSmart 80-20 Talc/Graphite 40 lb. Box
GRAPHITE	
941-99601	AgSmart Graphite Seed Flow Dry Powder 1 lb. Plastic Squeeze Bottle. O/M 24
941-99605	AgSmart Graphite Seed Flow Dry Powder 5 lb. Bottle. O/M 6



PT8P



PT30P



09068, 09082



99601



99605

GRAIN DRILL & AIR SEEDER PARTS FOR CASE IH

PART NO.	REPLACES	DESCRIPTION
DISC OPENERS, GAUGE WHEELS		
845-P18508	87488385	Disc Opener Blade 18" x 5mm for Precision Disk 500, 500T Air Drills.
845-P22149	306001A1	Disc Opener Blade 22" x 6.35mm, Double Bevel. For SDX, Precision Disk 30, 40.
864-SMA146B	87604747	Gauge Wheel Assembly 4.5" x 15.5", Black Steel Inner Wheel, Nylon Outer. CIH Style Reduced Inner Diameter Tire. Double-Row Ball Bearing 5/8" ID (SMA5203PP2). For SDX, Precision Disk 30, 40. (SMA Asby)
013-451550C	87602293	Gauge Wheel Tire 4.5" x 16" Reduced Inner Diameter Design. For SDX, Precision Disk 30, 40 Drills and Planters.
864-SMA140B	21618	Gauge Wheel Assembly 4.5" x 16", Black Steel Inner Wheel, Nylon Outer. For Precision Disk 500, 500T Air Drills. (Carlisle Asby)
013-4516XP	87646854	Gauge Wheel Tire 4.5" x 16" for Precision Disk 500T Air Drills.
851-SMA5203PP2	306007A1	Double-Row Ball Bearing 5/8" ID for Closing and Gauge Wheels.



P18508



SMA146B



SMA140B



4516XP



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket GRAIN DRILL & AIR SEEDER PARTS FOR JOHN DEERE®

PART NO.	REPLACES	DESCRIPTION
PACKER WHEELS		
864-SMA48P	AN281359	Packer wheel, 1" x 10" with heavy duty tire 5/8" I.D. CG203KRR2 bearing. For 750, 1500, 1600 and 1800 series.
013-110JD	AA38447	Packer wheel tire 1" x 10" for newer grain drills. 
GAUGE WHEELS - STEEL WHEEL HALVES & TIRES		
864-SMA98Y	AN211864	Gauge wheel 4.5" x 16" assembly with Yellow Steel Wheel , chined tire, bearing SMA5203PP2. For 750, 1850 grain drills.
864-SMA98B	AN211864	Gauge wheel 4.5" x 16" assembly with Black Steel Wheel , chined tire, bearing SMA5203PP2. For 750, 1850 grain drills.
864-9570Y	A22780	Yellow wheel half for SMA98Y.
864-9570B	—	Black wheel half for SMA98B.
013-45160C	A22884, A84050	Gauge wheel tire 4.5" x 16" for SMA9, 98, 99. Also fits 610, 750, 1560, 1565, 1590, 1690, 1850, 1860, 1865, 1869, 1890 and 1895 planters.
013-4516XP	A77881, A84062	Offset planter tire 4.5" x 16" for 750 drill. Also fits MaxEmerge Plus, XP, Pro XP, 1530, 1535, 1560, 1565, 1690, 1705, 1715, 1725, 1735, 1755, 1765, 1785, 1795, 1860, 1895 and 1990 planters.
864-SMA282110	N282110	Cast iron closing wheel for 1560, 1590, 1690, 1860, 1890, 1895, 1990.
864-SMA213060	AN213060	Cast iron closing wheel assembly for 750 and 1850.
HUB & BEARING KITS		
982-213544	AN213544	4 Bolt hub with cups for seeder blade assembly on 750 grain drill and 1850 air seeder.
982-281856	AN281856	4 Bolt hub for grain drill.
864-SMA544BK	—	Bearing kit for AN213544 seeder blade hub, Contains:
IM44610	JD8253	Inner and outer cups
IM44643	JD8933	Inner and outer cones
14970	B13294	Inner and outer seals
SMA219000	N219000	Seal retainers
COVERING CHAIN		
511-1000	—	Covering chain for grain drill. 
TORSION SPRINGS		
864-SMA283994	N283994, N282888	Torsion spring right hand for cast closing wheel. For 1560, 1590, 1690, 1860, 1890 and 1990.
864-SMA283995	N283995, N282889	Torsion spring left hand for cast closing wheel. For 1560, 1590, 1690, 1860, 1890 and 1990.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

GRAIN DRILL & AIR SEEDER PARTS FOR JOHN DEERE®**SEED BOOTS AND SEED DISC**

PART NO.	REPLACES	DESCRIPTION
845-P18507	N214190	Seeder blade 18" x .197" thick, four 3/8" holes on 4-3/8" hole circle, fits model 750 grain drill, 1560, 1565, 1590, 1690, 1835, 1850, 1860, 1890, 1895 & 1990 CCS.
845-USA13525	N164594 N283805	Drill disc blade 13.5" raised center for aluminum boot. For grain drills, air seeders. Made in USA
864-SMA280446	N280446	Seed boot, right hand, heat-treated, ductile iron. For 750, 1850 grain drills
864-SMA280447	N280447	Seed boot, left hand, heat-treated, ductile iron. For 750, 1850 grain drills
864-SMA284044	N284044	Seed boot, right hand, heat-treated for models 1590, 1690, 1890, 1895, and 1990 air seeders.
864-SMA284044C	N284044	Same as above with tungsten carbide coating.
864-SMA284045	N284045	Seed boot, left hand, heat-treated for models 1590, 1690, 1890, 1895 and 1990 air seeders.
864-SMA284045C	N284045	Same as above with tungsten carbide coating.
864-SMA280317	N280317	Seed boot, left hand, tungsten carbide coating applied to wear area. For 750, 1850 grain drills
864-SMA280316	N280316	Seed boot, right hand, tungsten carbide coating applied to wear area. For 750, 1850 grain drills
864-SMA284055	N284055	Leaf Spring for SMA280316 and SMA280317.
864-SMA282789	N282789	Seed boot left hand upper. For 1560, 1565, 1860. Uses 5/16" x 1-3/8" bolt and lock nut to connect to lower boot.
864-SMA283433	N283433	Seed boot lower left hand for SMA282789. Made of chrome alloy steel for longer wear.
864-SMA282788	N282788	Seed boot right hand upper. For 1560, 1565, 1860. Uses 5/16" x 1-3/8" bolt and lock nut to connect to lower boot.
864-SMA283432	N283432	Seed boot lower right hand for SMA282788. Made of chrome alloy steel for longer wear.
864-SMA219982	N219982	Poly seed flap reduces seed bounce. One required per seed boot. Uses 1/4"-20 x 5/8" bolt
864-SMA280975	N280975	Foam seal used with USA13525 drill disc blade. 10 pieces per bag.

GRAIN DRILL & AIR SEEDER PARTS FOR JOHN DEERE®**BUSHINGS**



PART NO.	REPLACES	DESCRIPTION
864-SMA219547	N219547	Outer Bushing for Opener and Wheel Arms. I.D. 1.10", O.D. 1.378", .69" Long
864-SMA218646	N218646	Top Inner Bushing for Closing Wheel Arm. O.D. 1.625", I.D. 1.25", .69" Long
864-SMA284086	N284086	Top Inner Bushing for Press Wheel Arm I.D. .641", O.D. 1", 2.37" Long
864-SMA280648	N280648	Top Inner Bushing for Closing Wheel Arm. I.D. .641", O.D. 1", 3.37" Long
864-SMA283636	N283636	Bushing, I.D. 1.257", O.D. 1.628", 1.00" Long
864-SMA282536	N282536	Pivot Pin, O.D. 1.25", 5.24" Long
864-SMA73951	AA73951, AN282117	Opening System Arm and Shaft. For 750A, 1560, 1565, 1590, 1690, 1835, 1860, 1890, 1895, 1990



GRAIN DRILL PARTS FOR GREAT PLAINS

DRILL DISC ASSEMBLIES

PART NO.	REPLACES	DESCRIPTION
864-GP229	107-130s, 107-299s	Drill Disc Assembly, 13.5" Blade, 5/8" I.D. Bearing 204 Series. 150 per box
864-GP133	107-133s, 107-135s	Drill Disc Assembly, 13.5" with Domestic Blade, 5/8" I.D. Bearing 205 Series. 150 per box
864-GP138	107-138s	Drill Disc Assembly, 13.5" Blade, 4mm Thick, 205GPC Cap and 5/8" I.D. Bearing 205 Series. 150 per box
864-GP121	404-072s, 404-121s, 404-287s	Drill Disc Assembly, 15" Blade, 4mm Thick. 5/8" I.D. Bearing SMA205DDS. For Drills and Late Model Planter Row Units Since 1998. 120 per box
BEARINGS, DUST CAP & DRILL TUBE		
851-SMA205DDS	188-001V	Bearing, 205 Series with 5/8" I.D.
851-SMA205DD34	188-007V	Bearing, 205 Series with 3/4" I.D.
864-GP136	107-136S	Bolt, cap and shim kit. Includes thread-lock bolt, cap and 4 shims
527-204GPC	107-096D	Cap for GP229
527-205GPC	107-111D	Cap for GP121, GP133, GP138
310-10491		Trash shield
199-GP003	816-003C	Drill tube



GRAIN DRILL & AIR SEEDER PARTS FOR GREAT PLAINS

GAUGE AND PACKER WHEELS, TIRES



PART NO.	REPLACES	DESCRIPTION
013-313153	13219	Press Wheel Assembly 3" x 13" with Steel Wheel, Double Rib Tire. For 9413 Grain Drill
013-313402	52-523, 13217, 814-158C	Gauge Wheel Assembly 3" x 13" with Nylon Wheels, Center Rib Tire, Double-Row Ball Bearing 5/8" I.D. Will Fit Krause, Sunflower and Other Grain Drills
013-21315	814-057C	Gauge Wheel Assembly 2" x 13", Uses Bearing SMA885154B
013-21340	814-157C	Gauge Wheel Assembly 2" x 13", Smooth Crown Tire, Double-Row Ball Bearing with 2-lip seal and 5/8" I.D.
864-SMA3045	198057s, 198-057s	Gauge Wheel Assembly 2" x 13" with Nylon wheel. Also Replaces Tye 304-576
TIRES		
013-541035	814-160C	Grain Drill Tire 3"x 13" Single Rib
013-213SC	814-159C	Smooth Crown Tire 2" x 13"
013-54103	814-083C	Gauge Wheel Offset Tire 2" x 13" for SMA3045. Will Replace Tye 560-027
013-5410321	814-069C	Grain Drill Tire 2" x 13" for 21340
013-110GP	814-085C	Packer Wheel Tire 1" x 10" for SMA45P
PACKER WHEEL, GRAIN DRILL TOOTH		
864-SMA45P	814-194C	Packer Wheel for Grain Drill, Heavy Tire and Steel Wheel. Uses Bearing 5203KYY2, for Models 2400, 2410 and 2420.
964-SMA46P	199-009C	Packer Wheel for Grain Drill. Uses Bearing SMA885154B
936-GD1	807-079C	Grain Drill Tooth. Will Fit Tye, Yetter, Crustbuster and John Deere.
COVERING CHAIN		
511-1000	—	Covering Chain for Grain Drill

Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



GRAIN DRILL PARTS FOR SUNFLOWER

PART NO.	REPLACES	DESCRIPTION
864-SMA18358	18358	Drill disc assembly, 15" for models 9100,9200, 9300, 9400 with inline openers.Taper on same side as hub. 120 per box with inline openers.
864-SMA7261	7261	Drill disc assembly, 15" for models 9100, 9200,9300, 9400. Flange mounted on non-beveled side. Taper on side
527-144266	144266, SNB1127	Dust Cap, Will Replace Sunflower SNB1127 and Landoll 144266
013-313153	13219	Press Wheel Assembly 3" x 13" with Steel Wheel, Double Rib Tire. For 9413 Grain Drill
013-313402	52-523, 13217, 814-158C	Gauge Wheel Assembly 3" x 13" with Nylon Wheels, Center Rib Tire, Double-Row Ball Bearing 5/8" I.D. Will Fit Krause, Sunflower and Other Grain Drills



GRAIN DRILL DISC FOR LANDOLL

PART NO.	REPLACES	DESCRIPTION
864-SMA143880	143880	Drill Disc 15.75" x 3.5MM. Has 5/16" Rivets. Used on 5210, 5211, 5530, 5531 Grain Drills
527-144266	144266	Dust Cap, Will Replace Sunflower SNB1127 and Landoll 144266



DISC OPENER ASSEMBLY FOR KRAUSE

PART NO.	REPLACES	DESCRIPTION
864-KR5250	5250-484	Drill disc assembly, 13.5"



UNIVERSAL GRAIN DRILL ASSEMBLY

PART NO.	DESCRIPTION
845-B453194	13.5" Universal Grain Drill Assembly, fits TYE, Great Plains, CrustBuster & Others. 2 Disc Assemblies, 2 Dust Caps, 1 RH Bolt, 1 LH Bolt and 4 Shims per Box. Sold by the Box. Available at SMA West Only.



Aftermarket

GRAIN DRILL PARTS FOR TYE

DISC OPENER ASSEMBLY, GAUGE & PACKER WHEELS



PART NO.	REPLACES	DESCRIPTION
DISC OPENER ASSEMBLY		
864-TY647H	550-647	Disc opener assembly, 13.5" uses 204PY2 bearing. 150 per box
GAUGE WHEEL, TIRE & ACCESSORIES		
864-SMA3045	304-576, 198057s	Gauge wheel assembly 2" x 13"
013-54103	560-027	Gauge wheel offset tire 2" x 13"
864-TY646P	550-646	Bearing and hub kit. Includes hub, dust cap, bearing, bolts and nuts.
852-204PY2	—	Bearing 5/8" I.D. 
527-204GPC	561-027	Dust cap
120-HM58X12MM	—	Bolt for TY646
120-LNM58	—	Nylon lock nut for TY646
120-814560	901-1010P	Hex cap screw 5/8" x 1.25" RH thread, 25 per box
120-814560LH	901-1011P	Hex cap screw 5/8" x 1.25" LH thread 10 per box
199-TY201	562-201	Drill tube 
PACKER WHEEL, HUB & ACCESSORIES		
864-SMA49P	501-006	Packer wheel 1" x 10" with 1/2" I.D. bearing.

Listed parts are made by various manufacturers and are not original ent parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




DRILL AND PLANTER TUBES

BLACK RUBBER FLEXIBLE TUBES

Great Plains Grain Drill Replaces 816-003C		
Dimensions:	INSIDE DIAMETER TOP	- 1-1/2"
	OUTSIDE DIAMETER BOTTOM	- 1-1/4"
	WORKING LENGTH	- 13-1/2" to 29"
Tye Grain Drill Replaces 562-201		
Dimensions:	INSIDE DIAMETER TOP	- 1-1/4"
	OUTSIDE DIAMETER BOTTOM	- 1-1/4"
	WORKING LENGTH	- 8" to 29"
J.I. Case Planters, J.D. 290, 490, 406, 407 and 24 Planters, J.D. Drills, Early Massey Ferguson Drills		
Dimensions:	INSIDE DIAMETER TOP	- 2"
	OUTSIDE DIAMETER BOTTOM	- 1-1/2"
	WORKING LENGTH	- 10" to 30"
JD Dry Fertilizer Planter Tube. Used on 7000, 7100, 7200, 1700 Series. Replaces B35601		
Dimensions:	INSIDE DIAMETER TOP	- 2-1/4"
	OUTSIDE DIAMETER BOTTOM	- 2-1/8"
	WORKING LENGTH	- 7" to 20"
Universal Side Dresser Hose Fits Most Attachments		
Dimensions:	INSIDE DIAMETER TOP	- 2-1/8"
	OUTSIDE DIAMETER BOTTOM	- 1-3/8"
	WORKING LENGTH	- 19" to 50"
Same as SD50 but Stretches 10" Longer for Special Applications		
WORKING LENGTH - 23" to 60"		
Tapered Tube for Van-Bront Drills		
Dimensions:	INSIDE DIAMETER TOP	- 1-9/16"
	OUTSIDE DIAMETER BOTTOM	- 1-1/4"
	INSIDE DIAMETER BOTTOM	- 1"
	OVERALL LENGTH	- 17"
Tapered Tube for Burch Corn Planter Attachment		
Dimensions:	INSIDE DIAMETER TOP	- 1-9/16"
	OUTSIDE DIAMETER BOTTOM	- 1-1/4"
	INSIDE DIAMETER BOTTOM	- 1"
	OVERALL LENGTH	- 20"


199-GP003




199-TY201




199-U100



199-D132




199-SD50



199-SD60



199-TA17



199-TA20C



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Table of Contents Section 6


Combine Belts For Case IH.....	6-1 - 6-4
Combine Belts For John Deere.....	6-5 - 6-11
Combine Parts For Case IH.....	6-13
Auger – Horizontal Unloading And Tubes	6-27
Axle Center Tubes.....	6-31
Axle Drive Shafts and Couplers.....	6-14
Beater Blades And Shafts.....	6-24
Brakes and Components.....	6-15
Chaffers	6-29
Concave Sets	6-18
Cornhead Auger And Row Unit Components.....	6-32
Cylinder Bars and Kits.....	6-17
Elevator Chain Sprockets.....	6-20
Elevator Head Shafts.....	6-23
Elevator Housings And Sheet Metal	6-22
Feederhouse Bottoms.....	6-17
Feederhouse Chains	6-16
Feederhouse Lower Shafts and Brackets	6-15
Grain Pans And Components	6-28
Rotor Bars, Cones,Grates And Front Kits.....	6-19
Rotor Vane Repair Kits	6-18
Row Crop Dividers	6-31
Sieves – Blunt Finger Bottom.....	6-29
Steps.....	6-32
Straw Spreader And Walker Components.....	6-28
Transmission Components.....	6-13
Unloading Auger Components,.....	6-24
Vane Transports And Components.....	6-19
Wobble Box And Components.....	6-30
Combine Parts For John Deere	6-33
Augers And Tubes – Horizontal Unloading.....	6-52
Augers – Lower Clean Grain	6-47
Axle Drive Shafts And Couplers.....	6-35
Bottom Knife Sheets	6-58
Brakes And Components.....	6-33
Chaffers	6-53
Chaff Spreaders And Components	6-60
Concaves	6-41
Corn And Wheat Doors.....	6-60
Cornhead Row Unit Components And Gearbox.....	6-65
Cylinder Bar Kits	6-40
Elevator Chains	6-43
Elevator Housings And Components	6-45
Feederhouse Chains	6-36
Feederhouse Chain Sprockets	6-37

Table of Contents Section 6 cont.


Combine Parts For John Deere	cont.
Feederhouse Components	6-39
Final Drives And Components.....	6-34
For Drapers 600, 900D Series.....	6-64
Header End Shields.....	6-61
Primary Countershafts.....	6-42
Rear Axle Center Tubes	6-63
Rear Deflector	6-59
Rotor Components	6-41
Row Crop Dividers	6-62
Sieves – Blunt Finger Bottom.....	6-53
Spindles And Components.....	6-63
Straw Choppers.....	6-55
Straw Spreader Components.....	6-61
Straw Walkers And Components	6-54
Transmission Input Shaft	6-33
Wobble Box And Components.....	6-60
Combine Parts For Corn Heads	6-66
Combine Parts For Geringhoff.....	6-67
Sickles – Spliced	6-67
Cutting Sections – Combine	6-68
Sections – Bolt-On.....	6-69
Sections – Rice bar.....	6-69
Sickle and Knife Clip	6-70
Section Rivet – Sickles.....	6-71
Sickle Rivet Assortment	6-71
Section Bolts and Nuts	6-72
Sickle Repair Parts	6-72
Pick-Up Fingers.....	6-73
Universal Wear Plate	6-73
Reel Tine	6-73
Combine Guards.....	6-74- 6-75
Combine Endless Draper Belting	6-75
Combine Draper Belts	6-76 - 6-77
For John Deere.....	6-76
For Macdon & Case IH.....	6-76 - 6-77

Aftermarket COMBINE BELTS FOR CASE IH


REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 615, 715			
1	301-C191305	Auger & Knife Drive, 112" O.D. Belt	715
FOR MODELS: 815, 915			
7	301-C537072	Fan, Water Pump, Generator, D-414 Eng	815, 915
FOR MODELS: 1440, 1460, 1480			
2	301-C195396	Cleaning Fan Drive	1440, 1460, 1480
7	301-C191305	Fan Jackshaft Drive	1440, 1460
7	301-C188213	Fan Jackshaft Drive	1480
10	301-C192738	Feeder Drive	1440, 1460
10	301-C194528	Feeder Drive	1480
12	301-C191290	Grain Tank Unloader Drive	1440, 1460
15	301-C191241	Separator Drive	1440, 1460



1440,
1460,
1480



815, 915



615, 715




To Order Call Toll Free 877-55 GO SMA 877-554-6762


Aftermarket COMBINE BELTS FOR CASE IH

REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 1420			
12	301-C191241	Separator Drive	1420
FOR MODELS: 1640, 1660, 1680			
1	301-C396829	Air Conditioning Compressor	1640 ASN JJC0034705, 1660 ASN JJC0038346
3	301-C195396	Cleaning Fan Drive	1640, 1660 No extended length cleaning system, 1680
3	301-C1541569	Cleaning Fan Drive	1660 - extended length cleaning system
5	301-C537072	Engine Fan & Alternator	1640 BSN JJC0034705 - use Motorola alternator, 1660 BSN JJC0038346, 1680 BSN JJC0045689 - use Bosch alternator
5	301-C911572	Engine Fan & Alternator	1660 ASN JJC0038346 (with cross flow cleaning system)
6	301-C191305	Fan Jackshaft Drive	1640, 1660
6	301-C188213	Fan Jackshaft Drive	1680
7	301-C192738	Feeder Drive, No Rock Trap	1640, 1660
7	301-C194528	Feeder Drive, No Rock Trap	1680
9	301-C191290	Grain Tank Unloader Drive	1640, 1660 BSN JJC0102897
12	301-C191241	Separator Drive	1640, 1660
13	301-C1315266	Straw Chopper Drive	1680
—	301-C247428	Knife Drive	1020 Grain Header

1640, 1660, 1680



1420




WE SUPPLY SUCCESS


WWW.SMALINK.COM

Aftermarket COMBINE BELTS FOR CASE IH


REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 1620			
11	301-C191241	SEPARATOR DRIVE	1620
—	301-C247428	KNIFE DRIVE	1020 Grain Header
FOR MODELS: 1644, 1666, 1688, 2144, 2166, 2188			
1	301-C124572	AUXILLIARY PUMP DRIVE	2166
1	301-C124573	AUXILLIARY PUMP DRIVE	2188
2	301-C1541569	CLEANING FAN DRIVE	1644, 1666, 1688, 2144, 2166, 2188
3	301-C191305	CLEANING FAN JACKSHAFT DRIVE	1644, 1666, 2144, 2166
3	301-C188213	CLEANING FAN JACKSHAFT DRIVE	1688, 2188
4	301-C396829	COMPRESSOR, A/C	1666, 1688, 2166, 2188
6	301-C911572	FAN, ALTERNATOR, WATERPUMP	1666, 1688, 2166, 2188
7	301-C192738	FEEDER DRIVE No ROCK TRAP	1644, 1666, 2144, 2166
7	301-C194528	FEEDER DRIVE No ROCK TRAP	1688, 2188
9	301-C191290	GRAIN TANK UNLOADER DRIVE	2144, 2166
11	301-C1541702	SEPARATOR DRIVE	1688, 2188
12	301-C1315266	STRAW CHOPPER DRIVE	1688, 2188
—	301-C247428	KNIFE DRIVE	1020 Grain Header



1620



1644, 1666, 1688, 2144, 2166, 2188




Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket COMBINE BELTS FOR CASE IH



REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 2344, 2366, 2377, 2388, 2577, 2588			
1	301-C396829	Air Conditioning Compressor	2366 BSN JJC0255699, 2388 BSN JJC0272999
2	301-C124572	Auxiliary Pump Drive	2366
2		Auxiliary Pump Drive	2388 BSN JJC0272999
3	301-C1541569	Cleaning Fan Drive	2344, 2366 BSN JJC0184544, 2388 BSN JJC0198068
4	301-C191305	Cleaning Fan Jackshaft Drive	2344, 2366 BSN JJC0184544
8	301-C192738	Feeder Drive No Rock Trap	2344, 2366
8	301-C194528	Feeder Drive No Rock Trap	2377, 2388, 2577, 2588
9	301-C191290	Grain Tank Unloader Drive	2344, 2366
11	301-C1541702	Separator Drive	2388 BSN JJC0270500
12	301-C1315266	Straw Chopper Drive	2377, 2388, 2577, 2588
FOR MODELS: 5088, 6088, 7088			
4	301-C87476487	Cleaning System Drive With Beater	5088, 6088, 7088
4	301-C87476486	Cleaning System Drive With Chopper	5088, 6088, 7088



2344, 2366, 2377, 2388, 2577, 2588



5088, 6088, 7088




WE SUPPLY SUCCESS



WWW.SMALINK.COM

Aftermarket COMBINE BELTS FOR JOHN DEERE


REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 3300, 4400			
24	301-D86259	Rotary Screen	3300, 4400 ASN 101301
25	301-D138762	Secondary Countershaft	3300, 4400
FOR MODELS: 4420			
18	301-D86259	Rotary Screen	4420
19	301-D138762	Secondary Countershaft	4420
FOR MODELS: 6600, 7700 LEFT HAND VIEW			
3	301-D77766	Feeder Conveyor (Regular Feeder House)	6600, 7700
3	301-D125380	Feeder Conveyor (Long Feeder House)	6600, 7700
8	301-D23927	Platform & Feeder House Upper	6600 ASN 254051, Corn Variable Speed Feederhouse
8	301-D23927	Platform & Feeder House Upper	7700 ASN 8001, Corn Variable Speed Feederhouse
9	301-D108175	Primary Countershaft	6600, Sidehill-SN 305673, 7700, 404TH-01 SN 8001
10	301-D84633	Propulsion Hydrostatic Drive Lower	6600 ASN 156501, 7700
11	301-D84633	Propulsion Hydrostatic Drive Upper	6600 ASN 156501, 7700
FOR MODELS: 6600, 7700 RIGHT HAND VIEW			
4	301-D77766	Clean Grain Elevator	6600, 7700
5	301-D71603	Compressor, Ac	6600, 6404TH Sidehill ASN 305673
5	301-D71603	Compressor, Ac	7700 404TH-01 ASN 163901
7	301-D113749	Cylinder, Intermediate Shaft	6600, 7700
8	301-D83077	Cylinder Tachometer	6600, 7700
13	301-D86259	Rotary Screen	6600 ASN 105801, 7700
15	301-D77010	Shoe Grain Supply Augers	6600, 7700
16	301-D138762	Strawchopper, Front	6600, 7700
18	301-D110085	Tailings Lower Auger	6600, 7700



3300, 4400



4420





6600, 7700 RH



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket COMBINE BELTS FOR JOHN DEERE®

REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 6620, 6622, 7720, 7721			
4	301-D71603	Compressor, Air Conditioner	6620 BSN 615401, 6622, 7720 BSN 615401
7	301-D113749	Countershaft Drive, Torque-Sensing	6620, 6622, 7720, 7721
9	301-D86259	Rotary Screen	6620, 7720
10	301-D118730	Tailings Auger Drive	6620, 6622, 7720, 7721
11	301-D77010	Shoe Supply Auger Drive	6620, 6622, 7720, 7721
15	301-D77766	Clean Grain Elevator, Loading Auger	6620, 6622 ASN 610401, 7720, 7721
16	301-D83077	Cylinder Tachometer O-Ring	6620, 6622, 7720
18	301-D108175	Separator Drive	6620, 6622, 7720
22	301-D84633	Hydro, Lower Ground Drive,	6620, 7720
24	301-D84633	Hydro Ground Drive, Upper	6620, 7720
26	301-D125380	Feeder House Conveyor Drive (Long)	6620 BSN 403301, 7720 BSN 409101
33	301-D77766	Feeder House Conveyor Drive (Regular Fixed)	6620 BSN 502551, 7720 BSN 507351, 7721
34	301-D23927	Feeder House Drive	6620 Sidehill BSN 610301, 6622
34	301-D23927	Feeder House Drive (Unloading Auger, Long, Regular)	6620, 7720
34	301-D23927	Feeder House Drive (Variable Drive)	6620, 7720



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket COMBINE BELTS FOR JOHN DEERE®

REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 7722, 8820			
3	301-D71603	Compressor	8820 BSN 615401
7	301-D113749	Countershaft Drive, Torque-Sensing	8820
9	301-D86259	Rotary Screen	8820
10	301-D118730	Tailings Auger Drive	8820
11	301-D77010	Shoe Supply Augers	8820
15	301-D77766	Clean Grain & Loading Auger	8820
16	301-D83077	Cylinder, Tachometer O-Ring	8820
18	301-D108175	Separator Drive	8820
22	301-D84633	Hydro Ground Drive, Lower	8820
24	301-D84633	Hydro Ground Drive, Upper	7722, 8820
26	301-D125380	Feeder House Conveyor Drive (Long)	8820 BSN 409101
29	301-D23927	Feeder House Drive, Upper	7722
29	301-D23927	Feeder House Drive, Upper	8820





Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket COMBINE BELTS FOR JOHN DEERE®

REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 9400, 9500, 9500SH, 9501, 9600			
2	301-D128010	Secondary Countershaft	9400, 9500, 9500SH, 9501, 9600
4	301-D141167	Clean Grain Elevator	9400 ASN 640101, 9500-9500SH ASN 640201
5	301-D210476	Cylinder Intermediate Drive	9400, 9500, 9501, 9500SH, 9600
6	301-D115881	Cylinder Drive (Reg. Dual & Single Range)	9400, 9500, 9501, 9500SH, 9600
7	301-D110085	Tailings Auger & Elevator, Lower	9400, 9500, 9501, 9500SH, 9600
8	301-D146636	Rotary Screen Drive	9400 ASN 640506
8	301-D146636	Rotary Screen Drive	9500-9500SH ASN 642579, 9600 ASN 641922
9	301-D131169	Shoe, Straw Walker & Conveyor Augers	9400, 9500, 9500SH, 9501, 9600
11	301-D143869	Rotary Screen	9400 BSN 640506)
11	301-D143869	Rotary Screen	9500-9500SH BSN 642579
11	301-D143869	Rotary Screen	9600 BSN 641716
11	301-D145158	Rotary Screen	9400 ASN 640506, 9500-9500SH ASN 642579
11	301-D145158	Rotary Screen	9600 ASN 641717
12	301-D158880	Unloading System	9400, 9500, 9501, 9500SH, 9600
14	301-D161648	Feeder House, Variable Speed	9400, 9500, 9500SH, 9600
16	301-D151952	Header & Reel Pump	9400 ASN 635101, 9500-9500SH ASN 635201
16	301-D151952	Header & Reel Pump	9501, 9600 ASN 635301
17	301-D125380	Front Chopper Drive	9400, 9500, 9500SH, 9501, 9600





WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket COMBINE BELTS FOR JOHN DEERE®

REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 9410, 9510, 9510SH, 9610			
4	301-D125380	Chopper, Front	9410, 9510, 9510SH, 9610
5	301-D141167	Clean Grain Elevator	9610
7	301-D210476	Cylinder Intermediate Drive	9410, 9510, 9510SH, 9610
8	301-D115881	Cylinder Drive, Reg. Dual & Single Range	9410, 9510, 9510SH, 9610
12	301-D161648	Feederhouse, Variable Speed	9410, 9510, 9510SH, 9610
13	301-D151952	Powershift & Reel Pump, Header	9410, 9510, 9510SH, 9610
14	301-D145158	Rotary Screen	9410, 9510, 9510SH, 9610
15	301-D146636	Rotary Screen Drive	9410, 9510, 9510SH, 9610
16	301-D128010	Secondary Countershaft	9410, 9510, 9510SH, 9610
17	301-D131169	Shoe, Straw Walker & Conveyor Augers	9410, 9510, 9510SH, 9610
19	301-D110085	Tailings Auger & Elevator, Lower	9410, 9510, 9510SH, 9610
20	301-D158880	Unloading System	9410, 9510, 9510SH, 9610





Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket COMBINE BELTS FOR JOHN DEERE

REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660			
7	301-D210476	Cylinder Intermediate Drive (150-980Rpm)	9450, 9550, 9550SH
7	301-D210476	Cylinder Intermediate Drive	9560, 9560SH, 9650, 9660
8	301-D115881	Cylinder Drive, Std. (240-960Rpm)	9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660
10	301-D161648	Feederhouse, Variable Speed	9450 BSN 700101
10	301-D161648	Feederhouse, Variable Speed	9550-9550SH BSN 700201, 9650 BSN 700301
11	301-D151952	Header & Reel Pump (Std. Cap.)	9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660
12	301-D145158	Rotary Screen	9450 BSN 695101
12	301-D145158	Rotary Screen	9550-9550SH BSN 695201
12	301-D145158	Rotary Screen	9650 BSN 655301
13	301-D146636	Rotary Screen Drive	9450, 9650 ASN 695301, 9660
14	301-D128010	Secondary Countershaft	9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660
15	301-D131169	Shoe, Walker, & Conveyor Augers	9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660
19	301-D110085	Tailings Auger & Elevator, Lower	9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660
20	301-D158880	Unloading System	9450, 9550, 9550SH, 9560, 9560SH, 9650, 9660






WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket COMBINE BELTS FOR JOHN DEERE

REF.	PART NO.	DESCRIPTION	APPLICATIONS
FOR MODELS: CTS			
4	301-D141167	Clean Grain Elevator	CTS, CTS Rice
6	301-D115881	Cylinder Drive, Reg. Dual & Single Range	9650, 9660, CTS, CTS II, CTS Rice (111.5" O.D. Belt)
7	301-D210476	Cylinder Intermediate Dr (90.15" E.L. Belt)	9650, 9660, CTS, CTS II, CTS Rice
10	301-D161648	Feederhouse Variable Speed (Std. Cap.)	9650 BSN 700401), CTS, CTS II, CTS Rice (w/rev)
11	301-D151952	Header & Reel Pump, Standard Capacity	9650, 9660, CTS, CTS II, CTS Rice
12	301-D145158	Rotary Screen	9650 BSN 695401, CTS II
12	301-D143869	Rotary Screen	CTS, CTS Rice
13	301-D146636	Rotary Screen Drive	9650 ASN 695401, CTS II
14	301-D128010	Secondary Countershaft	9650, 9660, CTS, CTS II, CTS Rice
16	301-D131169	Shoe, Strawwalker & Conveyor Augers	9650, 9660, CTS, CTS II, CTS Rice
20	301-D110085	Tailings Auger, Lower & Elevator	9650, 9660, CTS, CTS II, CTS Rice
21	301-D158880	Unloading System	9650, 9660, CTS, CTS II, CTS Rice
FOR MODELS: STS			
9	301-D218726	Feederhouse, Variable Speed, Std Capacity	9670, 9770, 9860
9	301-D218726	Feederhouse, Variable Speed, High Capacity	9560, 9570, 9650, 9660, 9750, 9760
FOR MODELS: T660, T670			
1	301-D115881	Cylinder Drive	T660, T670
2	301-D128010	Secondary Countershaft	T660, T670
4	301-D146636	Rotary Screen Drive	T660, T670
15	301-D158880	Unloading System	T660, T670



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**



WE SUPPLY SUCCESS

Aftermarket
COMBINE PARTS FOR CASE IH



TRANSMISSION COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1997455	1997455C1	Transmission Output Shaft	2144 BSN JJC0173150, 2166 BSN JJC0182025, 2188 BSN JJC0193725; Cotton Picker 2155
300-C530699	530669R1	Cluster Gear 59, 39 and 27 Tooth	915 ASN 1250, 1460, 1470, 1480, 1600, 1644 ASN JJC0098060, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 BSN JJC0276540, 2388 ASN HAJ0292001
300-C530700	530700R1	Sliding Gear, 2nd and 3rd, 26 and 46 Tooth	915 ASN 1250, 1460, 1470, 1480, 1600, 1644 ASN JJC0098060, 1666, 1670, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388 BSN JJC0276540, 2388 ASN HAJ0292001

FINAL DRIVE COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1342906	1342906C1	Gear	1688
300-C1342907	1342907C1	Pinion Shaft	1688



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket
COMBINE PARTS FOR CASE IH
AXLE DRIVE SHAFTS AND COUPLERS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C184341	184341C1	Axle Drive Shaft Coupler 3" Long	915, 1460, 1480, 1640, 1660, 1680, 1688, 2188
300-C402725	402725R2	Axle Drive Shaft 14.08" Long	915, 1460, 1660, 1670
300-C121795	121795C1	Axle Drive Shaft 16.65" Long, Right Hand	1460
300-C121794	121794C1	Axle Drive Shaft 29.77" Long, Left Hand	
300-C184223	184223C1	Axle Drive Shaft 33.04" or 33.375" Long, Left Hand	1460 ASN 32001 -Axle Exten., 1480 BSN 34000, 1660 -Axle Exten., 1680, 1688
300-C193994	193994C1	Axle Drive Shaft 22.65" Long, Right Hand	1460 -Axle Extensions
300-C193993	193993C1	Axle Drive Shaft 35.77" Long, Left Hand	
300-C184224	184224C1	Axle Drive Shaft 20.08" Long, Right Hand	1460, 1660 -Axle Extensions
300-C1309012	1309012C1	Axle Drive Shaft 27.04" Long, Left Hand	1460, 1660, 1670 Hillside
300-C130841	130841C1	Axle Drive Shaft 35.26" Long	1480
300-C242843	242843A1	Axle Drive Shaft 34.69" Long, Right Hand	2144, 2166 -144" Front Axle & Dual or Flotation Wheels; 2344, 2366 BSN JJC0252949 -Std. Final Dr. or All H.D. Final Drive & 18" Axle Exten.
300-C242844	242844A1	Axle Drive Shaft 47.91" Long, Left Hand	
300-C242841	242841A1	Axle Drive Shaft 16.85" Long, Right Hand	2144, 2166 -Axle Exten.; 2344, 2366 -Std. Final Dr. or All H.D. Final Drive No Axle Exten.
300-C242842	242842A1	Axle Drive Shaft 30.08" Long, Left Hand	
300-C242837	242837A1	Axle Drive Shaft 10.87" Long, Right Hand	2166 No Axle Extensions
300-C242839	242839A1	Axle Drive Shaft 24.09" Long, Left Hand	
300-C248600	248600A1	Axle Drive Shaft Coupler 3.66" Long	2344, 2366 -Standard Final Drive or All H.D. Final Drive; 2388, 2588

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.





COMBINE PARTS FOR CASE IH

BRAKES AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1963810	1963810C2	Brake Disc, Bonded 12 Spline, 6.5" x 3.5"	403, 503, 615, 715, 815, 1420, 1440, 1620, 1640, 1644; Cotton Harvesters: 95, 414, 416, 420, 422, 616, 622, 782, 1400
300-C1975446	1975446C2	Brake Disc, Bonded 12 Spline, 7.125" x 4"	403, 503, 915, 1460, 1480
300-C1997959	1997959C1	Wheel Brake Disc, 12 Required	2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C1285974	1285974C1	Separator Plate, 13 Required	

FEEDERHOUSE CHAIN SPROCKETS


To extend the life of your chain assemblies, always replace the sprockets when installing a new chain



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1970248	1970248C1	Feederhouse Chain Sprocket 9-Tooth, 1.5" Hex	615 ASN 12000, 715, 815, 915 ASN 8001, 1420, 1440, 1460, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1680, 1682, 2144, 2166, 2188

FEEDERHOUSE LOWER SHAFTS AND BRACKETS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1320160	1320160C3	Upper Feederhouse Shaft, 61-7/8" Long	1440, 1460 -Rock Trap, 1470, 1640, 1660, 1670 -Regular Feederhouse
300-C1320099	1320099C2	Upper Feederhouse Shaft, 70" Long	1480, 1482 -Feeder Reverser with or without Rock Trap
300-C197278	197278C1	Upper Feederhouse Shaft, 65-1/4" Long	1480, 1482 -No Feeder Reverser or Rock Trap
300-C1321629	1321629C2	Feederhouse Lower Shaft Bracket, Right Hand	1660, 1666, 1680, 1688, 2188 - No Field Tracker
300-C138178	138178A1	Feederhouse Lower Shaft Bracket, Left Hand	
300-C1321440	1321440C2	Upper Feederhouse Shaft, 67-5/8" Long	1680, 1682



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket

COMBINE PARTS FOR CASE IH

FEEDERHOUSE CHAINS




Made from high-quality CA-557 heavy-duty chain. Slats are mounted using 3/8" grade 5 hardware and locktite for added durability. All feederhouse chains supplied with serrated slats unless otherwise noted.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C117869	117869A1	FH Chain Smooth 47", 60 links, 1/4" Slat Every 6th Link, Chrome Pins, 2-Chain Asby.	1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666, 2144, 2166
300-C117864	117864A1	FH Chain, Serrated	
300-C117868	117868A1	FH Chain Serrated 47", 60 links, 1/4" Slat Every 8th Link, Chrome Pins, 2-Chain Asby. Rice Chain	
300-C117871	117871A1	FH Chain Smooth 54", 69 links, 1/4" Slat Every 6th Link, Chrome Pins, 2-Chain Asby.	1440, 1460, 1620, 1640, 1644, 1660, 1666, 2144, 2166
300-C28017	—	FH Chain, Serrated	
300-C117865	117865A1	FH Chain Serrated 54", 69 links, 1/4" Slat Every 8th Link, Chrome Pins, 2-Chain Asby. Rice Chain	
300-C117872	117872A1	FH Chain Smooth 54", 69 links, 1/4" Slat Every 6th Link, Chrome Pins, 2-Chain Asby.	1480, 1482, 1680, 1682, 1688, 2188
300-C28015	—	FH Chain, Serrated	
300-C136440	136440A1	FH Chain Smooth 60", 76 links, 1/4" Slat Every 6th Link, Chrome Pins, 2-Chain Asby.	
300-C28016	—	FH Chain, Serrated	
300-C117866	117866A1	FH Chain Serrated 54", 69 links, 1/4" Slat Every 8th Link, Chrome Pins, 2-Chain Asby. Rice Chain	
300-C117867	117867A1	FH Chain Serrated 60", 76 links, 1/4" Slat Every 8th Link, Chrome Pins, 2-Chain Asby. Rice Chain	1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588
300-C93533	B93533	FH Chain, Serrated	
300-C93532	B93532	FH Chain Smooth 54", 69 links, 1/4" Slat Every 4th Link, Chrome Pins, 2-Chain Asby.	
300-C195668	195668A1	FH Chain Smooth 60", 76 links, 1/4" Slat Every 2nd and 4th Link, 3-Chain Asby.	
300-C195670	195670A2	FH Chain, Serrated	
300-C93535	B93535	FH Chain, Serrated	
300-C93534	B93534	FH Chain Smooth 60", 76 links, 1/4" Slat Every 4th Link, Chrome Pins, 2-Chain Asby.	
300-C195666	195666A2	FH Chain, Serrated	
300-C195664	195664A1	FH Chain Smooth 54", 69 links, 1/4" Slat Every 2nd and 4th Link, 3-Chain Asby.	2144, 2166, 2344, 2366
300-C28038	—	FH Chain Serrated 60", 74 links, 1/4" Slat Every 6th Link, Chrome Pins, 2-Chain Asby.	
300-C136438	136438A1	FH Chain Serrated 60", 74 links, 1/4" Slat Every 8th Link, Chrome Pins, 2-Chain Asby.	
300-C136439	136439A1	FH Chain Smooth 60", 76 links, 1/4" Slat Every 6th Link, Chrome Pins, 2-Chain Asby.	5088, 6088, 7088
300-C84207192	84207192	FH Chain Serrated Slats, No Rock Trap	
300-C84207190	84207190	FH Chain Serrated Slats - Rock Trap	



Aftermarket
COMBINE PARTS FOR CASE IH
FEEDERHOUSE BOTTOMS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1324576	1324576C1	FH Bottom 47" Long, 35.5" Wide	1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666
300-C1324578	1324578C2	FH Bottom 54.5" Long, 35.5" Wide	1420, 1440, 1460, 1620, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366
300-C1324572	1324572C1	FH Bottom 54.5" Long, 44.75" Wide	1480, 1482, 1680, 1688, 2188, 2388, 2588
300-C1324574	1324574C2	FH Bottom 60" Long, 44.75" Wide	1680, 1688, 2188, 2388, 2588
300-C1994217	1994217C2	FH Bottom 60" Long, 35.5" Wide	2144, 2166, 2344, 2366

FEED REVERSER MOTORS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C245927	245927C91	Reman Reverser Motor, All Rotary Models with Electric Reverser	1440, 1460, 1480, 1620, 1640, 1660, 1680, 1644, 1666, 1688, 2144, 2166, 2188, 2366, 2388

CYLINDER BARS AND KITS

All bars are carefully checked and sets are matched for equal weight distribution on the cylinder. Grade 8 fasteners are supplied with most models.


PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C93417	B93417	Cylinder Bar Kit Grain, 12 Helical and 9 Straight with Mounting Fasteners, Hardened	1440, 1460, 1470, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366
300-C93869	B93869	Cylinder Bar Kit Grain, 12 Helical and 9 Straight with Mounting Fasteners, Chrome	
300-C93419	B93419	Cylinder Bar Kit Soybean, 12 Helical and 3 Straight with Mounting Fasteners, Hardened	
300-C93418	B93418	Cylinder Bar Kit Grain, 16 Helical and 12 Straight with Mounting Fasteners, Hardened	1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588
300-C93870	B93870	Cylinder Bar Kit Grain, 16 Helical and 12 Straight with Mounting Fasteners, Chrome	



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket COMBINE PARTS FOR CASE IH

CONCAVE SETS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1302606	1302606C5	Front, Large Wire	1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366 (Concaves accept bolt-on extensions)
300-C1309208	1309208C3	Front, Small Wire	
300-C93571	B93571	Concave Set, Small Wire	
300-C93572	B93572	Concave Set, Large Wire	
300-C1309210	1309210C3	Middle/Rear, Small Wire	
300-C1302607	1302607C4	Middle/Rear, Large Wire	
300-C1309207	1309207C3	Middle/Rear, Small Wire	1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588 (Concaves accept bolt-on extensions)
300-C193783	193783C5	Middle/Rear, Large Wire	
300-C1309204	1309204C3	Front, Small Wire	
300-C193782	193782C6	Front, Large Wire	
300-C93573	B93573	Concave Set, Small Wire	
300-C93574	B93574	Concave Set, Large Wire	
300-C96130	B96130	Concave Set, Small Wire	1640, 1644, 1660, 1666, 1670, 2144, 2166, 2366 (Concaves have built-in extension)
300-C96128	B96128	Concave Set, Large Wire	
300-C430960	430960A1	Front, Small Wire	
300-C430963	430963A1	Middle/Rear, Small Wire	
300-C430964	430964A1	Front, Large Wire	
300-C430965	430965A1	Middle/Rear, Large Wire	
300-C96127	B96127	Concave Set, Small Wire	1680, 1682, 1688, 2188, 2377, 2388, 2577, 2588, 5088, 6088, 7088 (Concaves have built-in extension)
300-C96125	B96125	Concave Set, Large Wire	
300-C418647	418647A1	Front, Small Wire	
300-C418648	418648A1	Middle/Rear, Small Wire	
300-C386188	386188A1	Front, Large Wire	
300-C386189	386189A1	Middle/Rear, Large Wire	
300-C418647	418647A1H	Helical Concave - Front Narrow Space No Extension	1680, 1682, 1688, 2188, 2388, 2588
300-C418648	418648A1H	Helical Concave - Middle/Rear Narrow Space No Extension	

ROTOR VANE REPAIR KITS

- Decrease Material Stalling at Transition
- Works with All Crops and Bolts On with No Rotor Modification
- Increases Ground Speed
- Improves Crop Material Feeding with All Styles of Impellor and Flight
- Restores Vane to Original Height



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C27190	X27190	Rotor Vane Kit, Set of 3, Bolt-on	60 Series
300-C27191	X27191	Rotor Vane Kit, Set of 4, Bolt-on	80 Series



WE SUPPLY SUCCESS

WWW.SMALINK.COM

COMBINE PARTS FOR CASE IH



ROTOR BARS, CONES, GRATES AND FRONT KITS

These ductile bars meet or exceed OEM specifications. Most applications and crop conditions require bars with nospike. Crops with excessive green material might require bars with spike to prevent roping.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
ROTOR BARS			
300-C1309175	1309175C1	Specialty Rotor Bar with Spike, Hardened	All Rotaries
300-C1309336	1309336C1	Specialty Rotor Bar No Spike, Hardened	
300-C1968970	1968970C1	Specialty Rotor Bar with Spike, Chrome	
300-C278821	278821A2	Specialty Rotor Bar No Spike, Chrome	
300-C1318976	1318976C1	Straight Separator Rotor Bar, Standard	1620 -2 req., 40/60 Series -3 req., 80 Series -4 or 8 req., 2588
ROTOR TRANSITION CONES & GRATES			
300-C87390937	87390937E	Rotor Transition Cone Extended Wear -Rice 	AFX8010, 7010, 7120, 8010, 8120, 9120
300-C443123	443123A1	Rotor Transition Cone, 1/4" Wall Thickness, Includes 3/16" Vanes	1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588 
300-C95337	B95337	Keystock Grates OEM Style, Set of 3	
300-C95336	B95336	Slotted Grates, Set of 3	
ROTOR FRONT KITS			
300-C27135	—	KRF Front Rotor Kit 	1440, 1460, 1640, 1660, 1666, 2144, 2166, 2344, 2366
300-C249247	249247A1	Rotary Bearing Housing Support	1480, 1680, 1688, 2188, 2377, 2388
300-C27134	—	KRF Front Rotor Kit 	1480, 1680, 1688, 2188, 2388, 2588
300-C253439	253439A3	Rotary Bearing Housing 	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388

VANE TRANSPORTS AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
VANE TRANSPORTS			
300-C191271	191271C5	Vane Transport Less Vanes, Right Hand	1440, 1460
300-C191847	191847C6	Vane Transport Less Vanes, Left Hand	
300-C1318419	1318419C2	Vane Transport Less Vanes, Right Hand	1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366
300-C1318829	1318829C2	Vane Transport Less Vanes, Left Hand	
300-C1321661	1321661C3	Vane Transport Less Vanes, Right Hand	1680, 1682, 1688, 2188, 2388, 2588
300-C1318729	1318729C5	Vane Transport Less Vanes, Left Hand	
ROTOR VANE REPAIR KITS			
300-C27190	X27190	Rotor Vane Kit, Set of 3, Bolt-on	60 Series
300-C27191	X27191	Rotor Vane Kit, Set of 4, Bolt-on	80 Series



Aftermarket

COMBINE PARTS FOR CASE IH



CLEANING FAN HUB

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C185286	185286C91	Cleaning Fan Hub Assembly	1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588

ELEVATOR CHAIN SPROCKETS

To extend the life of your chain assemblies, always replace the sprockets when installing a new chain

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C165292	165292C1	Clean Grain Chain Sprocket, Lower 6-Tooth, 1" Shaft	715, 815, 915 ASN 8001, 1420, 1440 BSN 10000, 1460 BSN 12001
300-C1302200	130220C1	Clean Grain Chain Sprocket, Upper 7-Tooth, 1.125" Shaft	1440, 1460 ASN 12001, 1480
300-C1317192	1317192C2	Clean Grain Chain Sprocket, Upper 9-Tooth, 1.25" Shaft	1640, 1644, 1660, 1666, 1680, 1688, 1682, 2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C143960	143960A1	Clean Grain Chain Sprocket, Lower 9-Tooth, 1.375" Shaft	2188, 2388, 2588
300-C168683	168683C1	Return Grain Chain Sprocket, Upper 7-Tooth, 1" Shaft	1440 ASN 10001, 1460 ASN 12001, 1480 ASN 34001, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C1317412	1317412C1	Drive Sprocket, 32-Tooth	1640, 1660, 1670, 1680, 1688, 2144, 2166, 2188, 2366, 2388, 2588
300-C1321039	1321039C1	Drive Sprocket, 29-Tooth	1660, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C296023	296023A1	Drive Sprocket, 27 and 32-Tooth	2366 ASN JJC0194544, 2377 ASN HAJ0292001, 2388, 2588



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS


WWW.SMALINK.COM

Aftermarket COMBINE PARTS FOR CASE IH

ELEVATOR CHAIN – CLEAN GRAIN

Elevator chains include rubber paddles attached with plated bolts and nuts and full side plates for added strength.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
CLEAN GRAIN CHAIN			
300-C150705	150705C91	126 links, 6-3/4" x 2-3/4" Paddles Every 4th Link, Rubber	303, 403, 503, 715
300-C177453	177453C91	152 links, 7-5/8" x 2-3/4" Paddles Every 4th Link, Rubber	815, 914, 915
300-C186221	186221C1	149 links, 6-1/2" x 2-3/4" Paddles Every 4th Link, Rubber	1420, 1620
300-C1302201	1302201C91	149 links, 7-3/4" x 2-3/4" Paddles Every 4th Link, Rubber	1440, 1460, 1470
300-C185028	185028C91	172 links, 7-1/2" x 2-3/8" Paddles Every 4th Link, Rubber	1460 Rice
300-C1302195	1302195C91	160 links, 7-5/8" x 3-3/4" Paddles Every 4th Link, Rubber	1480, 1482, 1680, 1688
300-C1317482	1317482C92	152 links, 7-5/8" x 3-1/2" Paddles Every 4th Link, Rubber	1480, 1680, 1682, 1688, 2188, 2388, 2588
300-C1321334	1321334C92	152 links, 5-5/8" x 4" Paddles Every 4th Link, Rubber	1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366
300-C29003	—	176 links, 7-5/8" x 3-3/4" Paddles Every 4th Link, Rubber	1680, 1682 -Rice
300-C1303114	1303114C91	115 links, 5-5/8" x 2-3/4" Paddles Every 4th Link, Rubber	1420, 1440, 1460, 1480, 1482, 1640, 1644, 1660, 1666, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588, 5088, 6088, 7088
RETURN GRAIN CHAIN			
300-C170978	170978C91	158 links, 5-7/8" x 2-7/8" Paddles Every 6th Link, Rubber	303, 403, 503, 715
300-C160432	160432C91	152 links, 5-7/8" x 2-7/8" Paddles Every 6th Link, Rubber	715, 815, 914, 915, 1420, 1620
300-C29004	—	124 links, 5-1/2" x 2-1/4" Paddles Every 4th Link, Rubber	1460, 1640 -Rice



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

COMBINE PARTS FOR CASE IH

ELEVATOR HOUSINGS AND SHEET METAL



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1321060	1321060C1	Auger Mounting Support	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588
300-C1319908	1319908C1	Clean Grain Elevator Head, Right Hand Cover for Inclined Elevators	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2588 BSN HAJ303001
300-C1317456	1317456C3	Clean Grain Housing	1680, 1682, 1688, 2188, 2388, 2588
300-C1317376	1317376C9	Clean Grain Housing	1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366
300-C198603	198603A2	Cover, Grain/Corn	2144, 2166, 2344, 2366
300-C229609	229609A2	Cover, Grain/Corn	2144, 2166, 2188, 2344, 2377, 2388, 2588
300-C224603	224603A1	Cover Wide, Grain/Corn	AFS, 1688, 2188, 2388U
300-C1321097	1321097C2	Cover, Auger	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588
300-C1321556	1321556C1	Cover, Auger U-Joint	1630, 1660, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588
300-C1319941	1319941C1	Cover, Front Head	1680, 1688, 2188
300-C1319940	1319940C1	Cover, Rear	1680, 1682, 1688, 2188, 2377, 2388, 2588
300-C1319942	1319942C1	Cover, Rear	1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366
300-C1321496	1321496C1	Grain Elevator Head Panel Left Hand	
300-C1317251	1317251C2	Head Shaft Support	1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2388, 2588
300-C189456	189456A1	Panel, Left Side Front	2144, 2166, 2188, 2366, 2388
300-C1321069	1321069C1	Panel, Left Side Front	1680 Late
300-C199006	199006A2	Panel, Lower Trough	2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588
300-C1321551	1321551C2	Panel, Rear Support	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588
300-C1321550	1321550C2	Panel, Rear Support	1680, 1688, 2188, 2377, 2388, 2588
300-C1321154	1321154C1	Panel, Right Side	1660, 1666, 2144, 2166, 2344, 2366, 2388, 2588
300-C1321095	1321095C1	Panel, Right Side	1680, 1688, 2188, 2377, 2388, 2588
300-C1321552	1321552C2	Panel, Side Front	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588
300-C1321560	1321560C3	Panel, Upper Trough	
300-C1979134	1979134C1	Support Plate, Auger Bearing	
300-C1321230	1321230C1	Sealing Plate	1680, 1682, 1688, 2188
300-C1321557	1321557C2	Tube Trough, Lower	1660, 1666, 1680, 1688, 2144, 2166, 2188



COMBINE PARTS FOR CASE IH

CLEAN GRAIN ELEVATOR BOOT KITS AND PARTS

Boot kits include inner and outer side boots, front and rear covers, deflector and non-perforated boot door. Hardware included.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C27123	—	Clean Grain Elevator Boot Kit	1680, 1688
300-C27124	—	Clean Grain Elevator Boot Kit, No Yield Monitor	2188, 2388
300-C27125	—	Clean Grain Elevator Boot Kit with Yield Monitor	2188, 2388
300-C1318584	1318584C2	Boot, Inner Side	1680, 1682, 1688, 2188, 2388, 2588
300-C1318585	1318585C3	Clean Grain Elevator Outer Boot Side, No Yield Monitor	1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2344, 2366
300-C176175	176175A2	Clean Grain Elevator Outer Boot Side No Yield Monitor	2188, 2388, 2588
300-C223237	223237A1	Clean Grain Elevator Outer Boot Side with Yield Monitor	2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C251458	251458A1	Clean Grain Elevator Head Side Plate, Right Hand, Extended Wear	2366, 2388, 2588
300-C1318590	1318590C3	Deflector, Grain Bottom	1680, 1682, 1688, 2188, 2388, 2588
300-C1317430	1317430C1	Door, Boot Non-Perforated	1680, 1682, 1688, 2188, 2388, 2588
300-C1317439	1317439C1	Front Cover	1680, 1682, 1688, 2188, 2388, 2588
300-C1317437	1317437C1	Rear Cover	1680, 1682, 1688, 2188, 2388, 2588

ELEVATOR HEAD SHAFTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C186723	186723C1	Clean Grain Elevator Head Shaft 13.31" Long, 1.125" Diameter	1440 ASN 10000, 1460 ASN 12000, 1470 ASN 1180, 1480, 1482
300-C191694	191694C1	Clean Grain Elevator Head Shaft 13" Long, 1" Diameter	1440 BSN 10000, 1460 BSN 12000, 1470 BSN 1180
300-C191785	191785C1	Tailings Elevator Head Shaft 11" Long, 1" Diameter	1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 2144, 2166, 2188, 2344, 2366, 2388
300-C1317429	1317429C1	Clean Grain Elevator Head Shaft 10.97" Long, 1.25" Diameter	1640, 1660, 1666, 2144, 2166, 2344, 2366
300-C1317470	1317470C1	Clean Grain Elevator Head Shaft 1.25" Diameter	1680, 1688, 2188, 2388



COMBINE PARTS FOR CASE IH

UNLOADING AUGER COMPONENTS, BEATER BLADES AND SHAFTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION	
UNLOADING GEARBOX SHAFTS				
300-C1327739	1327739C2	Unloading Gearbox Shaft, Vertical	1420, 1440, 1460, 1480, 1620, 1640 BSN 97103, 1660 BSN 102897, 1680 BSN 115352	
300-C178116	178116C1	Unloading Gearbox Shaft, Vertical	Low Profile (815, 915 ASN 8001)	
UNLOADING HOUSING & COMPONENTS				
300-C1924753	192475C3	Elevator Sump, 2		1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C1924753S	192475C3S	Elevator Sump, Stainless Steel, 2		
BEATER BLADES & SHAFTS				
300-C1302175	1302175C1	Beater Shaft	1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366	
300-C1302176	1302176C1	Beater Shaft	1480, 1680	
300-C1319270	1319270C1	Beater Blade, 3 Required	1480, 1680, 1688, 2188, 2388, 2588	
300-C1319269	1319269C1	Beater Blade, 3 Required	1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366	

AUGER – LOWER CLEAN GRAIN

Made with continuous roll formed flighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1319169	1319169C1	Lower Clean Grain Auger 1-1/4" Shaft, 70-3/8" Long. (When replacing 191737C1 on early 1440, 1460, C1319176C1 7-tooth sprocket required.) Uses Bearing RA100RRB	1440 ASN 30484, 1460 ASN 33285
300-C191737	191737C1	Lower Clean Grain Auger 1" Shaft, 70-3/8" Long. Uses Bearing RA100RRB	1440 BSN 30484, 1460 BSN 33285
300-C1319173	1319173C1	Lower Clean Grain Auger 1-1/4" Shaft with 7" OD Flighting, 76" Long. Uses Bearing RA102RRB (2)	1480
300-C1317409	1317409C1	Lower Clean Grain Auger 8" OD x 76" Long. Uses Bearing RA103RRB2	1680, 1688
300-C1317484	1317484C1	Lower Clean Grain Auger 68-1/4" Long	1640, 1660, 1644, 1666, 2144, 2166
300-C143959	143959A2	Lower Clean Grain Auger 1-3/8" Shaft, 76" Long. Uses Bearing RA106RRB (2)	2188, 2388, 2588
300-C1989374	1989374C1	Clean Grain Auger Trough	1688, 2188, 2388, 2588
300-C87510720	87510720	Clean Grain Auger	5088, 6088, 7088



To Order Call Toll Free 877-55 GO SMA 877-554-6762

Aftermarket

COMBINE PARTS FOR CASE IH

AUGER – RETURN LOWER AND TOP

Made with continuous roll formed fighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
LOWER			
300-C191734	191734C1	Lower Return Auger 62-1/2" Long, 1" Shaft Diameter. Uses Bearing RA100RRB	1440, 1460, 1640, 1660
300-C144028	144028A2	Lower Return Auger 85-1/2" Long, 1-1/4" Shaft Diameter. Uses Bearing RA103RRB2 (2)	2188, 2388, 2588
300-C192549	192549C2	Lower Return Auger 85-1/2" Long, 1-1/8" Shaft Diameter. Uses Bearing RA102RRB (2)	1480, 1482, 1680, 1682, 1688
300-C87379140	87379140, 192563C1	Top Return Auger, 37-5/8" Long	1480, 1482, 1680, 1682, 1688, 2188, 2388, 2588, 5088, 6088, 7088
TOP			
300-C193225	193225C1	Top Return Auger, 35-1/4" Long	1440, 1460, 1640, 1660, 1666, 2144, 2166, 2344, 2366

AUGER – DISTRIBUTION, PAN AND COMPONENTS

Made with continuous roll formed fighting for accuracy and durability.



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1308541	1308541C1	Distribution Auger 78-1/4" Long, 7/8" Hex Shaft Right Hand Flighting	1420 ASN 5501, 1440 ASN 30001, 1460 ASN 32001, 1470 ASN 10001, 1480 ASN 34001, 1482 ASN 10001, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C193398	193398C1	Distribution Auger 78" Long, 1-1/8" Hex Shaft Right Hand Flighting	1420 BSN 5500, 1440 BSN 30000, 1460 BSN 32000, 1470 BSN 10000, 1480 BSN 34000, 1482 BSN 10000
300-C193414	193414C2, 94626	Shoe Auger Board, One Board Required Per Auger	1420, 1440, 1460, 1470, 1480, 1482, 1620, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588
PAN & COMPONENTS			
300-C191645	191645C6	Distribution Pan	1480, 1680, 1688, 2188, 2388, 2588
300-C1345014	1345014C3	Front Panel	1480, 1680, 1688, 2188, 2388, 2588
300-C185068	185068C1	Clean Out Door 5 Required	1480, 1680, 1688, 2188, 2388, 2588

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



Aftermarket

COMBINE PARTS FOR CASE IH

AUGER – GRAIN DELIVERY LEVELING

Made with continuous roll formed flighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1319710	1319710C1	Grain Delivery Leveling Auger Horizontal, 81.188" Long. Uses Bearing RA102RRB (2)	1440 ASN 50001, 1460 ASN 52001
300-C162103	162103C91	Slide-on Short Auxiliary Flight, 11.5"	1440 ASN 50001, 1460 ASN 52001, 1480, 1482 ASN 54001
300-C1319709	1319709C1	Grain Delivery Leveling Auger 79.375" Long, 1" Shaft Diameter Both Ends. Uses Bearing RA102RRB (2)	1480, 1482 ASN 54001
300-C1968853	1968853C1, 249275A2	Grain Delivery Leveling Auger Inclined, Standard Flight, 47.25" Long. Uses Bearing RA106RRB	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388
300-C222801	222801A4, 320724A3	Grain Delivery Leveling Auger Inclined, Hard Chromed Flight, 47.25" Long. Uses Bearings RA100RRB & RA106RRB	
300-C320724	320724A3	Grain Delivery Leveling Auger Inclined, Split Flighting, Hardened, Notched for Sensor	1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 -AFS
300-C87733275	87733275	Inclined Delivery Auger	7010, 8010



AUGER – VERTICAL UNLOADING

Made with continuous roll formed flighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C132434	132434C1	Vertical Unloading Auger Double Flight Auger, 50-1/4" Long, 1-1/2" Square Bottom Hub, 1-3/8" Round Top Hub. For Older Open Gear Box	1440, 1460, 1480, 1640 BSN 97102, 1660 BSN 102896, 1680 BSN 115351
300-C1347341	1347341C1	Vertical Unloading Auger 50-1/2" Long, 1-3/8" Bottom Spline, 1-3/8" Round Top Hub. *Fits Early Models That Have Been Retrofitted or Updated with Enclosed Gear Box.	1440*, 1460*, 1480*, 1640*, 1660*, 1680*
300-C1347389	1347389C1	Vertical Unloading Auger 50" Long, Single Flighting Auger Splined Top and Bottom. Ref. OEM No. 87325666	1640 ASN 97103, 1644, 1660 ASN 102897, 1666, 1680 ASN 115352, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C192835	192835C1	Vertical Unloading Auger Single Flight Auger, 50-1/2" Long, 1-1/2" Square Bottom Hub, 1-3/8" Round Top Hub. For Older Open Gear Box	1440, 1460, 1480, 1640 BSN 97102, 1660 BSN 102896, 1680 BSN 115351



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**




Aftermarket

COMBINE PARTS FOR CASE IH

AUGER – HORIZONTAL UNLOADING AND TUBES

Made with continuous roll formed flighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C192845	192845C2	Standard Auger 147", 1-Piece Setup	1420, 1440, 1460, 1470, 1480, 1482
300-C195342	195342C1	Rear Auger Tube 87". Uses Bearing RA103RRB2	
300-C192089	192089C1	Front Auger Tube 85.5". Uses Bearing RA103RRB2	1460, 1470, 1480, 1482
300-C1317935	1317935C1	Auger 172", 1-Piece Setup, Type 182.125". Uses Bearing RA103RRB2	1460, 1470, 1480, 1482, 1600 Series - Early, Smooth Hole
300-C1347499	1347499C1	Auger 172", 1 Piece Setup, Type 182.875"	1600 Series - Late, Splined Hole
300-C13177381	1317738C1	Front Auger Tube 90"	1600 Series - Early, Smooth Hole
300-C13177832	1317783C2	Rear Auger Tube 82.5"	
300-C1317680	1317680C2	Rear Auger Tube 88"	1640, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 - Late
300-C1317783	1317783C2	Rear Auger Tube 82.5"	1640, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 - Late, Splined Hole
300-C87598258	87598258	Auger Elbow	1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388
300-C1347351	1347351C2	Unloading Auger Gearbox	
300-C1317680	1317680C2	Rear Auger 88"	1640, 1660, 1680 - Early
300-C1317891	1317891C1	Front Auger 96.187" Smooth	
300-C1317899	1317899C3	Rear Auger Tube 118"	1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 - Late
300-C198987	198987A2	Front Auger 92" Splined	
300-C199023	199023A2	Rear Auger 125.5"	
300-C220040	220040A2	Auger Hex Shaft 2-Piece Setup, 172" and 208" Overall Length	
300-C1317738	1317738C1	Front Auger Tube 90"	1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 - Late, Splined Hole
300-C13178993	1317899C3-3	Outer Auger Tube	1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2588
300-C199023	199023A2-3	Rear Auger 248" Overall, 1-Piece Extender Setup. Tube and Auger Must Be Used Together	
300-C84447941	84447941	Auger	5088, 6088, 7088



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
**COMBINE PARTS
 FOR CASE IH**





AUGER – GRAIN TANK BOTTOM AND EXTENSION KITS

Augers are made with continuous roll formed flighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
BOTTOM TANK AUGER			
300-C192784	192784C3	Grain Tank Bottom Auger - 9 ft. Uses Bearing RA100RRB	1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388
300-C390556	390556A1	Grain Tank Bottom Auger Extended Wear	
EXTENSION KITS			
300-C3EXT	—	Extension Kit 3 ft., Will Increase Clearances for Larger Platforms and Grain Cars. Includes Spring Loaded Grain Saver.	1420, 1440, 1460, 1480, 1620, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388
300-C27184	—	Unloading Auger Tube Support Sleeve	

STRAW SPREADER AND WALKER COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C192242	192242C4	Spreader Shaft Horizontal, 47.5", 0.875" Hex	1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366
300-C192241	192241C4	Spreader Shaft Horizontal, 58", 0.875" Hex	
300-C192240	192240C1	Spreader Shaft Vertical, 10.625", 0.875" Hex	1480, 1482, 1680, 1682, 1688, 2188, 2388
300-C192240	192240C1	Spreader Shaft Vertical, 10.625", 0.875" Hex	1420, 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1688
300-C568626	568626R1	Straw Walker Crankshaft, Replaces Front or Rear Crankshaft	715




GRAIN PANS AND COMPONENTS

Grain pans are heavier than OEM and
galvanized to prevent rusting.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C175078	175078C1	Grain Pan Front Door, Short	915 ASN 3180
300-C192056	192056C1	Grain Pan	1440, 1460, 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366
300-C192057	192057C1	Grain Pan	1480, 1680, 1688, 2188, 2388

COMBINE PARTS FOR CASE IH



CHAFFERS LONG AND SHORT FINGER TOP

Short Finger Chaffers – Adjustable with 1-1/8" Wire Spacing, for Use in Cereal and Fine Seed Crops.

Long Finger Chaffers – Adjustable with 1-5/8" Wire Spacing, Best for Large Seed Crops Such as Corn and Beans

PART NO.	REPLACES	DESCRIPTION	APPLICATION
LONG FINGER TOP			
300-C1330686	1330686C1	L-F-T Chaffer 45" x 61.88"	915 ASN 3180, 1440, 1460, 1470, 1640, 1660
300-C1330689	1330689C3	L-F-T Chaffer Short Shoe, 60" x 61.88"	1480, 1482, 1680, 1682
300-C1957314	1957314C7	L-F-T Chaffer Long Shoe, 45" x 74.88"	1644, 1666, 2144, 2166, 2344, 2366
300-C1322659	1322659C5	L-F-T Chaffer Long Shoe, 60" x 74.88"	1680, 1682, 1688, 2188, 2388, 2588
300-C87109834	87109834	L-F-T Chaffer	8010, 8120, 9120
300-C87109826	98109826	L-F-T Chaffer Precleaner	8010, 8120, 9120
SHORT FINGER TOP			
300-C1330684	1330684C2	S-F-T Chaffer 45" x 61.88"	915 ASN 3180, 1440, 1460, 1470, 1640, 1660
300-C1330687	1330687C3	S-F-T Chaffer Short Shoe, 60" x 61.88"	1480, 1482, 1680, 1682
300-C1322467	1322467C5	S-F-T Chaffer Long Shoe, 60" x 74.88"	1680, 1682, 1688, 2188, 2388, 2588
300-C1322673	1322673C5	S-F-T Chaffer Long Shoe, Wide Spaced, 1-5/8", 60" x 74.88"	1680, 1688, 2188, 2388, 2588
300-C87109830	87109830	S-F-T Chaffer	8010, 8120, 9120
300-C87109817	87109817	S-F-T Chaffer Precleaner	8010, 8120, 9120



SIEVES – BLUNT FINGER BOTTOM

Adjustable with 1-1/8" Wire Spacing, Best Used with Cereal and Fine Seed Grains

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1346914	1346914C2	Blunt Finger Bottom Sieve 45.75" x 51.5"	915 ASN 3180, 1440, 1460, 1470, 1640, 1660
300-C1325323	1325323C5	Blunt Finger Bottom Sieve Long Shoe, 45.75" x 65"	1644, 1666, 2144, 2166, 2344, 2366
300-C1346915	1346915C3	Blunt Finger Bottom Sieve Short Shoe, 60.75" x 51.5"	1480, 1482, 1680, 1682
300-C1322464	1322464C6	Blunt Finger Bottom Sieve Long Shoe, 60.75" x 65"	1680, 1682, 1688, 2188, 2388, 2588
300-C87109846	87109846	Blunt Finger Bottom Sieve	8010, 8120, 9120
300-C87109850	87109850	Long Finger Bottom Sieve	8010, 8120, 9120



Aftermarket COMBINE PARTS FOR CASE IH



COMBINE COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
HEADER DRIVE SHAFTS & LIFT CYLINDER			
300-C176571	176571C1, 195560C2	Header Drive Shaft 70" Long, 1.375" Diameter	715, 815, 915, 1440, 1460, 1480
300-C1319483	1319483C2	Header Drive Shaft 70.06" Long, 1.5" Diameter	1640, 1644, 1660, 1666, 1680, 1688, 2166 BSN 182025, 2188
300-C251807	251807A2	Header Lift Cylinder 2-7/8" Diameter, 22-15/16" Stroke	2144, 2166, 2188, 2344, 2366, 2377, 2388, 2588
HYDRAULIC PUMP DRIVE HUB			
300-C196482	196482C2	Auxiliary Hydraulic Pump Drive Hub	All Rotary Machines: 1420 - 2588



Lift Cylinder

WOBBLE BOX AND COMPONENTS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C138775	138775A1	Wobble Box Pulley	Grain Headers: 1010 ASN JJC0200001, 1020 ASN JJC0215001-JJC0227000 & ASN JJC0315001
300-C133157	133157A3	Wobble Box Assembly	Grain Headers: 1010 ASN JJC0300001, 1020 ASN JJC0315001
300-C87450157	87450157	Wobble Box Pivot	1020 Header
300-C129719	129719A2	Wobble Box Lower Tray, Reference OEM No. 87450181	1010 Header
300-C126316	126316A1	Wobble Box Support Plate	1010 Header
300-C125450	125450A1	Wobble Box Support	1010 Header
300-C87450167	87450167	Wobble Box Pivot Support	1020 Grain Header - Late

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket COMBINE PARTS FOR CASE IH



ROW CROP DIVIDERS

Eliminate costly grain loss from knocked down plants. Change from short to long dividers in minutes.
Safer transportation and easy storage. Sectional design allows you to replace only the damaged piece
which saves you time and money.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C1316060	1316060C3	OEM Style Divider, Left Hand	Fits all 1020 Headers
300-C1316061	1316061C1	OEM Style Divider, Right Hand	Fits all 1020 Headers
300-C1316062	1616062N	Outer Wing Assembly	Fits all 1020 Headers
300-CD250	—	Short Divider Tip	800 Series Flex Heads
300-CD400IH	—	Complete Set of Dividers, Long. Includes 1 ea. Rear Dividers CD100IH-RH & LH, 2 ea. CD300 Bar, 2 ea. CD200 Front Wing Divider	800 Series Flex Heads
300-CD500IH	—	Complete Set of Dividers, Short. Includes 1 ea. Rear Dividers CD100IH-RH & LH, 2 ea. CD300 Bar, 2 ea. CD250 Short Divider Tip	800 Series Flex Heads


AXLE CENTER TUBES

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-CT45	—	Center Tube 56" Long for 92" to 122" Rear Axle, 4.5" Hole Spacing	All Rotary Combines -H.D. Axle
300-CT50	—	Center Tube 56" Long for 92" to 122" Rear Axle, 5" Hole Spacing	All Rotary Combines -H.D. Axle
300-C1968991	1968991C1	Center Tube 63.5" Long, Space Back 3.25", Use with 108" to 144" Axles	1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2388 Single Cylinder
300-C186599	186599C94	Axle Pivot	1440, 1460, 1480, 1640, 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket
COMBINE PARTS FOR CASE IH



STEPS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-C97050	97050C3	Steel Step Replaces OEM Aluminum Die-cast Middle and Lower Steps	2144, 2166, 2188, 2344, 2366 BSN 0256605, 2388 BSN 0275338

Crop Rotor Bar

PART NO.	DESCRIPTION
310-CP66	Chrome Alloy Specialty Crop Rotor Bar with Spike for Models 1420, 1440, 1460, 1480, 1620, 1640, 1660, 1680, 1666, 1644, 1688, 2144, 2166 and 2188. Includes bolt. Replaces 1309336C1



CORNHEAD AUGER AND ROW UNIT COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
AUGER			
300-C199694	199694C4	Cornhead Auger	900 or 1000 Series 6-Row 30"
ROW UNIT COMPONENTS			
300-C199382	199382C1	Right Hand Deck Plate	900 & 1000 Series
300-C199381	199381C1	Left HandH Deck Plate	900 & 1000 Series
300-C27155	—	Chain Kit, Includes Drive Gear and Non-Greaseable Idler	900 & 1000 Series
300-C27156	—	Chain Kit, Includes Drive Gear and Greaseable Idler	900 & 1000 Series

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket

COMBINE PARTS FOR JOHN DEERE

HYDROSTAT OUTPUT SHAFT

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D81605	H81605	Hydro Output Shaft for Sunstrand Units, 11.66" Long, 1.48" Diameter, 19/26 Splines	6600, 7700, Forage Harvesters (5200, 5400, 5440, 5460 BSN 425000)



TRANSMISSION INPUT SHAFT

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D109692	AH109692	Transmission Input Shaft	6620, 7720, 8820 - Hydrostatic Drive

BRAKES AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D85887	H85887	Brake Drum	6600 ASN 105891, 6620, 7700 ASN 111901, 7720, 8820, Forage Harvesters (5200, 5400 ASN 160000), 5440, 5460, 5720, 5730, 5820, 5830



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket
COMBINE PARTS FOR JOHN DEERE®

FINAL DRIVES AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D201792	H201792	Axle Spindle Regular Duty	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9560STS, 9650CTS, 9660CTS, CTS, CTS-II, Forage Harvesters: 7200, 7300, 7400, 7500, 7700, 7800
300-D276475	N276475	Final Drive Housing, Inner, Left Hand	9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, 9660STS, 9760STS, CTS, CTS-II, Cotton Pickers 9970, 9976
300-D276474	N276474	Final Drive Housing, Inner, Right Hand	9400, 9410, 9450, 9500, 9510, 9510SH, 9550, 9550SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS, 9660STS, 9760STS, CTS, CTS-II, Cotton Pickers 9970, 9976
300-D133092	H133092	Final Drive Housing, Outer	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9560STS, 9650CTS, 9660CTS, CTS, CTS-II, Forage Harvesters 7200, 7300, 7400, 7500, 7700, 7800
300-D167723	H167723	Gear, 95-Tooth	9400, 9410, 9450, 9500, 9510, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9640, 9650CTS, 9650STS, 9660, 9660CTS, 9680, 9660STS, 9750STS, 9760STS, 9860STS, S660, S670, S680, S690, Forage Harvesters 6650, 6750, 6850, 6950, 7200, 7300, 7400, 7500, 7700, 7800, Cotton Pickers 9970, 9976, 9986, 9996
300-D157014	H157014	Pinion Shaft	9400, 9410, 9500, 9510, 9600, 9610, CTS-II, Cotton Pickers 9965, 9970, 9976
300-D114203	H114203	Pinion Shaft 10-Tooth, 8.32" Long for Use In 10:82 and 10:95 Final Drives	6600, 6620, 7700, 7720
300-D85817	H85817	Pinion Shaft 11-Tooth, 8.32" Long for Use In 11:104 and 11:90 Big Pinion Final Drives	6600, 6620, 7700, 7720
300-D168899	H168899	Pinion, 10-Tooth	9450, 9550(SH), 9560SH, 9560STS, 9650, 9650CTS, 9660, 9660CTS, 9970 ASN 6001, 9976 ASN 6001, 9986
300-D129854	H129854	Spindle Nut, Slotted	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9560STS, 9650CTS, 9660CTS, CTS, CTS-II, Forage Harvesters 7200, 7300, 7400, 7500, 7700, 7800



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket
COMBINE PARTS FOR JOHN DEERE®

AXLE DRIVE SHAFTS AND COUPLERS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D106283	H106283	Axle Drive Shaft Coupler, 4" Long, 23 Splines	6600, 6620, 7700, 7720, 8820, Forage Harvesters 5440, 5460, 5720, 5820
300-D123627	H123627	Axle Drive Shaft, 11.44" Long, 23 Splines for Units with Wide Spacers, Dual Wheels or Planetary Final Drives	7720 ASN 602386
300-D123613	H123613	Axle Drive Shaft, 14.94" Long, 23 Splines	6600 ASN 105891 Belt Drive Tran. RH or LH, 6620 Posi-Torq Tran. RH or LH, 7700 ASN 111901 Posi-Torq Tran. LH Only, 7720 Posi-Torq Tran. LH Only
300-123630	H123630	Axle Drive Shaft, 15.75" Long, 23 Splines for Units with 16" Axle Extensions	6600, 6620, 7700, 7720
300-D123623	H123619	Axle Drive Shaft, 18.81" Long, 23 Splines, Left Hand	8820
300-D123614	H123614	Axle Drive Shaft, 19.875" Long, 23 Splines, Right Hand	7700 ASN 111901, 7720 - Hydro Transmissions
300-D123612	H123612	Axle Drive Shaft, 20.81" Long, 23 Splines, Left Hand	6600 ASN 105981, 6620, 7700 ASN 111901, 7720 - Hydro Transmissions
300-D123611	H123611	Axle Drive Shaft, 25.81" Long, 23 Splines, Right Hand	7700 ASN 602386, 7720 - Belt Drive Transmissions
300-D123624	H123624	Axle Drive Shaft, 30.69" Long, 23 Splines, Right Hand	8820
300-D123626	H123626	Axle Drive Shaft, 6.56" Long, 23 Splines for Units with Wide Spacers, Dual Wheels or Planetary Final Drives	8820
300-D123629	H123627	Axle Drive Shaft, 7.75" Long, 23 Splines for Units with 8" Axle Extensions	6600, 6620, 7700, 7720
300-D123619	H123619	Axle Drive Shaft, 9" Long, 23 Splines, Right Hand	6600 ASN 105891, 6620 - Hydro Transmissions




Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
COMBINE PARTS
FOR JOHN DEERE®




FEEDERHOUSE CHAINS

Feederhouse Chains use high-quality materials to meet or exceed OEM specifications. Our T-Slats are the same material as OEM and are mounted in the middle of the links. Slats are mounted using grade 5 plated bolts and locknuts for easy replacement. Chains feature full side plates and high-strength steel for added durability. Chain kits will ship UPS.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D123532	AH123532	FH Chain, 87 Links, T-Slat, Closed Spaced, Slats Every 2nd Link, 3 Chain Asby.	4400, 4420
300-D116711	AH116711	FH Chain, 87 Links, T-Slat, Wide Spaced, Slats Every 2nd and 4th Link, 3 Chain Asby.	
300-D123450	AH123450	FH Chain, 87 Links, T-Slat, Closed Spaced, Slats Every 2nd Link, 3 Chain Asby.	6600, 6620, 6620 Titan-II
300-D116713	AH116716	FH Chain, 87 Links, T-Slat, Wide Spaced, Slats Every 2nd and 4th Link, 3 Chain Asby.	
300-D116714	AH116714	FH Chain, 104 Links, T-Slat, Wide Spaced, Slats Every 2nd and 4th Link, 3 Chain Asby.	
300-D28003	—	FH Chain, 87 Links, T-Slat, Extra Wide Spaced, Slats Every 4th Link, 3 Chain Asby.	
300-D123451	AH123451	FH Chain, 87 Links, T-Slat, Closed Spaced, Slats Every 2nd Link, 3 Chain Asby.	7700, 7701, 7720, 7720 Titan-II, 7721
300-D116716	AH116716	FH Chain, 87 Links, T-Slat, Wide Spaced, Slats Every 2nd and 4th Link, 3 Chain Asby.	
300-D123536	AH123536	FH Chain, 102 Links, T-Slat, Closed Spaced, Slats Every 2nd Link, 3 Chain Asby.	
300-D116717	AH116717	FH Chain, 102 Links, T-Slat, Wide Spaced, Slats Every 2nd and 4th Link, 3 Chain Asby.	
300-D28002	—	FH Chain, 87 Links, T-Slat, Extra Wide Spaced, Slats Every 4th Link, 3 Chain Asby.	
300-D116718	AH116718	FH Chain, 86 Links, T-Slat, Wide Spaced, Slats Every 2nd and 4th Link, 4 Chain Asby.	8820, 8820 Titan-II
300-D123452	AH123452	FH Chain, 86 links, T-Slat, Closed Spaced, Slats Ever 2nd Link, 4 Chain Asby.	
300-D116719	AH116719	FH Chain, 128 Links, T-Slat, Wide Spaced, Slats Every 2nd and 4th Link, 4 Chain Asby.	
300-D123537	AH123537	FH Chain, 128 Links, T-Slat, Closed Spaced, Slats Every 2nd Link, 4 Chain Asby.	
300-D138187	AH138187	FH Chain, 101 Links, T-Slat, Wide Spaced, Chrome Pins, Slats Every 2nd and 4th Link, 3 Chain Asby.	9400, 9500, 9450, 9550, 9410, 9510, CTS, CTS-II
300-D137845	AH137845	FH Chain, 101 Links, T-Slat, Closed Spaced, Chrome Pins, Slats Every 2nd Link, 3 Chain Asby.	
300-D28039	AH138187	FH Chain 101 Links, T-Slat, Wide Spaced, Chrome Pins, Slats Every 2nd and 4th Link, 3 Chain Asby., 557 Chain, HD Version of AH138187	



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**



Aftermarket
**COMBINE PARTS
 FOR JOHN DEERE®**

FEEDERHOUSE CHAINS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D207778	AH207778	FH Chain, 101 Links, T-Slat, Wide Spaced, Chrome Pins, Slats Every 2nd and 4th Link, 4 Chain Asby.	9600, 9610, 9650
300-D137844	AH137844	FH Chain, 101 Links, T-Slat, Closed Spaced, Chrome Pins, Slats Every 2nd Link, 4 Chain Asby.	
300-D28009	—	FH Chain, 101 Links, T-Slat, Wide Spaced, Chrome Pins, Slats Every 2nd and 4th Link, 4 Chain Asby., 557 chain	
300-D28007	—	FH Chain, 101 Links, T-Slat, Extra Wide Spaced, Slats Every 4th Link, 4 Chain Asby.	
300-D28006	—	FH Chain, 101 Links, T-Slat, Extra Wide Spaced, Slats Every 4th Link, 3 Chain Asby.	9400, 9410, 9450, 9500, 9510, 9550, CTS, CTS-II, 9650STS, 9750STS
300-D219918	AH219918	FH Chain, 89 Links, T-Slat, Chrome Pins, Slats Every 2nd and 4th Link, 3 Chain Asby., CA557 Chain, 18-3/8" C to C	9560STS, 9570STS
300-D217633	AH217633	FH Chain, 89 Links, T-Slat, Chrome Pins, Slats Every 2nd and 4th Link, 3 Chain Asby., CA557 Chain, 23-3/4" C to C	9650STS, 9660STS, 9750STS, 9760STS, 9860STS

FEEDERHOUSE CHAIN SPROCKETS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D121435	H121435	Feederhouse Chain Sprocket 10-Tooth, 1.5" Hex	3300, 4400, 6600, 7700
300-D118583	H118583	Feederhouse Chain Sprocket 10-Tooth, 1.75" Hex	6620, 6621, 7720, 7721, 8820, 9400 ASN 641501, 9500 ASN 643901, 9600 ASN 645301, CTS
300-D159613	H159613	Feederhouse Chain Sprocket, Outside, 10-Tooth, 2.25" Round	9410, 9450, 9510, 9550, 9560, 9610*, 9650*, 9660*, CTS-II, 9650CTS, 9660CTS
300-D159614	H159614	Feederhouse Chain Sprocket, Inside, 10-Tooth, 2.25" Round. (*2 Required)	
300-D159615	H159615	Feederhouse Chain Sprocket, Outside, 13-Tooth, 2.25" Round, 2 Required	9650STS, 9660STS, 9750STS, 960STS, 9860STS
300-D159616	H159616	Feederhouse Chain Sprocket, Inside, 13-Tooth, 2.25" Round, 1 Required	



WE SUPPLY SUCCESS


WWW.SMALINK.COM

Aftermarket
COMBINE PARTS
FOR JOHN DEERE®



FEEDERHOUSE DRUMS AND SHAFTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D142394	AH142394	Feederhouse Drum	9400, 9410, 9450, 9500, 9510, 9550, 9650CTS, 9650STS, 9750STS, CTS, CTS-II S/N 675101-679050
300-D142393	AH142393	Feederhouse Drum	9600, 9610, 9650
300-D98558	H98558	Feederhouse Drum Shaft	8820
300-D77755	H77755	Feederhouse Drum Shaft	7700, 7701, 7720, 7721
300-D76631	H76631	Feederhouse Drum Shaft	6600, 6620, 6621
300-D123733	H123733	Feederhouse Drum Shaft	9600, 9610, 9650
300-D123734	H123734	Feederhouse Drum Shaft	9400, 9410, 9450, 9500, 9510, 9550, 9650CTS, 9650STS, 9750STS, CTS, CTS-II S/N 675101-679050
300-D113408	H113408	Feederhouse Drum Shaft, 52.375" Long	6620 ASN 551901
300-D113407	H113407	Upper Feederhouse Shaft, 63.875" Long	7720 ASN 556301, 7722
300-D86089	H86089	Upper Feederhouse Shaft, 63.375" Long	7700, 7720 BSN 556300
300-D98560	H98560	Upper Feederhouse Shaft, 74.69" Long	8820 BSN 564100



FEEDERHOUSE FLOOR SHEETS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D137733	AH137733	Feederhouse Sheets Bottom Floor	9400 ASN 640101, 9500 ASN 640201
300-D137732	AH137732	Feederhouse Sheets Bottom Floor	9600, 9610
300-D96439	AH96439	Feederhouse Sheets Lower Front Bottom	8820
300-D88598	AH88598	Feederhouse Sheets Lower Front Bottom	6600 ASN 5305, 6620 (Except Side Hill)
300-D88599	AH88599	Feederhouse Sheets Lower Front Bottom	7700 ASN 3642, 7720
300-D124954	AH124954	Feederhouse Sheets Regular Length, 43-1/2" x 37"	7720
300-D96541	AH96541	Feederhouse Sheets Upper Back Bottom Regular Length	8820
300-D83620	AH83620	Feederhouse Sheets Upper Back Bottom Regular Length	7700, 7720
300-D83618	AH83618	Feederhouse Sheets Upper Back Bottom Regular Length	6600, 6620 (Except Side Hill)




To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket
COMBINE PARTS
FOR JOHN DEERE®

FEEDERHOUSE COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D126091	AH126091	Drum Shaft Arm	9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, CTS, CTS-II
300-D116698	AH116698, AH79728	Drum Shaft Arm	3300, 4400, 4420, 6600, 6620, 7700, 7720, 8820
300-D173903	H173903	Feederhouse Seal	9600, 9610, 9650
300-D173904	H173904, H170737, H169170, H131452	Feederhouse Seal	9400, 9410, 9450, 9500, 9501, 9510, 9510SH, 9550, 9550SH, 9650, 9650STS, 9750STS, CTS, CTS-II SN 675101-679050
300-D97643	AH97643	Feederhouse Shaft, Lower, 91.44" Long	8820, 9600, 9610
300-D123633	H123633	Front Shield	9400, 9410, 9450, 9500, 9510, 9550, 9650CTS, 9650STS, 9750STS, CTS, CTS-II SN 675101-679050
300-D123632	H123632	Front Shield	9600, 9610
300-D144051	H144051	Front Wear Plate	9600 ASN 640301, 9610, 9650
300-D143456	H143456	Front Wear Plate	9400 SN 635243-640100, 9500 (Rice), 9550 (Rice), 9650CTS (Rice), CTS
300-D144052	H144052	Front Wear Plate	9400 ASN 640101, 9410, 9450, 9500, 9510, 9550, CTS, CTS-II SN 675101-679050
300-D143455	H143455	Front Wear Plate	9600 SN 635520-640300
300-D206297	AH206297	Shield, Left Hand Drive	9560STS, 9660STS, 9760STS, 9860STS
300-D205822	H205822	Shield, Left Hand Drive	9560STS, 9660STS, 9760STS, 9860STS
300-D156376	AH156376	Shield, Left Hand Feederhouse Drive	9600, 9610
300-D167067	AH167067	Shield, Right Hand Drive	9560STS, 9660STS, 9760STS, 9860STS
300-D206543	H206543	Shield, Right Hand Drive	9560STS, 9660STS, 9760STS, 9860STS
300-D130894	AH130894	Shield, Right Hand Feederhouse Drive	9400 BSN 640100, 9500 BSN 640200, 9501 BSN 640400, 9600 BSN 640300
300-D157112	H157112	Wear Plate	9650STS, 9750STS - Contour Master
300-D171372	H171372	Wear Plate Heavier Gaug than OEM	9560, 9560STS, 9660CTS, 9660STS



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
COMBINE PARTS
FOR JOHN DEERE®



FEED REVERSER ASSEMBLIES AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D166216	H166216	Planetary Input Gear with Oil Lube Spots	6620, 6620SH, 6622, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, CTS, CTS-II
300-D168994	H168994	Planetary Gear, 3 Required	6620, 6620SH, 6622, 7720, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9560SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS, CTS, CTS-II
300-D106073	H106073	Reverser Gearbox Gear	6620, 6622, 7700, 7722, 8820, 9400, 9410, 9450, 9500, 9501, 9510, 9550, 9600, 9610, 9650, 9650CTS, CTS, CTS-II

CYLINDER BAR KITS

All bars are carefully checked and sets are matched for equal weight distribution on the cylinder. Grade 8 fasteners are supplied with most models.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D134144	AH134144	Cylinder Bar Kit, Chrome	9400, 9500, 9450, 9550, 9410, 9510, CTS, CTS-II, 9650CTS - 2 Rows of Holes
300-D205120	AH205120	Cylinder Bar Kit, Chrome	
300-D161390	AH161390	Cylinder Bar Kit, Chrome	9600, 9610, 9650, 9660 - 1 Row of Holes
300-D134142	AH134142	Cylinder Bar Kit, Chrome	9600, 9610, 9650, 9660 - 2 Rows of Holes
300-D126545	AH126545	Cylinder Bar Kit, Chrome	6600, 6620 - Titans
300-D132978	AH132978	Cylinder Bar Kit, Chrome	7700, 7720 - Titans
300-D132982	AH132982	Cylinder Bar Kit, Chrome	8820 - Titans
300-D161398	AH161398	Cylinder Bar Kit, Hardened	9600, 9610, 9650, 9660 - 1 Row of Holes
300-D139430	AH139430	Cylinder Bar Kit, Hardened	9600, 9610, 9650, 9660 - 2 Rows of Holes
300-D205118	AH205118	Cylinder Bar Kit, Hardened	9400, 9410, 9450, 9500, 9510, 9550, 9560, CTS, CTS-II, 9650CTS, 9660CTS - 1 Row of Holes
300-D75104	AH75104	Cylinder Bar Kit, Hardened	6600, 6620 - Titans
300-D132976	AH132976	Cylinder Bar Kit, Hardened	7700, 7720 - Titans
300-D132980	AH132980	Cylinder Bar Kit, Hardened	8820 - Titans
300-D139432	AH139432	Cylinder Bar Kit, Hardened	9400, 9500, 9450, 9550, 9410, 9510, CTS, CTS-II, 9650CTS - 2 Rows of Holes



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket
**COMBINE PARTS
 FOR JOHN DEERE®**

ROTOR COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D3	AH3	Front Rotor Flight, Set of 3	9650STS, 9660STS, 9750STS, 9760STS, 9860STS
300-D204534	AH204534	Rear Rotor Flight, Set of 3	9650STS, 9660STS, 9750STS, 9760STS, 9860STS
300-D167739	AH167739	Threshing Element Set of 3. Five Sets Required for Grain/ Corn, 9 Sets Required for Rice	9650STS, 9660STS, 6750STS, 9860STS, 9880STS, S660, S670HM, S680HM, S690HM
300-D208554	AH208554	Separator Tines Set of 3. Eight Sets Required for Grain/Corn, 9 Sets Required for Rice	9650STS, 9660STS, 9750STS, 9860STS, 9880STS, S660, S670HM, S690HM



CONCAVES

Made of heavy-duty high carbon steel cross bars and high carbon steel 1/4" wires. Narrow-spaced rotary concaves feature low wires for more aggressive separation. Holes are drilled to provide a tight wire fit which prevents spearing and trapping of straw .

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D108864	AH108864	Concave, 13 Cross Bars. *Retainer Required When Switching 14 to 13 Bar Concave	6600, 6601 ASN 11501, 6602, 6620*, 6620 Titan-II*, 6621*, 6622
300-D105066	AH105066	Concave, 13 Cross Bars. *H116275 Retainer Required When Switching 14 to 13 Bar Concave	7700, 7701 ASN 8001, 7720*, 7720 Titan-II*, 7721*
300-D113444	AH113444	Concave, 13 Cross Bars	8820*, 8820 Titan-II*
300-D150496	AH150496	Concave, 13 Cross Bars, OEM Style, Short Wire with Wires in First Half of Concave, 27-3/4" Diameter	9600, 9610, 9650, 9660
300-D205254	AH205254	Concave, Narrow Space, Front	9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS, S660, S670, S680, S690. (When installing into a 50 series, the AH210894 latch kit is required)
300-D205255	AH205255	Concave, Narrow Space, Mid/Rear (2 Used)	
300-D205254H	AH205254H	Concave, Narrow Space, Helical, Front	
300-D84226	BH84226	Concave, Round Bar, Set of 3	
300-D205259	AH205259	Concave, Wide Space, Front	
300-D205260	AH205260	Concave, Wide Space, Mid/Rear (2 used)	

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
COMBINE PARTS
FOR JOHN DEERE®


PRIMARY COUNTERSHAFTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D89308	H89308	Primary Countershaft	6600
300-D93647	H93647	Primary Countershaft	6620
300-D89309	H89309	Primary Countershaft	7700
300-D99253	H99253	Primary Countershaft	7720
300-D99739	H99739	Primary Countershaft	8820
300-D122240	AH122240	Primary Countershaft	9600, 9610

SECONDARY COUNTERSHAFTS AND SHEAVES

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D77265	H77265	Secondary Countershaft, 57-1/8" Long	4400, 4420
300-D76277	H76277	Secondary Countershaft, 63.19" Long	6600
300-D76278	H76278	Secondary Countershaft, 74.06" Long	7700
300-D93503	H93503	Inner Sheave. Must Replace Both Inner and Outer Sheaves	6620*, 7720, 8820
300-D100794	H100794	Outer Sheave. Must Replace Both Inner and Outer Sheaves	4400, 4420, 6620*, 7720, 8820

CYLINDER DRIVES VARIABLE SPEED AND SHEAVES



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D84886N	AH84886	Variable Speed Sheave for Primary Countershaft. Includes Two R27899 Bushings	6600, 6601, 6602, 7700, 7701


CLEANING FAN SHAFTS AND SHEAVES

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D127496	AH127496	Separator Fan Drive Sheave	9400, 9500, 9501, 9600, CTS
300-D75597	H75598	Cleaning Fan Shaft, 65-3/8" Long. Use with Old Style Pinned Type Variable Speed Sheave.	7700 BSN 316000

Aftermarket
COMBINE PARTS
FOR JOHN DEERE®
ELEVATOR CHAINS

Elevator chains include rubber paddles attached with plated bolts and nuts and full side plates for added strength.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
CLEAN GRAIN ELEVATOR CHAIN			
300-D87745	AH87745	100 Links, 4-3/4" x 2-1/2", Paddles Every 4th Link, Rubber	3300, 4400, 4420
300-D87747	AH87747	108 Links, 6" x 3", Paddles Every 4th Link, Rubber	4400, 4420, 6600, 6601, 6620, 7700, 7701, 7720, 7721, 8820
300-D134818	AH134818	108 Links, 7-3/8" x 3", Paddles Every 4th Link, Rubber	8820 ASN 464350
300-D29002	—	128 Links, 6" x 3", Paddles Every 4th Link, Rubber	6600, 6601, 6620, 7700, 7701, 7720, 7721, 8820 BSN 464350
300-D162441	AH162441	144 Links, 6" x 4-3/8", Paddles Every 4th Link, Rubber	9400, 9410, 9500, 9510, CTS, CTS-II
300-D162442	AH162442	144 Links, 7-3/4" x 4-1/4", Paddles Every 4th Link, Rubber	9600, 9610
300-D162059	AH162059	144 Links, 8-3/4" x 4-7/8", Paddles Every 4th Link, Rubber.	9450, 9550SH, 9560SH, 9560STS, 9650, 9650STS, 9650CTS, 9660, 9660STS, 9750STS, 9760STS, 9860STS
RETURN GRAIN ELEVATOR CHAIN			
300-D96388	AH96388	144 Links, 4-3/4" x 2-5/8", Paddles Every 6th Link, Rubber	3300, 4400, 4420, 6600, 6601, 6620 BSN 610300, 7700, 7701, 7720 BSN 610500
300-D98032	AH98032	144 Links, 6" x 3", Paddles Every 6th Link, Rubber	6620 ASN 610300, 7720 ASN 610501, 8820
300-D131074	AH131074	151 Links, 6" x 3", Paddles Every 6th Link, Rubber	9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, CTS, CTS-II
300-D148021	AH148021	155 Links, 5-7/8" x 3", Paddles Every 6th Link, Rubber	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
COMBINE PARTS
FOR JOHN DEERE®

ELEVATOR CHAIN SPROCKETS


To extend the life of your chain assemblies, always replace the sprockets when installing a new chain



PART NO.	REPLACES	DESCRIPTION	APPLICATION
CLEAN GRAIN ELEVATOR CHAIN SPROCKET			
300-D91334	H91334	Lower 8-Tooth, 1.25" Shaft	6600 ASN 3701, 6620, 7700 ASN 2801, 7701, 7720, 7721, 8820
300-D63578	H63578	Lower, 7-Tooth, 1" Shaft	3300, 4400, 4420
300-D133143	H133143	Lower, 8-Tooth, 35mm Shaft	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9560 STS, 9600, 9610, 9650, 9650 CTS, 9660, 9660 STS, 9660 CTS, 9650 STS, 9750 STS, 9760 STS, 9860 STS, CTS-II
300-D108576	H108576	Upper, 8-Tooth, 1" Shaft	6600 ASN 3701, 6620, 7700 ASN 2801, 7720, 8820
300-D91334	H91334	Upper, 8-Tooth, 1.25" Shaft	8820 ASN 464351
300-D164796	H164796	Upper, 8-Tooth, 30mm	9450, 9550, 9560, 9560 STS, 9650, 9650STS, 9660, 9660 STS, 9660 CTS, 9750STS, 9760 STS, 9860 CTS
300-D128576	H128576	Upper, 8-Tooth, 30mm Shaft	9400, 9500, 9510, 9600, 9610, CTS, CTS-II
RETURN GRAIN ELEVATOR CHAIN SPROCKET			
300-D63578	H63578	Lower 7-Tooth, 1" Shaft	3300, 4400, 4420, 6600, 7700
300-D134603	H134603	Lower 8-Tooth, 1" Hex	9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, CTS
300-D108576	H108576	Lower 8-Tooth, 1" Shaft	8820
300-D133143	H133143	Lower 8-Tooth, 35mm Shaft	9560 STS, 9650 STS, 9660 STS, 9750 STS, 9760 STS, 9860 STS
300-D99472	H99472	Lower, 7-Tooth, 1.25" Shaft	6620, 6622, 7720, 7721
300-D63578	H63578	Upper 7-Tooth, 1" Shaft	3300, 4400, 4420, 6600 ASN 3701, 6620 BSN 610300, 7700 ASN 2801, 7720 BSN 610500
300-D108576	H108576	Upper 8-Tooth, 1" Shaft	6620 ASN 610301, 7720 ASN 610501, 8820
300-D128576	H128576	Upper 8-Tooth, 30mm Shaft	9560 STS, 9650STS, 9660 STS, 9750STS, 9760 STS, 9860 STS, CTS, CTS-II
300-D134603	H134603	Upper, 8-Tooth, 1" Hex	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9660CTS, CTS, CTS-II



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**



Aftermarket
COMBINE PARTS
FOR JOHN DEERE®

ELEVATOR HOUSINGS AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D96610	AH96610	Clean Grain Elevator Housing	6600, 6620 (Early), 7700, 7720 (Early)
300-D105850	AH105850	Clean Grain Elevator Housing	8820 ASN 464350
300-D112164	AH112164	Clean Grain Elevator Housing for Early Update. Requires 2 Bearing Plates AH125904.	Update Kit for 6600 & 7700, 6620 ASN 464350, 7720 ASN 556301, 8820 BSN 464350
300-D156596	AH156596	Lower Clean Grain Elevator Housing, Non-Stainless	9600, 9610
300-D156594	AH156594	Lower Clean Grain Elevator Housing, Non-Stainless	9400, 9500, SH9500, 9410, 9510, SH9510, CTS, CTS-II
300-D156597	AH156597	Lower Clean Grain Elevator Housing, Stainless Steel	9600, 9610
300-D156595	AH156595	Lower Clean Grain Elevator Housing, Stainless Steel	9400, 9500, SH9500, 9410, 9510, SH9510, CTS, CTS-II
300-D96371	AH96371	Return Grain Elevator Housing	6600, 6620, 7700, 7720 - Non Titan
300-D169233	AH169233	Return Grain Elevator Housing	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9650 CTS, 9660 CTS, CTS-II
300-D112077	AH112077	Return Grain Elevator Housing	6620 Titan-II, 7720 Titan-II, 8820 Titan-II
300-D130892	AH130892	Solid Door for Return Grain Elevator Housings	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9650 CTS, 9660 CTS, CTS-II
300-D88989	AH88989	Spout	6620, 7700 ASN 163901
300-D97856	AH97856	Spout	7720, 8820 BSN 464350
300-D105498	AH105498	Spout - Upper	8820 ASN 464351
300-D153743	AH153743	Upper Clean Grain Elevator Housing, Non-Stainless	9400, 9410, 9500, 9510, 9510SH, CTS, CTS-II
300-D153741	AH153741	Upper Clean Grain Elevator Housing, Non-Stainless	9600, 9610
300-D153744	AH153744	Upper Clean Grain Elevator Housing, Stainless Steel	9400, 9410, 9500, 9510, 9510SH, CTS, CTS-II
300-D153742	AH153742	Upper Clean Grain Elevator Housing, Stainless Steel	9600, 9610

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS


WWW.SMALINK.COM

Aftermarket
COMBINE PARTS FOR JOHN DEERE®
ELEVATOR HEAD SHAFTS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D82948	H82948	Clean Grain Elevator Head Shaft, 13.13" Long	6600, 6601, 6602, 6620, 6622, 7700, 7720, 7721, 8820 BSN 464350
300-D106314	H106314	Clean Grain Elevator Head Shaft, 13.44" Long	8820 ASN 464351
300-D135713	H135713	Clean Grain Elevator Head Shaft, 12.75" Long	9400, 9410, 9500, 9501, 9510, 9510SH, CTS, CTS-II
300-D135714	H135714	Clean Grain Elevator Head Shaft	9600, 9610

UNLOADING AUGER SWING CYLINDERS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D27187	—	Eyelet Style Kit, Includes Male & Female Cylinder Ends, Cylinder & 2 Nuts.	6620, 7720, 7721, 8820 BSN 600000, 6622 BSN 610400
300-D27186	—	Block Style Kit, Includes Cylinder End, Cylinder & Nut.	6220, 7720, 7721, 8820 ASN 600001, 9400, 9500, 9600, 9610, 9650(CTS), CTS-II

BEATERS AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D209762	H209762	Rear Beater Fin Discharge Beater Wear Plate, Serrated	9650STS, 9660STS, 9750STS, 9760STS, 9860STS
300-D165407	H165407	Feed Accelerator Plate Serrated, Hardened	9560STS, 9570STS, 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS

UNLOADING AUGER COUNTERSHAFTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D130467	AH130467	Auger Countershaft, 76" Long	6620
300-D130468	AH130468	Auger Countershaft, 86.88" Long	7720
300-D86633	AH86633	Unloading Auger Countershaft, 64.66" Long	4400 ASN 110151, 4420
300-D86634	AH86634	Unloading Auger Countershaft, 75.6" Long	6600
300-D86635	AH86635	Unloading Auger Countershaft, 85.41" Long	7700



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

COMBINE PARTS FOR JOHN DEERE®

CLEAN GRAIN ELEVATOR BOOT AND DOOR

Boot kits include inner, outer side boots, front, rear covers, deflector and non-perforated door. Hardware included.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D83511	AH83511	Boot with Solid Door	6600, 7700
300-D93242	AH93242	Boot with Solid Door	6620, 7720, 8820 BSN 464350
300-D77062	AH77062	Door	6600, 6620, 7700, 7720, 8820 BSN 464350
300-D105854	AH105854	Boot with Solid Door	8820 ASN 464351
300-D105855	AH105855	Door	8820 ASN 464351
300-D136484	AH136484	Boot, 3-Bolt Mounting, Solid Door	9400, 9500
300-D136487	AH136487	Boot, 3-Bolt Mounting, Solid Door	9600
300-D149182	AH149182	Boot, 4-Bolt Mounting, Solid Door	9500, 9510
300-D149181	AH149181	Boot, 4-Bolt Mounting, Solid Door	9600, 9610
300-D138426	AH138426	Door	9450, 9550, 9560STS, 9560, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS



AUGERS – LOWER CLEAN GRAIN

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D91468	AH91468	Lower Auger, 72.5" Long. Uses Bearing RA100RRB	6600
300-D91283	AH91283	Lower Auger, 72.75" Long. Uses Bearing RA104RRB	6620
300-D91469	AH91469	Lower Auger, 83" Long. Uses Bearing RA100RRB	7700
300-D107442	AH107442, AH91284	Lower Auger, 83.5" Long. Uses Bearing RA104RRB	7720
300-D107400	AH107400, AH91285	Lower Auger, 94.5" Long. Uses Bearing RA104RRB	8820 BSN 464351
300-D105856	AH105856	Lower Auger, 97.5" Long, for Wide Elevator. Uses Bearing RA104RRB	8820 ASN 464351
300-D141577	AH141577	Lower Auger. Uses Bearing RAE25RRB & RAE30RRB	9400, 9500, 9410, 9510, CTS, CTS-II
300-D162154	AH162154	Lower Auger, 81.25" Long. Uses Bearing RAE25RRB & HC20630MM	9450, 9550, 9550SH, 9560SH, 9650CTS (STS), 9660CTS (STS), 9750STS, 9760STS, 9860STS
300-D218246	AH218246	Lower Auger, 71.56". Uses Bearing RAE25RRB & HC20630MM	9560STS, 9570STS
300-D128733	AH128733	Lower Auger, 7.5" OD x 92.25"	9600
300-D141576	AH141576, AH133374	Lower Auger, 9" OD x 92.25". Uses Bearing RAE25RRB & RAE30RRB	9600, 9610
300-D162153	AH162153	Lower Auger. Uses Bearing RAE25RRB & GE30KRRB	9650W, 9660W
300-D219339	AH219339	Lower Auger. Uses Bearing RAE25RRB	9770STS



Aftermarket
COMBINE PARTS FOR JOHN DEERE®
AUGERS – LOWER RETURN



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D76130	AH76130	Lower Return Auger, 66.5" Long. Uses Bearing RA100RRB	4400, 4420
300-D75836	AH75836	Lower Return Auger, 72.25" Long. Uses Bearing RA100RRB	6600
300-D122335	AH122335	Lower Return Auger, 75.5" Long. Uses Bearing RA104RRB	6620 ASN 610301, 6620 Titan-II
300-D93662	AH93662	Lower Return Auger, 72.75" Long. Uses Bearing RA100RRB	6620 BSN 610301
300-D76092	AH76092	Lower Return Auger, 83" Long. Uses Bearing RA100RRB	7700
300-D122336	AH122336	Lower Return Auger, 86" Long, 1.25" Bearing End Shaft Diameter. Uses Bearing RA104RRB	7720 ASN 610501, 7720 Titan-II
300-D93663	AH93663	Lower Return Auger, 83-1/2" Long, 1" Bearing End. Uses Bearing RA104RRB	7720 BSN 610501
300-D96279	AH96279	Lower Return Auger, 97" Long. Uses Bearing RA104RRB	8820 BSN 610701
300-D146322	AH146322	Lower Return Auger, 95" Long, 1.375" Shaft Diameter. Uses Bearing GRAE30RRB	9400, 9500, 9410, 9510, CTS
300-D147472	AH147472	Lower Return Auger. Uses Bearing RAE25RRB	9560STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS
300-D146313	AH146313	Lower Return Auger, 106" Long, 1.375" Shaft Diameter. Uses Bearing GRAE30RRB	9600, 9610



AUGER TUBES – GRAIN BIN LOADING

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D88983	AH88983	Loading Auger Tube	4400, 4420, 6600
300-D75997	AH75997	Loading Auger Tube	6600 BSN 156501 U-Joint Auger Drive
300-D88982	AH88982	Loading Auger Tube	6620, 7700 ASN 163901
300-D77064	AH77064, AH75997	Loading Auger Tube	7700 BSN 163901 U-Joint Auger Drive
300-D98300	AH98300	Loading Auger Tube	7720, 8820
300-D135444	AH135444	Loading Auger Tube, 22.125"	9400 ASN 640101, 9500 ASN 640201, 9410, 9510, CTS, CTS-II
300-D135445	AH135445	Loading Auger Tube, Stainless Steel	
300-D135439	AH135439	Loading Tube, Upper Auger Support	
300-D131903	AH131903	Loading Auger Tube, 8.75" ID x 23.25" Long	9400 BSN 640100, 9500 BSN 640200
300-D135563	AH135563	Loading Auger Tube, 10.25" ID x 28.25" Long	9600 ASN 640301, 9610
300-D135564	AH135564	Loading Auger Tube, Stainless Steel, 10.25" ID x 28.25" Long	
300-D135558	AH135558	Upper Auger Tube Support	



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**



COMBINE PARTS FOR JOHN DEERE®

AUGERS – GRAIN BIN LOADING

Augers are made with continuous roll formed flighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D90624	AH90624	Loading Auger, 66.125" Long. Uses Bearing 1100KRRB	6600 ASN 156501
300-D127728	AH127728	Loading Auger Single Flight, 72" Long. Uses Bearing 1100KRRB	6620, 7700 ASN 163901
300-D127729	AH127729	Loading Auger Double Flight, 75" Long. Uses Bearing 1100KRRB	7720
300-D127730	AH127730	Loading Auger Double Flight, 76.5" Long. Uses Bearing 1100KRRB	8820
300-D136091	AH136091	Loading Auger, 7.25" OD, 50.5" Long. Uses Bearing GRA103RRB	9400 BSN 640101, 9500 BSN 641201
300-D136092	AH136092	Loading Auger, 8" OD, 57.125" Long. Uses Bearing GRA103RRB	9600 BSN 640301
300-D136635	AH136635	Loading Auger, 8.25" OD, 50.5" Long. Uses Bearing GRA103RRB	9400 ASN 640101, 9410, 9500 ASN 641201, 9510, 9550, CTS, CTS-II
300-D136636	AH136636	Loading Auger, 9.25" OD, 57.125" Long. Uses Bearing GRA103RRB	9600 ASN 640301, 9610
300-D146214	AH146214	Loading Auger, Lower Half of 2-Piece Fold Down. Uses Bearing GRA103RRB	9400, 9410, 9500, 9500SH, 9510, 9510SH, CTS, CTS-II
300-D146509	AH146509	Loading Auger, Upper Half of 2-Piece Fold Down	
300-D146215	AH146215	Loading Auger, Lower Half of 2-Piece Fold Down. Uses Bearing GRA103RRB	9600, 9610
300-D146553	AH146553	Loading Auger, 2-Piece Fold Down. Uses Bearing GRA103RRB	
300-D154330	AH154330	Loading Auger Abrasive Resistant, 55" Long. Uses Bearing GRA103RRB	9450, 9550, 9650, 9650CTS, 9660CTS, 9650STS, 9750STS, 9760STS, 9660STS
300-D205897	AH205897	Loading Auger Hardened, 55" Long. Uses Bearing GRA103RRB	
300-D218485	AH218485	Auger, Uses Bearing GE30KRRB	9670
300-D230013	AH230013	Auger, Uses Bearing GE30KRRB	9770

DISTRIBUTION – AUGER PANS AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D131234	AH131234	Auger Pan, Front	6620
300-D131235	AH131235	Auger Pan, Front	7720
300-D131236	AH131236	Auger Pan, Front	8820



Aftermarket

COMBINE PARTS FOR JOHN DEERE®

AUGERS – DISTRIBUTION

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D95944	AH95944	Distribution Auger, 152.25" Long, Left Hand. Uses Bearing 1100KRRB	6600, 6620, 7700, 7720, 8820
300-D95943	AH95943	Distribution Auger, 152.25" Long, Right Hand. Uses Bearing 1100KRRB	
300-D130425	AH130425	Distribution Auger, 57.5" Long, Left Hand. Uses Bearing 1100KRRB	9400, 9500, 9600, 9410, 9510, 9610, CTS, CTS-II
300-D130424	AH130424	Distribution Auger, 57.5" Long, Right Hand. Uses Bearing 1100KRRB	
300-D146786	AH146786	Distribution Auger, Left Hand. Uses Bearing D163056	9560STS, 9650STS, 9750STS, 9760STS, 9660STS, 9860STS
300-D146787	AH146787	Distribution Auger, Right Hand. Uses Bearing D163056	
WOOD BLOCK BEARINGS			
300-D84838	H84838	Distribution Auger Wood Block Bearings	All Models 6600 to 8820
300-D142188	H142188	Distribution Auger Wood Block Bearings	9400, 9500, 9600, 9410, 9510, 9610, CTS, CTS-II

AUGERS – BOTTOM BIN CROSS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-DBB6600	—	B-B Cross Auger. Uses Bearing RA103RRB2	6600
300-DBB6620	AH98211	B-B Cross Auger, Front. Uses Bearing RA108RRB (2)	6620
300-DBB6620R	—	B-B Cross Auger, Rear. Uses Bearing RA108RRB (2)	6620 BSN 600000
300-DBB7700	AH76615	B-B Cross Auger. Uses Bearing RA103RRB2	7700
300-D98212	AH98212	B-B Cross Auger, Front, 112.625" Long. Uses Bearing RA108RRB (2)	7720
300-DBB7720R	—	B-B Cross Auger, Rear, 101" Long. Uses Bearing RA103RRB2 (2)	7720 BSN 600000
300-DBB8820	—	B-B Cross Auger, Front, 124" Long. Uses Bearing RA108RRB (2)	8820
300-DBB8820R	—	B-B Cross Auger, Rear, 111.375" Long. Uses Bearing RA108RRB (2)	8820 BSN 600000
300-D201744	AH201744	B-B Cross Auger, Front	9400, 9410, 9450, 9500, 9510, 9550, 9660STS, CTS, CTS-II
300-D201743	AH201743	B-B Cross Auger, Rear, 112.3" Long	9400, 9410, 9450, 9500, 9510, 9550, CTS, CTS-II
300-D202875	AH202875	B-B Cross Auger, Front	9600, 9610, 9650
300-D202881	AH202881	B-B Cross Auger, Rear	
300-D202958	AH202958	B-B Cross Auger, Front	9660STS, 9760STS (Hi-Rate), 9860STS
300-D202959	AH202959	B-B Cross Auger, Rear	



COMBINE PARTS FOR JOHN DEERE®

AUGERS AND TUBES – VERTICAL UNLOADING

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D123929	AH123929	Vertical Unloading Auger, Double Flight, 65.625" Long	6620, 7720, 8820
300-D124852	AH124852	Vertical Unloading Auger, 43.375" Long	9400, 9450, 9500, 9550, 9600, 9650, 9410, 9450, 9510, 9550, 9610, 9650, CTS, CTS-II
300-D171550	AH171550	Vertical Unloading Auger, 39.75" Long	9450W ASN 695101, 9550W ASN 695201, 9560W, 9650W ASN 695301, 9660W
300-D146840	AH146840	Vertical Unloading Auger Double Flight, 30.25" Long	9560STS, 9650STS, 9660STS, 9750STS, 9760STS
300-D202956	AH202956	Vertical Unloading Auger	9660STS, 9760STS, 9860STS (High-Rate)
300-D164609	AH164609	Reman Gear Box	6620, 7720, 8820, 9400, 9410, 9450, 9500, 9510, 9550, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9750STS
300-D27287	—	Reman Gearbox - Lower	9400, 9410, 9450, 9500, 9510, 9550, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660STS, 9660CTS, 9750STS, 9760STS, 9860STS
AUGER TUBE DONUTS			
300-D123930	AH123930	Quick Coupler Socket, 4.275" OD. Used at Bottom End	6620, 7720, 8820
300-D128861	H128861	Splined Coupling, 4.275" OD. Used at Top to Connect Drive End of the Horizontal Auger	6620, 7720, 8820, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660, 9750STS, 9760STS, CTS, CTS-II

AUGER EXTENSION KITS



PART NO.	DESCRIPTION	APPLICATION
300-D3EXT	Unloading Auger Extension Kit, 3 ft. with Spring Loaded Grain Saver. Will Increase Clearances for Larger Platforms and Grain Cars.	6620, 7720, 8820, 9400, 9410, 9500, 9510, 9550, 9600, 9610, 9650, 9650CTS, 9650STS, 9660CTS, 9750STS, CTS, CTS-II
300-DEXTPS	Poly Snout for Extenders	
300-D3EXTHF	Unloading Auger Extension Kit High Rate, 3 ft. Includes Spring Loaded Grain Saver and New Style Spout. Increases Clearances for Larger Platforms and Grain Cars.	9660STS, 9760STS, 9860STS, 9870STS, S670, S680, S690

VERTICAL AUGER DRIVE SHAFTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D96169	H96169	Auger Drive Shaft, 9.26" Long, 13 Splines	6620, 6622, 7720, 7721, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650STS, 9660, 9660CTS, 9660STS, 9750STS, 9760STS, 9860STS, CTS, CTS-II



COMBINE PARTS FOR JOHN DEERE®**AUGERS AND TUBES – HORIZONTAL UNLOADING**


Augers are made with continuous roll formed flighting for accuracy and durability.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-DT4433	—	Horizontal Unloading Auger Tube, 137"	3300, 4400
300-DU4400	—	Horizontal Unloading Auger, 137"	3300, 4400, 4420
300-DT4400	—	Horizontal Unloading Auger Tube, 137"	4420
300-D99394	AH99394	Horizontal Unloading Auger, 144". Uses Bearing RA100RRB	6600, 7700
300-D99414	AH99414	Horizontal Unloading Auger Tube, 144". Uses Bearing RA100RRB	
300-D143729	AH143729	Horiz. Unloading Auger, 17 ft. Sys. 201". Uses Bearing RA100RRB	6620, 7720, 8820
300-D143731	AH143731	Horiz. Unloading Auger, 14 ft. Sys. 165". Uses Bearing RA100RRB	
300-D145049	AH145049	Horiz. Unloading Auger Tube (Outer), 144". Uses Bearing RA100RRB	
300-D145050	AH145050	Horizontal Unloading Auger Tube, 180". Uses Bearing RA100RRB	
300-D145050	AH145050	Horiz. Unloading Auger Tube (Outer), 180"	8820, 9400, 9500, 9600, 9410, 9510, 9550, 9610, 9650, 9650CTS, 9650STS BSN 690501, 9750STS BSN 690601 (2-pc)
300-D112435	AH112435	Horizontal Unloading Auger (In Elbow), 74"	
300-D143727	AH143727	Horiz. Unloading Auger (Outer), 17 ft. 2-pc. Sys. 129"	
300-D145049	AH145049	Horiz. Unloading Auger Tube (Outer), 144"	
300-D112435	AH112435	Horizontal Unloading Auger (In Elbow), 74"	
300-D143731	AH143731	Horiz. Unloading Auger (Outer), 20 ft. 2-pc. Sys. 165"	
300-D219094	AH219094	Loading Auger Tube Assembly	9560STS, 9660STS, 9760STS, 9650STS, 9750STS, 9770STS, 9860STS, 9870STS
300-D173595	AH173595	Horiz. Unloading Auger (Outer) for 21.5 ft. System, 156"	9560W, 9560STS
300-D169061	AH169061	Horiz. Unloading Auger (In Elbow), 82.5"	9650STS ASN 690500, 9750STS ASN 690600
300-D201797	AH201797	Horiz. Unloading Auger (In Elbow), 95"	9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS (Hi-Rate)
300-D203021	AH203021	Horiz. Unloading Auger (Outer) for 22.5 ft. Sys. 160.5"	

AUGER SUPPLY SHAFTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D84498	H84498	Auger Supply Shaft, 52.03" Long	6600, 6601, 6602, 6620
300-D84499	H84499	Auger Supply Shaft, 62.25" Long	7700, 7701, 7720, 7721
300-D99635	H99635	Auger Supply Shaft, 73.75" Long	8820
300-D135421	H135421	Drive Shaft, Shoe Grain Supply, 76.25" Long	9600, 9610, 9650, 9660



COMBINE PARTS FOR JOHN DEERE®

CHAFFERS

LONG AND SHORT FINGER TOP

Short Finger Chaffers – Adjustable with 1-1/8" Wire Spacing, for Use in Cereal and Fine Seed Crops.

Long Finger Chaffers – Adjustable with 1-5/8" Wire Spacing, Best for Large Seed Crops Such as Corn and Beans

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D99750	AH99750	Long Finger Top Chaffer, 42.01" x 60.76"	6600, 6620
300-D130380	AH130380	Long Finger Top Chaffer, 42.01" x 66.88"	6620 Titan-II
300-D106772	AH106772	Long Finger Top Chaffer, 52.87" x 60.91"	7700, 7720
300-D130383	AH130383	Long Finger Top Chaffer, 52.87" x 66.88"	7720 Titan-II
300-D97998	AH97998	Long Finger Top Chaffer, 63.73" x 61.65"	8820
300-D130386	AH130386	Long Finger Top Chaffer, 63.73" x 67.62"	8820 Titan-II
SHORT FINGER TOP			
300-D99748	AH99748	Short Finger Top Chaffer, 42.01" x 60.76"	6600, 6620
300-D106770	AH106770	Short Finger Top Chaffer, 52.87" x 60.91"	7700, 7720
300-D130381	AH130381	Short Finger Top Chaffer, 52.87" x 66.88"	7720 Titan-II
300-D96770	AH96770	Short Finger Top Chaffer, 63.73" x 61.65"	8820
300-D130384	AH130384	Short Finger Top Chaffer, 63.73" x 67.62"	8820 Titan-II
300-D130151	AH130151	Short Finger Top Chaffer Precleaner, 2 Required, 25.67" x 35.71"	9400, 9500, 9510, 9450, 9550, CTS, CTS-II
300-D132785	AH132785	Short Finger Top Chaffer, 2 Required, 25.67" x 35.71"	
300-D172953	AH172953	Short Finger Top Chaffer Extension, 52.05" x 17.92"	
300-D132784	AH132784	Short Finger Top Chaffer, 2 Required, 31.10" x 35.71"	9600, 9610, 9650, 9660



SIEVES – BLUNT FINGER BOTTOM

Adjustable with 1-1/8" Wire Spacing, Best Used with Cereal and Fine Seed Grains

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D85351	AH85351	Blunt Finger Bottom Sieve, 35.88" x 42.63"	4400, 4420
300-D85352	AH85352	Blunt Finger Bottom Sieve, 41.87" x 46.05"	6600, 6620
300-D130387	AH130387	Blunt Finger Bottom Sieve, 41.87" x 52.31"	6620 Titan-II
300-D96771	AH96771	Blunt Finger Bottom Sieve, 52.72" x 46.83"	7700, 7720
300-D130389	AH130389	Blunt Finger Bottom Sieve, 52.72" x 52.43"	7720 Titan-II
300-D96772	AH96772	Blunt Finger Bottom Sieve, 63.63" x 46.86"	8820
300-D130391	AH130391	Blunt Finger Bottom Sieve, 63.63" x 53.5"	8820 Titan-II
300-D130160	AH1630160	Blunt Finger Bottom Sieve, 2 Req. 25.69" x 48.63"	9400, 9500, 9510, 9550, CTS, CTS-II
300-D130159	AH130159	Blunt Finger Bottom Sieve, 2 Required, 31" x 48.5"	9600, 9610, 9650



Aftermarket
COMBINE PARTS FOR JOHN DEERE®

**CHAFFERS
AND SIEVE FRAMES**



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D114417	AH114417	Chaffer Frame	8820 Titan-II
300-D115199	AH115199	Chaffer Frame	7720 Titan-II
300-D149702	AH149702	Sieve Shoe Frame	9600, 9610, 9650, 9660
300-D153807	AH153807	Chaffer Precleaner Frame	9600, 9610, 9650, 9660
300-D204975	AH204975	Chaffer Frame	9600, 9610, 9650, 9660
300-D97715	AH97715	Chaffer Frame	8820
300-D97751	AH97751	Chaffer Frame	7700, 7720

STRAW WALKERS AND COMPONENTS




PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D94469	AH94469	Straw Walker	6620, 7720, 8820
300-D135380	AH135380	Straw Walker	9500, 9510, 9550, 9600, 9610, 9650
300-D92218	AH92218	Straw Walker Crank	6600, 6620
300-D91790	AH91790	Straw Walker Crank	8820
300-D151332	AH151332	Straw Walker Crank, Front	9400, 9410, 9450, 9500, 9510, 9550
300-D145604	AH145604	Straw Walker Crank, Rear	
300-D151331	AH151331	Straw Walker Crank, Front	9600, 9610, 9650
300-D145602	AH145602	Straw Walker Crank, Rear	
300-D119613S	H119613S	Wood Block Bearing Set (2 with hardware), 1.25" Shaft	6600, 6620, 7700
300-D119614S	H119614S	Wood Block Bearing Set (2 with hardware), 1.50" Shaft	7720, 8820
300-D168158S2	AH168158S2	Wood Block Bearing Set, 2 Groove (fits around rings like OEM aluminum block)	9400, 9410, 9500, 9510, 9600, 9610, 9650
300-D168158S	AH168158S	Wood Block Bearing Set (2 with hardware)	9400 ASN 650101, 9500 ASN 650201, 9510, 9600 ASN 650301, 9610 (series 3)
300-D168158SU	AH168158SU	Wood Block Bearing Set (2 with hardware), Replaces Aluminum. (.002 Undersize).	
300-D140070S	H140070S	Wood Block Bearing Set (2 with hardware),	9400 BSN 635181, 9500 BSN 636926, 9600 BSN 936084 (series 1)
300-D140677	H140677	Wood Block Bearing Set (2 with hardware), Vertical 2-Bolt	9400 SN 635181-650100, 9500 SN 636926-650200, 9600 SN 936084-650300 (series 2)



Aftermarket
COMBINE PARTS FOR JOHN DEERE®
STRAW CHOPPERS

Kits Include Rotor, Side Sheets,
 Knife Bank, Flanges and Hardware.



PART NO.	DESCRIPTION	APPLICATION
300-D4420N	Straw Chopper Assembly No Drive Kit	4400, 4420
300-D6620N	Straw Chopper Assembly No Drive Kit	6600 (Late), 6620
300-D7720N	Straw Chopper Assembly No Drive Kit	7700 (Late), 7720
300-D8820N	Straw Chopper Assembly No Drive Kit	8820
300-D9500N	Straw Chopper Assembly No Drive Kit	9400*, 9410*, 9450*, 9500, 9510, 9550
300-D9600N	Straw Chopper Assembly No Drive Kit	9600, 9610, 9650

***Note** For 9400, 9410, 9450 Choppers: Selling as a replacement chopper 9400 (ASN 655101), 9410, 9450 it is a direct replacement.
 Selling as Kit 9400, 9410, 9450 require a chopper door (AH142779 sold separately) & side rails available from OEM.



STRAW CHOPPER DRIVE KITS AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D95486	AH95486, AH119770	Straw Chopper Drive Pulley	6620, 7720, 8820, 9400, 9410, 9500, 9510, 9600, 9610
300-D135342	AH135342	Straw Chopper Front Drive Arm	9400, 9410, 9500, 9510, 9600, 9610
300-D169220	AH169220	Straw Chopper Rear Drive Arm	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9660
300-D132901	H132901	Straw Chopper Bracket	
300-D27118	—	Straw Chopper Drive Kit	
300-D172214	AH172214	Idler Arm Pin	
300-D164756	H164756	Stud Shaft	
300-D132902	H132902	Straw Chopper Drive Guard	9400, 9410, 9450, 9500, 9510, 9550, 9560, 9600, 9610, 9650, 9650STS, 9660, 9660STS, 9750STS, 9760STS, 9860STS, 9880STS
300-D162528	AH162528	Straw Chopper Drive Pulley	9450, 9550, 9650, 9650, 9660
300-D173900	H173900	Pivot Bushing	
300-D213638	H213638	Straw Chopper Pivot Bracket Bushing	9560 STS, 9660 STS, 9670 STS, 9760 STS, 9770 STS, 9860 STS, 9870 STS, 9880 STS
300-D218278	AH218278	Straw Chopper, R. H. Pivot Bracket	
300-D226899	AH226899	Straw Chopper, L. H. Pivot Bracket	
300-D50273	—	Sheave Spacer	4400, 4420, 6600, 6620, 6622, 7700, 7720, 9400, 9410, 9500, 9510, 9600, 9610, 9650STS, 9650STS, 9750STS



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket

COMBINE PARTS FOR JOHN DEERE®

STRAW CHOPPER BLADES AND KNIVES

Made of Hardened Steel

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D126851	AH126851, P48066, AH126851	Straw Chopper Blades 6 Per Set, 9.25" Long	3300 (Req. 3 Sets), 4400, 4420, 6600, 6620 (Req. 4 Sets)
300-D124635	AH124635	Straw Chopper Straight Edge Blades 6 Per Set, 8.375" Long	7700, 7720 (Req. 5 Sets), 8820 (Req. 6 Sets), 9400, 9500 (Req. 5 Sets), 9600 (Req. 6 Sets)
300-D124635SB	AH124635SB	Straw Chopper Single Bevel Blades 6 Per Set, 8.375" Long	
300-D171588	AH171588, H88809, AH124635	Straw Chopper Straight Edge Blades 6 Per Set, 8.375" Long. Hardware Included	
300-D171588SB	AH171588SB, H88809, AH124635	Straw Chopper Single Bevel Blades 6 Per Set, 8.375" Long. Hardware Included	
300-D124635DB	AH124635DB	Straw Chopper Double Bevel Blades 6 Per Set, 8.375" Long	
300-D171588DB	AH171588DB, H88809, AH124635	Straw Chopper Double Bevel Blades 6 Per Set, 8.375" Long. Hardware Included	
300-D124635DB	AH124635DB	Straw Chopper Double Bevel Blades 6 Per Set, 8.375" Long	9400, 9410, 9500, 9510 (Req. 29), 9600, 9610 (Req. 35)
300-D142141FC	H142141	Straw Chopper Stationary Single Bevel Blade, Fine Cut, 8.50" Long. Sold Individually	
300-D139500	H139500	Straw Chopper Rotor Rod, 3 Required for Use on "Tri-Rotor" Style Assemblies	6600, 6620
300-D139600	H139600	Straw Chopper Rotor Rod, 3 Required for Use on "Tri-Rotor" Style Assemblies	7700, 7720, 9400 BSN 645110, 9410, 9450, 9500 BSN 646108, 9510, 9550
300-D132122	H132122	Straw Chopper Rotor Rod, 3 Required for Use on "Tri-Rotor" Style Assemblies	8820, 9600 BSN 645300




Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

Aftermarket


COMBINE PARTS FOR JOHN DEERE®

STRAW CHOPPER ROTOR ASSEMBLIES



For "Tri-Rotor" Style Assemblies, Balanced and Ready to Install.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D953673	AH953673	Straw Chopper Rotor Assembly	4400, 4420
300-D1286163	AH1286163	Straw Chopper Rotor Assembly	6600, 6620
300-D143426	AH143426	Straw Chopper Rotor Assembly	7700, 7720, 9400, 9500, 9410, 9510, 9450, 9550, 9650CTS, CTS, CTS-II
300-D143424	AH143424	Straw Chopper Rotor Assembly	8820, 9600, 9610, 9650



STRAW CHOPPER HOUSING COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D138157	AH138157	Side Sheet, Right Hand	9400, 9410, 9500, 9510, 9550, 9600, 9610, 9650, CTS, CTS-II
300-D138156	AH138156	Side Sheet, Left Hand	
300-D139679	AH139679	Side Rail, Right Hand	9500, 9500SH, 9510, 9550, 9600, 9610, 9650, CTS, CTS-II SN 675101-679050
300-D139680	AH139680	Side Rail, Left Hand	
300-D204974	H204974	Side Sheet, Right Hand	9560STS, 9650STS ASN 700501, 9660STS, 9750STS ASN 700601, 9760STS, 9860STS
300-D204973	H204973	Side Sheet, Left Hand	
300-D157481	H157481	Side Sheet, Right Hand	9650STS BSN 700500, 9750STS BSN 700600
300-D157480	H157480	Side Sheet, Left Hand	

STRAW CHOPPER PARTS AND COMPONENTS




PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D145778	H145778	Chopper Rail Bracket	9400, 9410, 9450, 9500, 9510, 9550, CTS, CTS-II
300-D137570	H137570	Straw Chopper Jackshaft	9400, 9410, 9450, 9500, 9510, 9600, 9610
300-D145779	H145779	Chopper Rail Bracket	9600, 9610, 9650
300-D146307	H146307	Shield	
300-D135836	AH135836	Straw Chopper Adjuster Shaft	
300-D146308	H146308	Shield	9400, 9410, 9450, 9500, 9510, 9550, CTS, CTS-II
300-D135837	AH135837	Straw Chopper Adjuster Shaft	



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

Aftermarket
COMBINE PARTS FOR JOHN DEERE®

BOTTOM KNIFE SHEETS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D149830	H149830	Straw Chopper Floor	4400, 4420
300-D149831	H149831	Straw Chopper Floor	6600, 6620
300-D149832	H149832	Straw Chopper Floor	7700, 7720
300-D149833	H149833	Straw Chopper Floor	8820
300-D123012	AH123012	Straw Chopper Floor for Early Combines with Sickle Section Knives	9400 BSN 655100, 9500 BSN 604200
300-D143048	AH143048	Straw Chopper Floor for Combines with Straw Chopper Knives	9400 ASN 655101, 9410, 9450, 9500 ASN 640200, 9510, 9550, CTS
300-D123011	AH123011	Straw Chopper Floor for Early Combines with Sickle Section Knives	9600 BSN 640300
300-D143047	AH143047, AH138154	Straw Chopper Floor for Combines with Straw Chopper Knives	9600 ASN 640300, 9610, 9650
300-D149878	AH149878	Straw Chopper Floor. Replaces Bottom with 29 Knives	9650STS, 9750STS BSN 700500
300-D214452	AH214452	Straw Chopper Floor. Replaces Bottom with 35 Knives	9560STS, 9650STS ASN 700501, 9660STS, 9750STS, 9750STS ASN700501, 9760STS, 9860STS

KNIFE MOUNT CHANNELS AND PARTS




PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D88816	H88816	Knife Mount Channel	4400, 4420
300-D140129	AH140129	Knife Mount Channel	9400, 9410, 9450, 9500, 9510, 9550
300-D140128	AH140128	Knife Mount Channel	9600, 9610, 9650
300-D313SBH	—	Straw Chopper Knife, 7-1/2"	9400, 9410, 9500, 9510 (Req. 29), 9600, 9610 - (Req. 35)
300-D88798	H88798	Knife Bar	6600, 6620
300-D88804	H88804	Knife Bar	7700, 7720
300-D88801	H88801	Bracket	3300, 4400, 4420
300-D88800	H88800	Bracket	6600, 6620, 6622, 7700, 7720, 8820, 9400 BSN 640100, 9500 BSN 640200, 9600 BSN 640300

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM



Aftermarket

COMBINE PARTS FOR JOHN DEERE®

WIDE SPREAD DEFLECTOR ASSEMBLIES AND COMPONENTS

PART NO.	DESCRIPTION	APPLICATION
DEFLECTOR ASSEMBLIES		
300-DA4400	Short Only, Includes Left & Right Hand Short Fins (3 ea.). Back, Tail Board & Tail Support Rod Kit.	4400, 4420
300-DA6600	Includes Left & Right Hand Long Wide Fins, Long Narrow Fins & Short Fins. Back, Tail Board & Tail Support Rod Kit.	6600, 6620
300-DA7700	Includes Left & Right Hand Long Wide Fins, Long Narrow Fins & Short Fins. Back, Tail Board & Tail Support Rod Kit.	7700, 7720
300-DA8820	Includes Left & Right Hand Long Wide Fins, Long Narrow (2 ea.) Fins & Short Fins. Back, Tail Board & Tail Support Rod Kit.	8820
300-DA9500	Standard, Includes Left & Right Hand Long Wide Fins, Long Narrow Fins & Short Fins. Back, Tail Board & Tail Support Rod Kit.	9400, 9410, 9450, 9500, 9510, 9550
300-DA9550	Wide Only, Includes Left & Right Hand Long Wide (2 ea.) Fins, Short Wide Fins. Back, Tail Board & Tail Support Rod Kit.	9400, 9410, 9500, 9510, 9550
300-DA9600	Standard, Includes Left & Right Hand Long Wide Fins, Long Narrow Fins & Short (2 ea.) Fins. Back, Tail Board & Tail Support Rod Kit.	9600, 9610, 9650
300-DA9650	Wide Only, Includes Left & Right Hand Long Wide (2 ea.) Fins, Short Wide (2 ea.) Fins. Back, Tail Board & Tail Support Rod Kit.	
DEFLECTOR FINS ONLY		
300-D138803	Includes Left & Right Hand Long Wide Fins, Long Narrow (2 ea.) Fins & Short Fins. Replaces AH138803	6600, 6620, 7700, 7720, 9400, 9410, 9500, 9510
300-D2710104	Wide Only, Includes Left & Right Hand Long Wide (2 ea.) Fins, Short Wide Fins.	9400, 9410, 9500, 9510, 9550
300-D2710102	Standard, Includes Left & Right Hand Long Wide Fins, Long Narrow Fins & Short (2 ea.) Fins.	9600, 9610, 9650
300-D2710103	Deep-Wide Spread, Includes Left & Right Hand Long Wide (2 ea.) Fins, Short Wide (2 ea.) Fins.	


REAR DEFLECTOR (Isolator)



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D85181	H85181	Rear Deflector (Isolator) for Corn	4400, 4420
300-D99507	H99507	Rear Deflector (Isolator) for Corn	6620
300-D99508	H99508	Rear Deflector (Isolator) for Corn	7720
300-D100421	H100421	Rear Deflector (Isolator) for Corn	8820
300-D136133	H136133	Rear Deflector (Isolator) for Corn	9500 BSN 640200
300-D136134	H136134	Rear Deflector (Isolator) for Corn	9600 BSN 640200




To Order Call Toll Free 877-55 GO SMA 877-554-6762

COMBINE PARTS FOR JOHN DEERE®**CORN AND WHEAT DOORS**


PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D85164	H85164	Corn Door	4420
300-D85165	H85165	Corn Door	6620
300-D112674	H112674	Corn Door	7720
300-D112675	H112675	Corn Door	8820
300-D142779	AH142779	Corn Door	9400, 9410, 9450
300-D142778	AH142778	Corn Door	9500, 9510, 9550
300-D142777	AH142777	Corn Door	9600, 9610, 9650
300-D86590	AH86590	Corn Door Latch, Right Hand	All straw chopper corn doors
300-D86591	AH86591	Corn Door Latch, Left Hand	All straw chopper corn doors
300-D85663	AH85663	Wheat Door	4400, 4420
300-D85664	AH85664	Wheat Door	6600, 6620
300-D85665	AH85665	Wheat Door	7700, 7720
300-D99304	AH99304	Wheat Door	8820

CHAFF SPREADERS AND COMPONENTS

Patented Single Wing Arm Design with infinitely adjustable spreader position. The 39" chaff distribution area is the largest in the field. Includes stainless steel front and rear shields, motor, hose kit and shaker pans.



PART NO.	DESCRIPTION	APPLICATION
300-D6602JDHD	Chaff Spreader H.D. Adjustable or Rigid Axle	6620
300-D7702JDHD	Chaff Spreader H.D. Adjustable or Rigid Axle	7720
300-D8802JDHD	Chaff Spreader H.D. Adjustable or Rigid Axle	8820
300-D9601JD92	Chaff Spreader, All Axles	9400, 9410, 9500, 9510, 9600, 9610

WOBBLE BOX AND COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D41481	AE41481	Wobble Box Assembly	200 & 900 Series
300-D46307	AE46307	Housing	
300-D60129	E60129	Yoke Shaft	
300-D38050	AE38050	Fork	
300-D59303	E59303	Wobble Box Shaft Nut	

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

COMBINE PARTS FOR JOHN DEERE®

STRAW SPREADER COMPONENTS

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D27332	H27332	Vertical Shaft	6620, 7720, 8820
300-D83799	H83799	Cross Shaft	6620
300-D83800	H83800	Cross Shaft	7720
300-D94028	H94028	Cross Shaft	8820
300-D76933	H76933	Spreader Blade	6620, 7720, 8820
300-D91228	H91228	Bevel Gear 13-Tooth, 7/8" Bore for Single and Dual Spreaders	Single: 4400, 4420, 6600 BSN 7500, 7700 BSN 5000. Dual: 6600 ASN 7501, 6620, 7700 ASN 5001, 7720, 8820, 9400, 9500, 9600, 6410, 9510, 9610, 9450, 9550, 9650

CUTTER BAR WEAR PLATE

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D141546	H141546	Wear Plate	200, 900 Series Platforms, 918, 920 Draper Platforms, Quik-Tatch Platforms

REAR HOOD

PART NO.	DESCRIPTION	APPLICATION
300-D2710105	Panel Patch	9000 Series



HEADER END SHIELDS



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D88889	AH88889	Right Hand for Flex and Rigid Headers	200 & 900 Series BSN 635101
300-D113432	AH113432	Left Hand for Flex and Rigid Headers	
300-D129286	AH129286	Right Hand for Flex and Rigid Headers	900 Series SN 635101-655300
300-D129262	AH129262	Left Hand for Flex and Rigid Headers	
300-D95481	AH95481	Reel Drive Shield	200 Series



Aftermarket
COMBINE PARTS FOR JOHN DEERE®
REEL CONVERSION KITS

Kits convert your old wooden board and metal finger pick-up reel to the new metal pipe and plastic reel. Includes reel bars, plastic tines and hardware.
 (Bearings and outside tines not included).

PART NO.	DESCRIPTION	APPLICATION
300-DRK15	Reel Conversion Kit, 15 ft. Header	200 & 900 Series
300-DRK16	Reel Conversion Kit, 16 ft. Header	
300-DRK18	Reel Conversion Kit, 18 ft. Header	
300-DRK20	Reel Conversion Kit, 20 ft. Header	
300-DRK22	Reel Conversion Kit, 22 ft. Header	
300-DRK24	Reel Conversion Kit, 24 ft. Header	
300-DRK25	Reel Conversion Kit, 25 ft. Header	900 Series
300-DRK30	Reel Conversion Kit, 30 ft. Header	



ROW CROP DIVIDERS

Eliminate costly grain loss from knocked down plants. Change from short to long dividers in minutes.
 Safer transportation and easy storage. Sectional design allows you to replace only the damaged piece which saves you time and money.

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D400JD	—	Complete Set of Dividers, Long. Includes 1 ea. Rear Dividers CD100JD-RH & LH, 2 ea. CD300 Bar, 2 ea. CD200 Front Wing Divider	200 & 900 Series
300-D500JD	—	Complete Set of Dividers, Short. Includes 1 ea. Rear Dividers CD100JD-RH & LH, 2 ea. CD300 Bar, 2 ea. CD250 Short Divider Tip	
300-CD250	—	Short Divider Tip	200 & 900 Series Flex Heads

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

COMBINE PARTS FOR JOHN DEERE®**REAR AXLE CENTER TUBES
AND STABILIZER KIT**

PART NO.	DESCRIPTION	APPLICATION
300-D8754550	Center Tube 50" Long	4400, 6600, 7700, 6620, 7720 Units (light duty rear axle)
300-D8754580	Center Tube 80" Long, (Requires P/N D87545-ST)	7700, 6620, 7720 Units (light duty rear axle)
300-D87545104	Center Tube 104" Long, (Requires P/N D87545-ST)	6620, 7700, 7720 Units (light duty rear axle)
300-D87545	Stabilizer Kit. Includes 2 Each Stabilizer Arms, Center Tube Mounting Brackets, Axle Mounting Brackets and Hardware.	

SPINDLES AND COMPONENTS


Made of high grade alloy steel and designed to meet or exceed OEM specifications.



PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D94018	AH94018	Spindle, Left Hand	6620, 7720, 8820 Heavy Duty Axle
300-D94019	AH94019	Spindle, Right Hand	
300-D125654	AH125654	Spindle, Left Hand	9400, 9410, 9500, 9500 SideHill, 9510, 9510 SideHill, 9600, 9610, CTS, CTS-II
300-D125655	AH125655	Spindle, Right Hand	
300-D156821	AH156821	Spindle Housing	
300-D158884	H158884	Bushing	

WHEEL HUB

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D94814	H94814	Wheel Hub	6620, 7720, 8820 Heavy Duty Axle, 9400, 9410, 9500, 9510, 9600, 9610, CTS, CTS-II


**TIE RODS**

Designed to meet or exceed OEM specifications

PART NO.	DESCRIPTION	APPLICATION
300-D12325	Tie Rod, 5-7/8" Long, 1-1/8" Diameter, Right Hand Thread	9400, 9410, 9450, 9500, 9500SH (Adj. Rear Axle Only), 9510, 9510SH (Adj. Rear Axle Only), 9550, 9560, 9560SH (Adj. Rear Axle Only), 9600, 9610, 9650, 9660, 9660CTS, 9680, 9780CTS, CTS, CTS-II
300-D12326	Tie Rod, 5-7/8" Long, 1-1/8" Diameter, Left Hand Thread	



Aftermarket
COMBINE PARTS FOR JOHN DEERE®
FOR DRAPERS 600, 900D SERIES

PART NO.	DESCRIPTION	
SECTIONS		
491-632621	JD 4" XH7TSCR section. Replaces H163131. Order Multiple 10	
491-622611	JD 4" XHTSCR section. Replaces H153329. Order Multiple 10	
491-612271	JD 1/2 XHTSCR section. Replaces H161242. Order Multiple 10	
491-612261	JD XXBTSCR section. Replaces H163132. Order Multiple 10	
SECTION BOLTS		
491-550601D	OEM replacement section bolts. 50 elliptical head bolts & whiz nuts. Replaces H158341, 14M7303. This bolt set is used to replace section bolts in OEM JD sickles for all section location but under the sickle head and the stabilizer bar.	
491-550602D	OEM replacement section bolts. 20 elliptical head bolts & whiz nuts. Replaces H158342, H158343, 14M7303. This bolt set is used to replace section bolts in OEM JD sickles for sections mounted under the head & stabilizer bar.	
491-550075D	Section bolts & nuts - 50 each for aftermarket sickle platforms. These will work as replacements for section bolts on sickles that SMA sells to fit the JD 600 series platforms. These bolts fit all locations Except under the stabilizer bar and sickle head. These DO NOT replace OEM JD section bolts.	
491-550076D	Stabilizer bar section bolts & nuts - 11 each, fit aftermarket sickle platforms. These will work as replacements for section bolts located under the stabilizer bar on sickles that SMA sells to fit the JD 600 series platforms. These DO NOT replace OEM JD section bolts.	
491-550077D	Head section bolts & nuts - 9 each, fit aftermarket sickle platforms. These will work as replacements for section bolts located under the sickle head on sickles that SMA sells to fit the JD 600 series platforms. These DO NOT replace OEM JD section bolts.	
SPliced SICKLE KITS		
SEGMENTS LISTED BELOW WILL NOT INTERCHANGE WITH JD OEM SICKLE SEGMENTS		
491-354610	Fits JD 625 grain platforms with XH7TSCR sections. Primarily used on Flex heads. Contains 3 sickle segments making up 25 ft. Replaces AH213012, AH219604, AH164035. Sickles are headless. Kit has 1 ea. 491-354601, 491-354604, 491-354606 & 3 ea. 491-831600.	
491-354611	Fits JD 630 grain platforms with XH7TSCR sections. Primarily used on Flex heads. Contains 4 sickle segments making up 30 ft. Replaces AH213012, AH219604, AH159567. Sickles are headless. Kit has 1 ea. 491-354601, 491-354607, 2 ea. 491-354604 & 3 ea. 491-831600.	
491-354612	Fits JD 635 grain platforms with XH7TSCR sections. Primarily used on Flex heads. Contains 4 sickle segments making up 35 ft. Replaces AH213012, AH219604, AH204247. Sickles are headless. Kit has 1 ea. 491-354601, 491-354608, 2 ea. 491-354604 & 3 ea.491-831600	
491-831600	Splice kit for above sickles. Used to bolt segments together.	
491-220051	Sickle head only with poly insert. Replaces AH220051	

Aftermarket


COMBINE PARTS FOR JOHN DEERE

For Drapers 600, 900D SERIES

PART NO.	DESCRIPTION
REEL TINES	
142-T160720	Poly tine for pipe reel, two-piece
142-T160740	Reel tine, two-piece with replaceable tine
142-T160750	Replacement tine for T160740 above

CORNHEAD ROW UNIT COMPONENTS AND GEARBOX

PART NO.	REPLACES	DESCRIPTION	APPLICATION
300-D118945	AH118945	Steel Chain Guide	40 Series
300-D27128	—	Chain Kit, Includes Drive Gear and Greaseable Idler	40 & 90 Series
300-D27126	—	Chain Kit, Includes Drive Gear and Non-Greaseable Idler	
300-D27283	—	Chain and Sprocket Kit, Includes 1 ea. AH208978 Chain, H233287 Sprockets, AH231386 Idler	600 Series
300-D102068	N102068	Deck Plate, 25-3/16" Long, Right Hand	40 Series BSN 466450
300-D102069	N102069	Deck Plate, 25-3/16" Long, Left Hand	
300-D94952	H94952	Deck Plate, 27-1/2" Long, Right and Left Hand	40 Series ASN 466451
300-D154270	H154270	Deck Plate, Right and Left Hand, (Right Hand is Hyd. Adj.)	90 Series
300-D147773	AH147773	Deck Plate (Hyd. Adj.), Left Hand	
300-D140825	AH140825	Deck Plate Cover (Hyd. Adj.), Left Hand	
864-SMA104090	H104090	Roller, Tapered Roll, Right Hand	40 & 90 Series
864-SMA104091	H104091	Roller, Tapered Roll, Left Hand	
864-SMA150138	H150138	Roller, Right Hand	90 Series Straight Cast Rolls
864-SMA150139	H150139	Roller, Left Hand	
300-D107779	H107779	Input Gear 17-Tooth	40 & 90 Series
300-D148769	AH148769	Drive Shaft	90 Series
300-D101668	H101668	Row Crop Drive Gear	50A Series
300-D14393	N14393	Row Crop Drive Gear	50 & 50A Series
ROW UNIT GEARBOX			
300-D209794	AG209794	Gear Case Complete	40 & 90 Series



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Aftermarket
COMBINE PARTS FOR CORN HEADS
Sprockets, Rollers & Chain



PART NO.	DESCRIPTION
SPROCKETS	
864-SMA101219	Lower Idler Sprocket, Relube. Replaces JD AH101219 40 Series S/N 46451 & Up
864-SMA102448	Lower Idler Sprocket, Sealed. Replaces JD AN102448 40 Series to S/N 466450
864-SMA85252	Upper Drive Sprocket, 8-T Hex Bore for JD 40 & 90 Series. Replaces H85252
864-SMA85252HT	Upper Drive Sprocket, 8-T Hex Bore, Heat Treated, for JD 40 & 90 Series. Replaces H85252
864-SMA199497	Drive Sprocket for Case/IH
864-SMA86837081	Upper Drive Sprocket, Heat-treated, for C/IH 2000 Series. Replaces 86837081
GATHERING CHAIN	
673-CH55548	Corn Header Gathering Chain for John Deere Models 243, 244, 343, 344, 443, 444, 543, 546, 642, 643, 644, 645, 842, 843. For Case/IH 800, 900 & 100 Series. For New Holland Model 974. Replaces JD AN102009, C/IH 176279C91 & New Holland 610831.
673-CH62048	Corn Header Gathering Chain for JD 600 Series. CA620 Chain, Endless 79.39", Replaces AH233138, AH233139.
673-CH620M48	Corn Header Gathering Chain for JD 600C Series. SH660 Chain, Endless 75.1", Replaces AH234578, AXE61091.
KNIVES	
864-SMA1327126	Snapping Roll Knife 9-Hole, Hardfaced and Made of Tungsten Carbide. For Case/IH 900 and 1000 Series, Replaces 1327126C1
864-SMA87598741	Snapping Roll Knife Heavy Duty, 4 Used per Roll. For Case/IH 800 Series, Replaces 87598741

**FOR COMBINE HEADER REPLACEMENT DRIVELINES
 SEE SECTION 13 IN BOOK 2**



Aftermarket

COMBINE PARTS FOR GERINGHOFF CORN HEAD COMPONENTS



PART NO.	REPLACES	DESCRIPTION
491-211174	501063	Chopping Disc Standard
491-211175	501064	Chopping Disc HardSurfaced
673-CH627769	34859	Gathering Chain CA627, 76 Pitches, 9 Lug



COMBINE PARTS FOR DRAGO CORN HEAD COMPONENTS



PART NO.	REPLACES	DESCRIPTION
673-CH550567	DR10120	Gathering Chain for Drago Corn Header

SICKLES – SPLICED For Combines

PART NO.	REPLACES	LEN. / SEC.	TYPE	APPLICATION
JOHN DEERE — HEADLESS				
491-352742	SPLAH121221	25 ft. / 100	7TS CR Bolt	200, 900 Flex Header
491-352743	SPLAH121087	30 ft. / 120	7TS CR Bolt	200, 900 Flex Header
491-150004	—	—	—	Head for 200, 900 Series Listed Above
491-352734	—	8 ft.	H 7TS CR	Sickle Segment for Combines

TYPE ABBREVIATIONS		
<u>Thickness:</u>	<u>Teeth:</u>	<u>Finish:</u>
R = Regular	7TS = Super 7 Top Serrated	CR = Chrome
H = Heavy	TS = Top Serrated	<u>Rivets:</u>
XH = Extra Heavy	US = Under Serrated	CS = Countersunk / OH = Ovalhead

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

CUTTING SECTIONS – COMBINE

Order Multiple 10

PART NO.	REPLACES	SIZE	TYPE	APPLICATION
ALLIS CHALMER, GLEANER				
491-204553	—	3" x 2-7/8"	H TS CR OH	A, C, E, F, G, K, L, M, R, T
491-204462	71176531, 277444	3" x 2-1/2"	H TS CR CS	For Floating Header. Also Case IH, Hart Carter, White
FOR CASE IH				
491-204681	—	3" x 2-31/32"	H TS CR OH	810 Rigid Header
491-203276	826720C2, 9622744, 86615988	3" x 3-1/4"	XH TS OH	Headers 820, 1010, 1020, 2010, 2019
491-203325	112074A1, 86616588, 86616691	3" x 3-1/4"	XH 7TS OH	Headers 820, 1010, 1020, 2010, 2019
491-204277	86616527	3" x 3-1/4"	XH TS CR OH	Headers 820, 1010, 1020, 2010, 2020
491-204268	191256A1, 86616689	3" x 3-1/4"	XH 7TS CR OH	Headers 820, 1010, 1020, 2010, 2020
491-203482	112074A1, 826720C2	3" x 3-1/4"	XH TS OH	Headers 820, 1010, 1020, 2010, 2020
491-204398	87422066	3" x 3-1/4"	XH 7TS CR	Headers 1042, 1052, 2042, 2052, 2062, 2142, 2152, 2162
491-203283	1327448C1	3" x 3-1/4"	XH TS OH	Headers 1042, 1052, 2042, 2052, 2062, 2142, 2152, 2162
491-204170	84342590	3" x 3-1/4"	XH TS CR	Headers 1042, 1052, 2042, 2052, 2062, 2142, 2152, 2162
491-203549	8728905	3" x 3-1/4"	XH 7TS	Header 3020
491-203364	—	3" x 3-1/16"	H TS CS	Combines, Also Some Rice Bars
491-203120	—	Twin Point	H TS CR	Combine 1020 with 1-1/2" Cut
FOR NEW HOLLAND, FORD				
491-204608	271981CR, L192CR	3" x 3-1/4"	H TS CR CS	Used On J.E. Love Floating Header
FOR HART CARTER				
491-204462	A/C 71176531, 277444	3" x 2-1/2"	H TS CR CS	Hart Carter - For Combine with A/C Floating Header



TYPE ABBREVIATIONS		
Thickness:	Teeth:	Finish:
R = Regular	7TS = Super 7 Top Serrated	CR = Chrome
H = Heavy	TS = Top Serrated	Rivets:
XH = Extra Heavy	US = Under Serrated	CS = Countersunk / OH = Ovalhead

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

CUTTING SECTIONS – COMBINE

Order Multiple 10

PART NO.	REPLACES	SIZE	TYPE	APPLICATION
FOR JOHN DEERE®				
491-412321	—	3" x 3-1/4"	H TS CR	200 - 900 Series Header 14 Tooth
491-432391	—	3" x 3-1/4"	H TS CR	200-900 Series Header 7 Tooth
MACDON				
491-203283	K34390-1, MF1071707M1	3" x 3-1/4"	H TS OH	Auger, MultiCorp, Double Knife
491-204398	SS34390CR	3" x 3-1/4"	XH 7TS CR Lo-Shoulder	910, 920, 930, 932, 940, 942, 960, 972, 4000, 5000, 7000
FOR MASSEY FERGUSON				
491-204676	—	3" x 3-1/4"	H TS CR OH	Combines
FOR SHUMACHER & WHITE				
491-204498	420100058CR	—	H TS CR	Shumacher & Honeybee Header
491-204462	A/C 71176531	3" x 2-1/2"	H TS CR CS	White - For Combine with Allis Chalmers Floating Header
J.E. LOVE				
491-204608	NH271981, L192D, L192DCR	3" x 3"	H TS CS	Floating Header & Rice Bar
491-S159	L195	2" x 2-3/4"	H TS CS	2" Section for Rice Bar
491-S159BT	L195	2" x 2-3/4"	H TS CS	2" Section for Rice Bar -Big Tooth

SECTIONS – RICE BAR

Order Multiple 25



PART NO.	DESCRIPTION
491-S159	2" x 2-3/4" Slotted, Top Serrated, Countersunk. Replaces L195, 264437M1.
491-S159BT	2" x 2-3/4" Slotted. Same as above "Big Tooth" design.



SECTIONS – BOLT-ON

3" X 3-1/4" DOUBLE-CUT, CHROME FINISH

Order Multiple 10

PART NO.	FITS
491-204316	D/AC, Hart Carter, Love, MF (2" Hole Spacing)
491-204317	JD, C/IH, New Holland (2.0625" Hole Spacing)



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

SICKLE AND KNIFE CLIP

PART NO.	DESCRIPTION
491-450692	Low Arch Steel for Hay - Riveted or Bolted. Also used on Twin Point Bolt-on Sections. Replaces: DA 232125, 804074, 1116535; C/IH 176722C1, 544274R1, MA812; F/NH -36656, 67357, 137651; GEHL H7542; Hesston 241216; MF 130431M1, 1041469M1, 1055108M1; New Idea 0145HS, 290816.
491-450020	Low Arch Malleable Iron, Same as above.
491-450693	High Arch Steel Knifehead Clip - Riveted or Bolted. Also used on Twin Point Bolt-on Sections. Replaces: C/IH -611759R1, 595648R1; F/NH 67358; Hesston 142984.
491-450022	High Arch Malleable Knifehead Clip. Replaces C/IH 611759R1, MB812; Ford 141008; JD H11121H; Kosch K179B.
491-KC16	Low Arch Malleable Iron for Floating Headers. Replaces C/IH 179757C1; DA 71176540; HC 232125; Love L216, L217, L221; MF 1053175M1.
491-KC36	Low Arch Steel Clip. Replaces Ford 142726; Kosch K188B.
491-KC116	Low Arch Steel Clip. Replaces C/IH 613842R1, 1307280C1; DA 71189684, 71346158; JD H84412, H127081; MF 143241M1, 206195M1.
491-457064	Universal Non-Adjustable, Heavy Duty Hold Down Clip.
491-457200	Non-Adjustable Hold Down Clip.
491-457065	Universal Adjustable, Heavy Duty Hold Down Clip.
798-HD625	Adjustable High Arch Hold Down Clip. Replaces JD AH213058, AH218548
798-HD627	Adjustable Low Arch Hold Down Clip. Replaces JD AH218547



457064




457200




HD625,
HD627




450692




450020




450693




450022



KC16



KC36



KC116

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SECTION RIVET – SICKLES

One Pound Packages – Packaged by weight, quantity is approximate.

PART NO.	DIAMETER	LENGTH	QTY	APPLICATION
OVAL HEAD — FOR SECTIONS WITH STRAIGHT HOLES				
491-R10500	#5-1/2 (.211")	1/2"	152	Regular Sections
491-R10563	#5-1/2 (.211")	9/16"	140	Regular & Heavy Sections
491-R10625	#5-1/2 (.211")	5/8"	130	X-Heavy Sections
491-R10750	#5-1/2 (.211")	3/4"	112	—
491-R10875	#5-1/2 (.211")	7/8"	99	—
491-R10938	#5-1/2 (.211")	15/16"	92	For Knifeheads
491-R11000	#5-1/2 (.211")	1"	90	—
491-R11063	#5-1/2 (.211")	1-1/16"	83	—
491-R11250	#5-1/2 (.211")	1-1/4"	74	For Knifeheads
COUNTERSUNK — FOR SECTIONS WITH COUNTERSUNK HOLES				
491-R30563	#5-1/2 (.211")	9/16"	174	Regular & Heavy Sections
491-R30625	#5-1/2 (.211")	5/8"	157	X-Heavy Sections
491-R30938	#5-1/2 (.211")	15/16"	108	For Knifeheads
491-R31000	#5-1/2 (.211")	1"	107	—
491-R31250	#5-1/2 (.211")	1-1/4"	82	—
491-R31375	#5-1/2 (.211")	1-3/8"	74	—



SICKLE RIVET ASSORTMENT



PART NO.	DESCRIPTION
491-RA100	Designed for Most 7 ft. Mower Sickles. Has 66 #5-1/2 Pieces, 56 ea. 9/16" and 10 ea. 15/16", All Oval Head.
491-RA200	Designed for Most 9 ft. Mower Sickles. Has 82 #5-1/2 Pieces, 70 ea. 5/8", 7 ea. 15/16" and 5 ea. 1-1/4", All Oval Head.



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

SECTION BOLTS AND NUTS

PACKAGED

PART NO.	LENGTH	QYT	APPLICATION
BOLT-ON — 7/32" DIAMETER			
491-SB1	5/8"	50	Bolts/Nuts for Standard Sections
491-SB2	1"	25	Bolts/Nuts for Knifehead
491-550095D	1-1/4"	12	Bolts/Nuts for Knifehead
491-550500D	Asst.	90	Universal for 10 ft. Sickles with Head Bolts
491-830289D	—	20	Nut for Section Bolt
491-SB26	—	—	Assortment fits most 10' Machines
491-SB25	Asst.	25	Knifehead Assortment, 15 ea. 1" & 10 ea. 1.25"
COUNTERSUNK — 7/32" DIAMETER			
491-SB8	9/16"	20	Bolts/Nuts for Versatile
491-SB9	5/8"	20	Bolts/Nuts for Love/Hart Carter
491-SB10	1"	10	Bolts/Nuts for Knifehead
491-SB8	9/16"	50	For Versatile
491-SB9	5/8"	50	For J.E. Love, Hart Carter
491-SB10	1"	25	For J.E. Love, Hart Carter, Versatile Knife Heads
OVAL-SHOULDER BOLT & JAM NUT			
491-SB6	17/32"	50	C/IH 1010, 1020 3-Hole Sections. 1.5" Cut System
491-SB7	1-1/8"	25	C/IH Knifehead 1.5" Cut System



SICKLE REPAIR PARTS

PART NO.	DESCRIPTION	APPLICATION
FOR CASE IH		
491-KP458973	Pin	462378R2
491-820367D	Bushing	462378R11, 540607R11
FOR NEW HOLLAND		
491-820062B	Bushing	Head 143603
491-820211B	Bushing Asby.	Mower/Conditioners 474, 489, 492, 1465; Combines 972 & 973. Replaces 612408A
491-820381B	Bushing	Head 219986
491-820426B	Bushing	Head 577868, 577867
491-KP88966	1/2" x 4" SAE Grade 8	For 479, 490. Ord/Mult. 100




Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

GENTLE FINGERS™

The best designed nylon reel finger replacement available in the marketplace today. The patented "T Bar" design allows "Gentle Fingers" to bend uniformly from point of contact to the point of attachment, thereby eliminating a weak spot where the finger could bend again and again and in time, break off during use.

- Eliminate broken cutter bar components due to steel fingers getting into mechanism
- Guaranteed against breakage for 12 months
- Comes complete with hardware and mounting instructions

PART NO.	DRAWING	FITS/REPLACES
Order Multiple 50		
142-GF1138	(A)	Wood Bat without slot
142-GF1238	(B)	Tear Drop Bat - Replaces CIH 197580C* JD 900 Header H127035, DA 71345318, MF, HC
		* Will not fit certain late CIH 820/early 1020 Bats.
142-GF1038HCC	(C)	Pipe Reel - Fits new JD, Ford NH, Case/IH, Agco-Allis. Order Multiple 10. (10/bag)



PICK-UP FINGERS

FOR PIPE REELS

Fits: JD 900 series prior to S/N 685100, AGCO-Gleaner 300, 400, 500, 700, 800; Massey Ferguson 9700 and 9750; New Holland 971, 973; Case/IH 1010, 1020



PART NO.	DESCRIPTION
142-SMA153175	Double Winged 4-1/2" Wide, Replaces JD AH153175. O/M 10


REEL TINE

AGCO-Gleaner 700, 800, 7000, 8000; JD 600, 900 F&R A-S/N 685101; Massey Ferguson 9800, 9850; New Holland 71C, 73C, 74C, 973; Case/IH 2020, 1010, 1020 after 2001

PART NO.	DESCRIPTION
142-T160740	Double Wing 6" Wide with Clamp and Tine.



UNIVERSAL WEAR PLATE



457001

PART NO.	DESCRIPTION
491-440591	Universal 6" Wear Plate, Heat-treated. Replaces AC 1116532, 1176537, 802506; JD E47954, 926H, H101200; Ford 141021; Gehl H7543; HC 234140; C/IH MC468, 179759C1; Kosch K162; Love L220; MF 206196M1, 31303M1; NH 26616, 271967; NI 290815; OMC 10-10645; White 01015E.
491-457001	Universal Wear Plate 5-1/2"
491-457002	Hay Wear Plate 6"
491-457003	Wear Plate 6"



457003



WE SUPPLY SUCCESS

WWW.SMALINK.COM

COMBINE GUARDS – FORGED STEEL

PACKED 25 PER BOX

PART NO.	DESCRIPTION
798-G275	For Allis Chalmers, J.E. Love, New Holland, White Combine Floating Header. Replaces A.C. 1176532, Love LB204 & LB214, NH 271971, White 31-Z749417.
798-G225	For Allis Chalmers, Gleaner Combine. Replaces 1116504, 71341601.
798-G641	For Case IH and New Holland Draper Platforms, Macdon Auger, Draper and Mower Conditioner Platforms, JD Auger and Draper Platforms, Replaces Macdon 118301, JD FH318317, Case IH 847709129 and 87422039.
798-G642	Fits Case IH and New Holland Draper Platforms, Macdon Auger, Draper and Mower Conditioner Platforms, JD Auger and Draper Platforms, Replaces Macdon 118302, JD FH318318, Case IH 47709128 and 87422040.
798-G643	Fits Case IH and New Holland Draper Platforms, Macdon Auger, Draper and Mower Conditioner Platforms, JD Auger, Draper and Windrower Platforms, White Windrower Platform. Replaces Macdon 28014, 118345, Case IH 47709127, 87422041, JD W39815, W35893, FH318320.
798-G215MDH	For Case/New Holland, Double Heat-treated. Fits 2062 Draper Head. Also Macdon 960, 972, 962, 1042, 1052, 3000, 5000, 5010, 7000, 9000, 922 Auger Head. Replaces CNH87421451, Macdon 23064, 28013, 118344.
798-G270	For Case IH 175 and 200 Windrowers, Combine 820 Header; Field Queen 620 Windrower. Replaces C/IH 613838R1.
798-G299	For Case IH Combine1010 Rigid Header, C/HN1020 Grain Heads. Replaces 1307299C1, 2010.
798-G215	For Hesston, Massey Ferguson, New Holland, White Mowers & Windrowers. Replaces Hesston 049239/049270, Macdon 23064, MF 683476M1, 683994M1, 683184M1; NH 219191, 86615982, 65327; White 895744L.
798-G215DH	For Hesston, Double Heat-treated. Also Fits Massey Ferguson, New Holland, White Mowers & Windrowers. Replaces Hesston 049239/049270, Macdon 23064, MF 683476M1 & 683184M1, NH 219191, White 895744L.
798-G215DHG	For Hesston, Double Heat-treated. Also Fits Massey Ferguson, New Holland, White Mowers & Windrowers. Replaces Hesston 049239/049270, Macdon 23064, MF 683476M1 & 683184M1, NH 219191, White 895744L. Made in Germany



To Order Call Toll Free 877-55 GO SMA 877-554-6762

COMBINE GUARDS – FORGED STEEL FOR JOHN DEERE

PART NO.	DESCRIPTION
798-G240	For John Deere, Replaces 75386, 113571, 145791, 61954; Also for Combines. Replaces Massey Ferguson 228392M1/M2; New Idea 714611; NH 134024.
798-G340	For John Deere, 3-Prong Combine Guard Fits 200 & 900 Series. Replaces H25603H.
798-G240S	For John Deere, 3-Prong Combine Guard Fits 200 & 900 Series. Replaces H145791.
798-G610DH	For John Deere 600R, F, D Series Flex, Long-Short-Long Standard Guard. Double Heat-Treated. Replaces H205448, H213398, H229537.
798-G615DH	For John Deere 600 Series Flex, Short-Long-Short Standard Guard. Replaces AH205487, H213507, AH213055, H204507, H205447, H213055, H2134000, H214500. Double Heat-Treated. For Old Style, Replace Set Screw with 798-HD625 Adjustable Hold Down Clip.
798-G630DH	For John Deere 600 Rigid and 900 Draper Series, Short-Long-Short Standard Guard. Double Heat-Treated. Replaces H213508.
798-G635DH	For John Deere 600 Rigid and 900 Draper Series, Long-Short-Long Standard Guard. Double Heat-Treated. Replaces H213405.



Long-Short-Long




Short-Long-Short

COMBINE ENDLESS DRAPER BELTING

Don't sacrifice quality and risk downtime when it comes to your replacement endless draper belting.

Quality Always Comes Through!



SKIM COAT
durability, protection

FRICTION COAT
fabric reinforcement

PART NO.	REPLACES	SIZE (IN.)	DESCRIPTION / APPLICATION
ENDLESS			
301-D36429	AXE36429	39.93 x 311.40	LH & RH Cut, 30' Cutting Width, 2 Used on 630FD.
301-D35348	AXE35348	39.93 x 185.40	LH & RH Cut, 35' Cutting Width, 4 Used on 630FD, 640 FD.
301-D35349	AXE35349	39.93 x 245.40	LH & RH Cut (Long Belt), 40' Cutting Width, 2 Used on 640 FD.
CENTER FEEDER BELT			
301-D12572	AXE12572	58.10 x 51.85	Center Cut, 40' Cutting Width, Single V-Guide, 1 Used on 640FD Before S/N 740835.
301-D17364	AXE17364	58.10 x 51.85	Center Cut, 30', 35', 40' Cutting Width, Double V-Guide, 1 Used on 630FD, 635FD Since S/N 740831 (N.A.), 640FD Since S/N 740835.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

COMBINE DRAPER BELTS FOR JOHN DEERE

PART NO.	REPLACES	SIZE (IN.)	DESCRIPTION / APPLICATION
301-D159533	AH159533	36 x 244	Side Belt, 25' Cutting Width, 2 Used on 925D.
301-D159534	AH159534	36 x 304	Side Belt, 30' Cutting Width, 2 Used on 930D.
301-D159536	AH159536	36 x 420	RH Belt, 36' Cutting Width, 1 Used on 936D.
301-D159535	AH159535	36 x 332	LH Belt, 36' Cutting Width, 1 Used on 936D.
301-D12053	AXE12053	60 x 63.56	Center Belt, 1 Used on 925D, 930D, 936D.
301-D12531	AXE12531	39.54 x 237.13	Side Belt, 25' Cutting Width, 2 Used on 625D.
301-D14731	AXE14731	39.54 x 297.13	Side Belt, 30' Cutting Width, 2 Used on 630D.
301-D12532	AXE12532	39.54 x 357.13	Side Belt, 35' Cutting Width, 2 Used on 635D.
301-D16051	AXE16051	39.54 x 417.13	Side Belt, 40' Cutting Width, 2 Used on 640D.
301-D12533	AXE12533	55.3 x 58.01	Center Feeder Belt, 1 Used on 625D, 635D, 640D.

FOR MACDON & CASE IH

PART NO.	REPLACES	SIZE (IN.)	DESCRIPTION
HEAVY DUTY DRAPER BELT WITH V-GUIDE 1 SIDE			
FOR 960 HARVEST HEADER 1995-2000			
301-MD338629	338629A1	41.6 x 297.8	Double Delivery, LH Cut, 30' Cutting Width, 1 Used.
301-MD338630	338630A1	41.6 x 345	Double Delivery, RH Cut, 30' Cutting Width, 1 Used.
301-MD338633	338633A1	41.6 x 369.7	Double Delivery, LH Cut, 36' Cutting Width, 1 Used.
301-MD338635	338635A1	41.6 x 417	Double Delivery, RH Cut, 36' Cutting Width, 1 Used.
FOR 962 HARVEST HEADER, CASE IH 1042, 2042			
301-MD338629	338629A1	41.6 x 297.8	Double Delivery, LH Cut, 30' Cutting Width, 1 Used.
301-MD338630	338630A1	41.6 x 345	Double Delivery, RH Cut, 30' Cutting Width, 1 Used.
301-MD338633	338633A1	41.6 x 369.7	Double Delivery, LH Cut, 36' Cutting Width, 1 Used.
301-MD338635	338635A1	41.6 x 417	Double Delivery, RH Cut, 36' Cutting Width, 1 Used.
301-MD114267	114267	45.4 x 97	Center Cut, 1 Used.
FOR 972 HARVEST HEADER, CASE IH 1052, 2052, 2062			
301-MD346018	346018A1	41.6 x 249	Double Delivery, 25' Cutting Width, 2 Used.
301-MD372311	372311A1	41.6 x 357	Double Delivery, LH Cut, 36' Cutting Width, 1 Used.
301-MD372312	372312A1	41.6 x 405	Double Delivery, RH Cut, 36' Cutting Width, 1 Used.
301-MD114267	114267	45.4 x 97	Center Cut, 1 Used.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

COMBINE DRAPER BELTS



FOR MACDON & CASE IH

PART NO.	REPLACES	SIZE (IN.)	DESCRIPTION
HEAVY DUTY DRAPER BELT WITH V-GUIDE 1 SIDE			
FOR 973 & 974 HARVEST HEADER			
301-MD346018	346018A1	41.6 x 249	Center Delivery, 25' Cutting Width, 2 Used.
301-MD346022	346022A1	41.6 x 309	Center Delivery, 30' Cutting Width, 2 Used.
301-MD372311	372311A1	41.6 x 357	Center Delivery, LH Cut, 36' Cutting Width, 1 Used.
301-MD87446868	87446868	41.6 x 389	Center Delivery, LH Cut, 39' Cutting Width, 1 Used.
301-MD372312	372312A1	41.6 x 405	Center Delivery, RH Cut, 36' Cutting Width, 1 Used.
301-MD129214	129214	41.6 x 433	Center Delivery, RH Cut, 39' cutting Width, 1 Used.
301-MD114267	114267	45.4 x 97	Center Cut, 1 Used.
HEAVY DUTY FEEDER WITH V-GUIDE & RECESSED 3/4" CLEAT			
301-MD101672	101672	55.9 x 97	Center Delivery, 871, 872, 873, John Deere, Caterpillar, New Holland & Lexion. Adapts to Macdon Header.
DRAPER BELT WITH SINGLE V-GUIDE			
301-MD47489938	47489938	41.60 x 277.24	Double & Triple Delivery, 30' Cutting Width, 2 Used on D50, D60, D65, FD70, FD75, 960 (1995-2000), Case IH 2162 Flex.
301-MD47610128	47610128	41.60 x 337.24	Double Delivery, 35' Cutting Width, 2 Used on D50, D60, D65, FD70, FD75, 960, Case IH 2162 Flex.
301-MD87560980	87560980	41.60 x 397.24	Double Delivery, 40' Cutting Width, 2 Used on D50, D60, D65, FD70, FD75, 960, Case IH 2142, 2152, 2162.
CENTER FEED BELT			
301-MD87560973	87560973	78.5 x 63.46	Center Delivery, 1 Used on 960 thru FD75, Case IH 2142 - 2162.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

Table of Contents Section 7

Bale Counter.....	7-40
Baler Belt Hook – Clipper	7-45
Baler Chain.....	7-42
Baler Shear Bolt Kit	7-40
Baler Teeth	7-38
Bale Spear	7-39
Bale Spear Bracket	7-39
Belt Lacing and Tools.....	7-44
Cutting Sections – Mower & Windrower	7-21-7-23
Flail Mower Parts	7-1-7-2
Hay Rake Teeth	7-37
Ledger & Shoe Plate, Sole, Grassboard.....	7-32
Mato Lacing – For Round Balers	7-44
Mower Deck Stabilizer Kit.....	7-21
Mower Guard – Forged Steel.....	7-30-7-31
Mower Rock Guard	7-31
Poly Pick Up Bands.....	7-41
Rake and Baler Teeth.....	7-35
Rake Wheel and Parts.....	7-34
Rake Wheel Teeth.....	7-36
Rivet Tool	7-29
Rotary Cutter Blade	7-9-7-10, 7-16
Rotary Cutter Blade Bolt Kits	7-17-7-18
Rotary Drum and Disc Mower	7-8
Rotary Drum and Disc Mower Blades.....	7-3-7-6
Rotary Drum Blade Bolts & Nuts.....	7-7
Round Baler Belt	7-44
Section Bolts and Nuts	7-28
Section Bolt Tool.....	7-29
Section Rivet – Sickles.....	7-28
Sickle and Knife Clip	7-26
Sickle Repair Parts	7-27
Sickle Rivet Assortment – Mower.....	7-27
Sickles – Mower.....	7-24-7-25
Sprockets and Idlers	7-42
Stabilizer Spear & Sleeve.....	7-39

Table of Contents Section 7 Cont.

Tail Wheel Hubs, Forks & Accessories	7-19
Tail Wheel Hubs, Forks & Accessories	7-20
Tedder Teeth	7-33
Universal Wear Plate	7-32

FLAIL MOWER PARTS

PART NO.	REPLACES	DESCRIPTION
FOR ALLOWAY		
125-LK0001	505-3-0001	Side Knife
125-LK0001HF	505-3-0024	Side Knife Wear-Tuff Coated
125-LP0003	505-3-0014	U-Bar Hanger
125-LU0007	505-3-0445	U-Bar Hanger
125-LR0007	505-3-0008	D-Ring, 1/2", 2-3/8" x 2-13/16"
125-LK1067	505-3-1067	Side Knife, Hole Diameter .78"
125-SMA1067BK	505-3-1067	Bushing Kit
851-NANF21031	505-2-0492	Shaft Bearing 1-15/16" 4-Bolt, 5/8" Holes, AgSmart
308-RCJ11516	505-2-0492	Shaft Bearing 1-15/16" 4-Bolt, 5/8" Holes, Fafnir
FOR BALZER / BUFFALO		
125-LK0010	12357, 11040039	Side Knife 2" Wide
125-LK0050	61105, 430151	Side Knife, Width 2.35" Top x 3" Cutting End, Hole Diameter 1"
125-LK0050B	61137	Bushing
125-LP0003	12296, 0802007	Knife Pivot
125-2026B	12356, 18020019	D-Ring
125-LR502	12295, 10822020	Square Ring
FOR DANDL		
125-2027B	SA2027	Side Knife Short, Industrial
125-2027DF	SA2027DF	Side Knife Short, Industrial, Wear-Tuff Coated
125-LK606HF	00-724214, R2560	Side Knife 6-1/2" x 2-3/8", H/D Wear-Tuff Coated
125-2039B	SA2039	Side Knife Long, Industrial
125-CK123LDF	SA2042	Cup Knife, Wear-Tuff Coated, Import
125-CK123L	SA2042	Cup Knife, Import
125-20261HDB	SA2021	D-Ring 1/2"
125-2026B	SA2017	D-Ring 7/16"
125-2047B	SA2047	Oval Hanger 1-1/4"
125-SA2111	SA2111	Oval Hanger 1-1/2"
125-20261B	SA2026	U-Bar Hanger
FOR FOX BRADY/HINIKER		
125-LK0010	65143, 000-65143	Side Knife 2" Wide
125-LP710	65141, 207028	U-Bar Hanger
125-2026B	65142	D-Ring
125-LK718	01694/1094	Cup Knife
125-LK79431	79201431	Cup Knife 3"
125-LR502	65144	Square Ring
125-LP0003	65227	U-Bar Hanger
FOR MATTHEWS/SERVIS-RHINO		
125-LK606HF	00-724214	Side Knife 6-1/2" x 2-3/8", H/D Wear-Tuff Coated



Side Knife



D-Ring



Cup Knife



Oval Hanger



U-Bar Hanger



Side Knife



WE SUPPLY SUCCESS

WWW.SMALINK.COM

FLAIL MOWER PARTS

PART NO.	REPLACES	DESCRIPTION
FOR JOHN DEERE		
125-LK0021HF	P58586	Side Knife, Wear-Tuff Coated
125-LK403	P57928	Side Knife
125-20261HDB	P57925	D-Ring
125-CK123L	P66945	Cup Knife, Import
125-CK123LDF	—	Cup Knife, Wear-Tuff Coated, Import
125-2026B	E31903	D-Ring 7/16"
125-20261B	E31905	Clip
FOR LOFTNESS		
125-60130DF	8021	Side Knife 2.5" x 7", Hole 15/16"
125-LK0022	8136, 5992	Side Knife High Residue, 70° Angle
864-LK875	E48308	Side Knife. 5.6" x 2.5", .3" Thick, 3/4" Hole.
4725130272	—	D-Ring
80220	80224	Cup Knife, Tungsten Carbide Hardfaced, 4-3/8" x 4-1/2", 0.236" Thick, 1/2" Hole
8033	—	U Bar
5987	5987, 8034	U Bar
8136	—	Side Knife, 70 degree High Residue Knife, 6-7/8" x 2-1/2", 5/16" Thick, 15/16" Hole
FOR MOTT FLAIL MOWER		
654-101993	101993	Blade 1-1/4" x 3" Fine Cut
654-101991	101991	D-Ring for Use with 101993
654-101992	101992	Ring Clip for Use with 101993
654-102086	102086	Blade 1.25" x 5", Fine Cut
654-101034	101034	Clevis Pin for 102086
654-100759	100759	Blade Standard Duty, Coarse Cut
654-100761	100761	Clevis Pin for 100759
654-102670	102670	Clevis Pin for 100761
FOR REARS		
125-LK750HF	—	Hammer Knife, Hardfaced
125-LK750KIT	—	Hammer Knife Hardware Kit
125-FL946DF	FL946	Blade Wear-Tuff Coated
125-742B	—	U-Bar Hanger (Stocked SMA West Only)
FOR VRISIMO/MIGHTY MAX		
125-60130DF	CD2185	Side Knife Wear-Tuff Coated
125-2027B	CD2100	Side Knife Short (Stocked SMA West Only)
125-2047B	CD2120	Oval Hanger
125-CK123L	CD2110	Cup Knife, Import
125-CK123LDF	—	Cup Knife, Wear-Tuff Coated, Import
125-2026B	CD2135	D-Ring 7/16"
125-2130B	DRG71030	D-Ring 7/16" Long Style

Side Knife



Cup Knife



D-Ring



Hammer Knife



U-Bar Hanger



Cup Knife



To Order Call Toll Free 877-55 GO SMA 877-554-6762

ROTARY DRUM AND DISC MOWER BLADES

Order Multiple 25



PART NO.	REPLACES	LENGTH MM/INCH	WIDTH MM/ INCH	THICK MM/ INCH	HOLE DIA. MM/INCH	SHAPE NO.	BOLT / NUT KIT
For Bush Hog / Rhino / New Idea							
798-RM699	526216	121 / 4.75	51 / 2.00	4 / .157	18.3 / .72	LH - 4	798- RF811
798-RM700	526215	121 / 4.75	51 / 2.00	4 / .157	18.3 / .72	RH - 4	
798-RM527746	527746 (12° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	RH - 4	798- RF527K
798-RM527747	527747 (12° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	LH - 4	
798-RM527748	527748 (18° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	RH - 4	798- RF527K
798-RM527749	527749 (18° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	LH - 4	
798-RM787166	00787166	108 / 4.252	47 / 1.85	4 / .157	21.07 / .83	RH - 5	N/A
798-RM787167	00787167	108 / 4.252	47 / 1.85	4 / .157	21.07 / .83	LH - 5	
FOR CASE IH							
798-RM3210	86625670, 700712889	110 / 4.33	47 / 1.85	4 / .157	18.2 / .72	LH - 5	798- RF56162
798-RM3310	86625669, 700712888	110 / 4.33	47 / 1.85	4 / .157	18.2 / .72	RH - 5	
798-RM527748	113384A1	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	LH - 4	798- RF527K
798-RM527749	113385A1	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	RH - 4	
798-RM683	9847683	110 / 4.33	51 / 2.00	4 / .157	22.6 / .89	RH - 4	798- RF925K
798-RM684	9847684	110 / 4.33	51 / 2.00	4 / .157	22.6 / .89	LH - 4	
798-RM1092	86621873	110 / 4.33	51 / 2.00	4 / .157	22.6 / .89	LH - 4	798- RF926K
798-RM1093	86621872	110 / 4.33	51 / 2.00	4 / .157	22.6 / .89	RH - 4	
798-RM5671	86625671, 700713983	107 / 4.21	47 / 1.85	4 / .157	18.54 / .728	RH - 4	N/A
798-RM5672	86625672, 700713984	107 / 4.21	47 / 1.85	4 / .157	18.54 / .728	LH - 4	
FOR CHALLENGER							
798-RM527746	527746 (12° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	RH - 4	798- RF527K
798-RM527747	527747 (12° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	LH - 4	
798-RM527748	527748 (18° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	RH - 4	798- RF527K
798-RM527749	527749 (18° twist)	121 / 4.75	51 / 2.00	4 / .157	22.6 / .89	LH - 4	
798-RM5671	700713983 (11° twist)	107 / 4.21	47 / 1.85	4 / .157	18.54 / .728	RH - 4	798- RF11964K
798-RM5672	700713984 (11° twist)	107 / 4.21	47 / 1.85	4 / .157	18.54 / .728	LH - 4	
798-RM575	700715575 (18° twist)	107 / 4.21	47 / 1.85	4 / .157	18.54 / .728	RH - 4	798- RF11964K
798-RM576	700715576 (18° twist)	107 / 4.21	47 / 1.85	4 / .157	18.54 / .728	LH - 4	

– Continued Next Page –

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ROTARY DRUM AND DISC MOWER BLADES

Order Multiple **25**



PART NO.	REPLACES	LENGTH MM/INCH	WIDTH MM/INCH	THICK MM/INCH	HOLE DIA. MM/INCH	SHAPE NO.	BOLT / NUT KIT
FOR FELLA							
798-RM121712L	121.712	98 / 3.86	48 / 1.88	4 /.157	19 / .75	LH - 4	N/A
798-RM121713R	121.713	98 / 3.86	48 / 1.88	4 /.157	19 / .75	RH - 4	
798-RM122329	122.329	106 / 4.17	48 / 1.88	4 /.157	19 / .75	LH - 4	798-RF8187
798-RM122330	122.330	106 / 4.17	48 / 1.88	4 /.157	19 / .75	RH - 4	
798-RM8880	123.706	112 / 4.41	47 / 1.85	4 /.157	19 / .75	LH - 4	N/A
798-RM8890	123.707	112 / 4.41	47 / 1.85	4 /.157	19 / .75	RH - 4	
FOR GEHL							
798-RM699	604658	121 / 4.75	51 / 2.00	4 /.157	18.3 / .72	LH - 4	798-RF811
798-RM700	604659	121 / 4.75	51 / 2.00	4 /.157	18.3 / .72	RH - 4	
798-RM559	612634	107 / 4.21	47 / 1.85	4 /.157	18.5 / .73	LH - 4	798-RF811
798-RM560	612635	107 / 4.21	47 / 1.85	4 /.157	18.5 / .73	RH - 4	
798-RM3210	113268	110 / 4.33	47 / 1.85	4 /.157	18.2 / .72	LH - 5	798- RF56162
798-RM3310	113269	110 / 4.33	47 / 1.85	4 /.157	18.2 / .72	RH - 5	
798-RM4512	125447	123 / 4.85	47 / 1.85	4 /.157	18.2 / .72	LH - 5	798- RF56162
798-RM4513	125446	123 / 4.85	47 / 1.85	4 /.157	18.2 / .72	RH - 5	
FOR HESSTON							
798-RM527746	527746	121 / 4.75	51 / 2.00	4 /.157	22.6 /.89	RH - 4	798-RF527K
798-RM527747	527747	121 / 4.75	51 / 2.00	4 /.157	22.6 / .89	LH - 4	
798-RM527748	527748	121 / 4.75	51 / 2.00	4 /.157	22.6 / .89	RH - 4	798-RF527K
798-RM527749	527749	121 / 4.75	51 / 2.00	4 /.157	22.6 / .89	LH - 4	
798-RM5671	700713983	107 / 4.21	47 / 1.85	4 /.157	18.54 / .728	RH - 4	798- RF11964K
798-RM5672	700713984	107 / 4.21	47 / 1.85	4 /.157	18.54 / .728	LH - 4	
798-RM575	700715575	107 / 4.21	47 / 1.85	4 /.157	18.54 / .728	RH - 4	798- RF11964K
798-RM576	700715576	107 / 4.21	47 / 1.85	4 /.157	18.54 / .728	LH - 4	
FOR JOHN DEERE®							
798-RM1512	CC19336	93 / 3.66	40 / 1.57	3 / .118	16 / .63	LH - 5	798- RF56252
798-RM1513	CC19333	93 / 3.66	40 / 1.57	3 / .118	16 / .63	RH - 5	
798-RM15121	CC20500	96 / 3.78	47 / 1.85	3.5 / .138	16 / .65	LH - 5	798- RF56252
798-RM15131	CC20501	96 / 3.78	47 / 1.85	3.5 / .138	16 / .65	RH - 5	
798-RM52497	FH308234	107 / 4.21	45 / 1.77	4 /.157	18.2 / .72	LH - 4	798- RF313555K
798-RM52498	FH308235	107 / 4.21	45 / 1.77	4 /.157	18.2 / .72	RH - 4	
798-RM80206	FH323281, E80206 CC26780	107 / 4.21	47 / 1.85	4 /.157	18.2 / .72	LH - 4	798- RF313555K
798-RM80208	FH323282, E80208 CC26781	107 / 4.21	47 / 1.85	4 /.157	18.2 / .72	RH - 4	

– Continued Next Page –



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

ROTARY DRUM AND DISC MOWER BLADES

Order Multiple 25



PART NO.	REPLACES	LENGTH MM/INCH	WIDTH MM/INCH	THICK MM/INCH	HOLE DIA. MM/INCH	SHAPE NO.	BOLT / NUT KIT
FOR KRONE							
798-RM825	144.825.1	90 / 3.54	48 / 1.89	4 /.157	19 / .75	LH - 4	798-RF137
798-RM826	144.826.1	90 / 3.54	48 / 1.89	4 /.157	19 / .75	RH - 4	
798-RM690	146.690.1	96 / 3.78	51 / 2.00	4 /.157	19 / .75	LH - 4	798-RF137
798-RM691	146.691.1	96 / 3.78	51 / 2.00	4 /.157	19 / .75	RH - 4	
798-RM8880	139.888.0	112 / 4.41	47 / 1.85	4 /.157	19 / .75	LH - 4	798-RF137
798-RM8890	139.889.0	112 / 4.41	47 / 1.85	4 /.157	19 / .75	RH - 4	
FOR KUHN							
798-RM1500	561-500-00	95 / 3.74	45 / 1.77	3 / .118	16 / .64	1	798-RF56152
798-RM1512	561-512-00	93 / 3.66	40 / 1.57	3 / .118	16 / .63	LH - 5	798-RF56152
798-RM1513	561-513-00	93 / 3.66	40 / 1.57	3 / .118	16 / .63	RH - 5	
798-RM15121	561-512-10	96 / 3.78	47 / 1.85	3.5 / .138	16 / .65	LH - 5	798-RF56147
798-RM15131	561-513-10	96 / 3.78	47 / 1.85	3.5 / .138	16 / .65	RH - 5	
798-RM4512	564-512-00	123 / 4.85	47 / 1.85	4 /.157	18.2 / .72	LH - 5	798-RF56162
798-RM4513	564-513-00	123 / 4.85	47 / 1.85	4 /.157	18.2 / .72	RH - 5	
798-RM45121	564-512-10	123 / 4.85	45 / 1.77	4 /.157	18.2 / .72	1	798-RF56162
798-RM3210	559-032-10	110 / 4.33	47 / 1.85	4 /.157	18.2 / .72	LH - 5	798-RF56162
798-RM3310	559-033-10	110 / 4.33	47 / 1.85	4 /.157	18.2 / .72	RH - 5	
798-RM216	559-216-00	107 / 4.21	45 / 1.77	4 /.157	18.2 / .72	1	798-RF56162
FOR NEW HOLLAND							
798-RM1500	274230	95 / 3.74	45 / 1.77	3 / .118	16 / .64	1	798-RF56152
798-RM1512	274096	93 / 3.66	40 / 1.57	3 / .118	16 / .63	LH - 5	798-RF56152
798-RM1513	274097	93 / 3.66	40 / 1.57	3 / .118	16 / .63	RH - 5	
798-RM15121	766726	96 / 3.78	47 / 1.85	3.5 / .138	16 / .65	LH - 5	798-RF56147
798-RM15131	766727	96 / 3.78	47 / 1.85	3.5 / .138	16 / .65	RH - 5	
798-RM4512	784220	123 / 4.85	47 / 1.85	4 /.157	18.2 / .72	LH - 5	798-RF56162
798-RM4513	784221	123 / 4.85	47 / 1.85	4 /.157	18.2 / .72	RH - 5	
798-RM3210	853820	110 / 4.33	47 / 1.85	4 /.157	18.2 / .72	LH - 5	798-RF56162
798-RM3310	853819	110 / 4.33	47 / 1.85	4 /.157	18.2 / .72	RH - 5	
798-RM1092	86621873	110 / 4.33	51 / 2.00	4 /.157	22.6 / .89	LH - 4	798-RF926K
798-RM1093	86621872	110 / 4.33	51 / 2.00	4 /.157	22.6 / .89	RH - 4	
798-RM575	86625673	107 / 4.21	47 / 1.85	4 /.157	18.54 / .728	LH - 4	798-RF11964K
798-RM576	86625674	107 / 4.21	47 / 1.85	4 /.157	18.54 / .728	RH - 4	
798-RM683	9847683	110 / 4.33	51 / 2.00	4 /.157	22.6 / .89	RH - 4	798-RF925K
798-RM684	9847684	110 / 4.33	51 / 2.00	4 /.157	22.6 / .89	LH - 4	

– Continued Next Page –



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ROTARY DRUM AND DISC MOWER BLADES

Order Multiple **25**



PART NO.	REPLACES	LENGTH MM/INCH	WIDTH MM/INCH	THICK MM/INCH	HOLE DIA. MM/INCH	SHAPE NO.	BOLT / NUT KIT
FOR LELY							
798-RM699	4120114730	121 / 4.75	51 / 2.00	4 /.157	18.3 / .72	LH - 4	N/A
798-RM700	4120114740	121 / 4.75	51 / 2.00	4 /.157	18.3 / .72	RH - 4	
FOR PZ ZWEEGERS							
798-RM15	CM15	105 / 4.133	47 / 1.85	4 /.157	21 / .83	5	N/A
798-RM120	CM120 - Domed	105 / 4.15	47 / 1.85	4 /.157	21 / .83	4	N/A
FOR VICON							
798-RM699	58699	121 / 4.75	51 / 2.00	4 /.157	18.3 / .72	LH - 4	798-RF811 or RF593720
798-RM700	58700	121 / 4.75	51 / 2.00	4 /.157	18.3 / .72	RH - 4	
798-RM559	61559	107 / 4.21	47 / 1.85	4 /.157	18.5 / .73	LH - 4	798- RF593720
798-RM560	61560	107 / 4.21	47 / 1.85	4 /.157	18.5 / .73	RH - 4	

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free **877-55 GO SMA** **877-554-6762**

ROTARY DRUM BLADE BOLTS & NUTS

Bolt & Nut Kits Sold Six Per Clamshell Package. Nuts Only Sold 25 Per Clamshell Package

BOLT / NUT KIT	BOLT (REF.)	NUT (REF.)	APPLICATION / DESCRIPTION	BOLT REPLACES	NUT REPLACES
798-RF527K	798-RF527745 (# 1)	798-RF527495 (# 7)	Bush Hog, Rhino, New Idea, Case IH, Challenger, Hesston, 3/8"-24 Thd.	527745	527495
798-RF8187	798-RF122181 (# 4)	798-RF126287 (# 10)	Fella, 12mm Thd.	122.18	126.29
798-RF11964K	798-RF11964 (# 5)	798-RF27073 (# 11)	Hesston, Challenger, New Holland	700711964	700127073
798-RF137	798-RF5302 (# 3)	798-RF626 (# 10)	Krone 12mm Thd.	1377.26.6	909.602.1; 1377.26.26
798-RF56147	798-RF501 (# 3)	798-RF1047 (# 8)	Kuhn, New Holland, Standard Nut, 10mm Thd.	561.501.00	802.010.47
798-RF56152	798-RF501 (# 3)	798-RF1052 (# 9)	Kuhn, New Holland, Flex Washer Nut, 10mm Thd.	561.501.00	802.010.52
798-RF56252	798-RF101 (# 3)	798-RF1052 (# 9)	Kuhn, John Deere, Flex Washer Nut, 10mm Thd.	562.101.00; CC19989	802.010.52; DC19765
798-RF56162	798-RF5800 (# 3)	798-RF1262 (# 9)	Kuhn, New Holland, Case IH, Gehl, Flex Washer Nut, 12mm Thd.	561.158.00; 697552; 125448; CC19994	802.10.262; 697550; 125445; DC19996
798-RF56247	798-RF101 (# 3)	798-RF1047 (# 8)	Kuhn, 10mm Thd.	561.101.00	802.012.47
798-RF313555K	798-RF313555 (# 6)	798-RF242 (# 10)	John Deere	FH313555; E92221	E80242
798-RF925K	798-RF925 (# 1)	798-RF265 (# 7)	New Holland, Case IH, 1/2"-13 Thd.	86515925	87725066; 86515265; 87053834
798-RF926K	798-RF926 (# 1)	798-RF265 (# 7)	New Holland, Case IH, 1/2"-13 Thd.	86515926	87725066; 86515265; 87053834
798-RF811	798-RF160 (# 2)	798-RF1047 (# 8)	Vicon, Gehl, Bush Hog, 10mm Thd.	81160; 604664	305.77.100; 071246
798-RF593720	798-RF593 (# 4)	798-RF720 (# 8)	Vicon, 12mm Thd.	B1374593	305.77.200
798-RF564	—	—	Taarup, Lock Nut, 12mm Thd.	56.403.00	99.307.81




Images are for representation only. Actual product may vary.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ROTARY DRUM AND DISC MOWER ACCESSORIES



RW302

PART NO.	REPLACES	DESCRIPTION
FOR KUHN		
798-RW302	563-302-00	Weld-on skid for 55, 66, 77 cutters
798-RW568017	568-017-00	Weld-on skid for 500, 600, 700 cutters
FOR VICON		
798-RG15853	900-15853	Stone guard for CM165, 240, & 247. Works with RS62054

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




To Order Call Toll Free 877-55 GO SMA 877-554-6762

ROTARY CUTTER BLADE

FORGED FROM 5160 HIGH CARBON STEEL



NOTE: Rotation CW = ClockWise
CCW = Counter ClockWise



PART NO.	DESCRIPTION / APPLICATION	DIMENSIONS	WT (LB)
404-02726900	Dual Edge, for A-Boom, Boom Axe, Machete, Versa. Bolt Hole 1.5"	5/8" x 5" x 14.5"	12
BUSH HOG			
404-11150	CW, for Models: 126, 126 Offset, 315, 12010, 12610, 12615, 12615L, 13710, 13715, 2010, 2315, 2415, 2510, 2515, 2610, 2615, 2615L, 3610, 3615, 3710, 3715, CR15F. Bolt Hole 1.5"	1/2" x 4" x 24.75"	14
404-36	CCW for Models: 6, 12, 105, 205, 266, 305, 502, 600, BH15, RB60, SQ60. Bolt Hole 1.5"	1/2" x 3" x 24.75"	10
404-462	CCW for Models: 105, 205, 255, 266, 305, 600, 602, RB60, SQ60, SQ60-5, SQ600-3. Bolt Hole 1.5"	1/2" x 3.5" x 24.75"	12
404-463	CCW for Models: 206, 256, 305, 306, 1206, 1256. Bolt Hole 1.5"	1/2" x 3.5" x 27.75"	12
404-464	CCW, for Models: 207, 257, 307, 1207, 1257, 1307. Bolt Hole 1.5"	1/2" x 3.5" x 30.75"	13
404-60528	CCW, for Models: 220, 2614, 2620, 2720, 12720. Bolt Hole 1.5"	1/2" x 4" x 30.75"	17
404-63968	Dual Edge, for Models: SM60, SM160. Bolt Hole 1.5"	1/2" x 3" x 24.5"	10
404-7555	CCW, for Models: 12, 105, 126, 126 Offset, 205, 325, 1126, 1126 Offset, 1226, 12610, 12615, 1310, 1315, 2010, 2315, 2415, RB60, SQ60, SQ60-5, SQ600-3. Bolt Hole 1.5"	1/2" x 4" x 24.75"	14

– Continued Next Page –

For a Comprehensive Listing of Rotary Blades & Applications Go to WWW.SMALINK.COM



WE SUPPLY SUCCESS


WWW.SMALINK.COM

ROTARY CUTTER BLADE

FORGED FROM 5160 HIGH CARBON STEEL



NOTE: Rotation CW = ClockWise
CCW = Counter ClockWise



PART NO.	DESCRIPTION / APPLICATION	DIMENSIONS	WT. (LB.)
BUSH HOG			
404-7556	CCW, for Models: 206, 256, 276, 286, 297, 305, 306, 310, 315, 326, 327, 1206, 1256, 1297, 1310, 1315, 2012, 2315, 2415, 2610, 2615, 2720, 3610, 3615, 3710, 3715, 12610, 12615, 12720, 13710, 13715, SQ72, SQ72-4, SQ72-5 SQ142, SQ148, SQ160, SQ172, SQ184, SQ720, SQ720-3. Bolt Hole 1.5"	1/2" x 4" x 27.75"	16
404-7557	CCW, for Models Models: 207, 220, 257, 277, 287, 307, 1207, 1220, 1257, 1287, 1307, 2614, 2620, 2720, 12720, 1257R-2257R-2, SQ7, SQ142, SQ148, SQ160, SQ172, SQ184, SQ840. Bolt Hole 1.5"	1/2" x 4" x 30.75"	17
404-7828	CCW for Models: 109, 109 Offset, 1109, 1109 Offset, 1166, 1209, 12512, 13108, 13108 Offset, 160, 1600, 166, 2512, 3108, 3108 Offset, 3209, 3209 Offset. Bolt Hole 1.5"	1/2" x 4" x 19.25"	12
404-7829	CW for Models: 109, 109 Offset, 1109, 1109 Offset, 1166, 1209, 12512, 13108, 13108 Offset, 160, 1600, 166, 2512, 3108, 3108 Offset, 3209, 3209 Offset. Bolt Hole 1.5"	1/2" x 4" x 19.25"	12
404-78494	CW for Models: 13126R, 13126S, 3126R, 3126S, 3210, Replaces 90014. Bolt Hole 1.5"	1/2" x 4" x 24"	14
404-78495	Updraft, CCW for Models: 13126R, 13126S, 3126R, 3126S, 3210, Replaces 90015. Bolt Hole 1.5"	1/2" x 4" x 24"	14
404-86664	CCW, for Models: 1050HS, 12610, 1215, 13414, 2610, 2614, 2615, 2620, 3008, 3008-2, 3214, 3368, 3414, 4214, CR14R. Bolt Hole 1.5"	1/2" x 4" x 20.75"	12
404-86665	CW, for Models: 1050HS, 12610, 1215, 13414, 2614, 2615, 2620, 3008, 3008-2, 3214, 3368, 3414, 4214, CR14R. Bolt Hole 1.5"	1/2" x 4" x 20.75"	12
404-86666	Dual Edge, for Models: 12610, 12615, 12615L, 13414, 2610, 2614, 2615, 2615L, 2620, 3214, 3368, 3414, 4214, 4215 . Bolt Hole 1.5"	1/2" x 4" x 20"	12




To Order Call Toll Free 877-55 GO SMA 877-554-6762

ROTARY CUTTER BLADE CONT.



NOTE: Rotation CW = ClockWise
CCW = Counter ClockWise



PART NO.	DESCRIPTION / APPLICATION	DIMENSIONS	WT (LB.)
FOR BUSHWACKER			
404-B3093	CCW, Offset, for Model T-180. Bolt Hole 1.375"	1/2" x 4" x 27"	—
404-B3094	CW, Offset, for Model T-180. Bolt Hole 1.375"	1/2" x 4" x 27"	—
FOR HARDEE			
404-C1256	Uplift, CCW, for Models: 10126, 1198, T8398, T8714. Bolt Hole 1.5"	1/2" x 3.5" x 18.75"	12
404-C1257	Uplift, CW, for Models: 10126, 1198, T8398, T8714. Bolt Hole 1.5"	1/2" x 3.5" x 18.75"	12
404-C469ND	Dual Edge, C66, DB4048, H8, PW, T8215, T8915, T9215, T9515. Bolt Hole 1.5"	1/2" x 3.5" x 26"	12
404-C470	Single Edge, CCW, Models: 772, 1072, 1084, 1184, T484LT & PT, T884LT & PT with Round Blade Holder. Bolt Hole 1.5"	1/2" x 3.5" x 28.75"	13
404-C49	Single Edge, for Models: 52LT, DB4060, H260CO, H360CO, T160LT & LTO, T166LT & LTO, T172LT & LTO. Bolt Hole 1.5"	1/2" x 3" x 23"	10
404-C49ND	Dual Edge, for Models: 52LT, DB4060, H260CO, H360CO, T160LT & LTO, T166LT & LTO, T172LT & LTO. Bolt Hole 1.5"	1/2" x 3" x 23"	10
404-C50ND	Dual Edge, CCW, for Models: C66, DB4048, H8, PW, T8215 All with Round Blade Holder; T8915, T9215, T9515. Bolt Hole 1.5"	1/2" x 3" x 19"	7
FOR HICO (HOWSE)			
404-H608	CCW, for 5 ft. Cutter Models. Bolt Hole 1.5"	1/2" x 3.5" x 25"	11
404-HL422N	Uplift, CW, for Models: 600, 601S, 602S, M72, MH16, 6 ft. Cutters. Bolt Hole 1.5"	1/2" x 3.5" x 27.5"	—

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




WE SUPPLY SUCCESS

WWW.SMALINK.COM

ROTARY CUTTER BLADE CONT.

NOTE: Rotation CW = ClockWise
CCW = Counter ClockWise




PART NO.	DESCRIPTION / APPLICATION	DIMENSIONS	WT (LB.)
FOR JOHN DEERE			
404-39200	CCW, for Models: 2 used on 509, 609, 709; 727, 737, 1008, 1018, 1508, 1517, 1518, 2018, Replaces W43040, W43466. Bolt Hole 1.5"	1/2" x 4" x 21.75"	12
404-39201	CW, for Models: 727, 737, 1008, 1018, 1508, 1517, 1518, 2018, Replaces W43043, W43465. Bolt Hole 1.5"	1/2" x 4" x 21.75"	12
404-39202	CW, for Models: 1008, 1408, 1418, Replaces W43044, W44235. Bolt Hole 1.5"	1/2" x 4" x 18.25"	11
404-39203	CCW, for Models: 1008, 1408, 1418, Replaces W43045, W44236. Bolt Hole 1.5"	1/2" x 4" x 18.25"	11
404-39204	Dual Edge, for Models: 1008, 1408, 1418, Replaces W43049. Bolt Hole 1.5"	1/2" x 4" x 18.25"	14
404-48577	CCW, for Models: LH & Ctr - CX20, HX7, HX20, MX5, MX6, MX7, Replaces W48577. Bolt Hole 1.5"	1/2" x 4" x 28.25"	16
404-48578	CW, for Models: CX20 RH, HX20 RH, Replaces W48578. Bolt Hole 1.5"	1/2" x 4" x 28.25"	16
404-49170	CW, for Models: CX15 LH, CX20 RH, HX10 RH, HX20 RH, HX15 LH, MX15 LH, Replaces W49170. Bolt Hole 1.5"	1/2" x 4" x 21.75"	12
404-49171	CCW, for Models: 509, 609, 709, CX15 RH & Ctr, CX20 RH, HX10 LH, HX15 RH & Ctr, HX20 RH, MX15 RH & Ctr, Replaces W49171. Bolt Hole 1.5"	1/2" x 4" x 21.75"	12
404-50191	CW, for Models: HX14, MX8, MX10, Replaces W50191. Bolt Hole 1.5"	1/2" x 4" x 18"	10
404-50192	CCW, for Models: HX14, MX8, MX10, Replaces W50192. Bolt Hole 1.5"	1/2" x 4" x 18"	10
404-52742	CCW, for Models: CX15, HX15, Replaces W50973, W52742. Bolt Hole 1.5"	1/2" x 4" x 27"	16

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



ROTARY CUTTER BLADE CONT.

NOTE: Rotation CW = ClockWise
CCW = Counter ClockWise



PART NO.	DESCRIPTION / APPLICATION	DIMENSION	WT (LB.)
FOR HUSTLER (ROANOKE)			
404-2231	Dual Edge, for Models: G194 5ft., G195A, G195B. Bolt Hole 1.5"	1/2" x 4" x 18.5"	11
FOR LAND PRIDE			
404-820168	Center, CCW, for Models: RCB6015; RC & RCM - 5010, 5015, 6010, 6015, RCB6015; Replaces 820-168C. Bolt Hole 1.5"	1/2" x 4" x 29"	15
404-820169	Right, CCW, for Models: RCB6015; RC & RCM - 5010, 5015, 6010, 6015, RCB6015; Replaces 820-169C. Bolt Hole 1.5"	1/2" x 4" x 23"	13
404-820170	Left, CW, Applications Same as Above, Replaces 820-170C	1/2" x 4" x 23"	13
404-820249	CW, for Models: SC2672, RC5610, RCM5610, RC5010, RCM5020, Replaces 820-249C. Bolt Hole 1.5"	1/2" x 4" x 29"	13
FOR SCHULTE			
404-401016	Dual Edge, Shredder, for Models: 5026, 3020, Replaces 401-016. Bolt Hole 1.5"	1/2" x 4" x 24.75"	14
404-401024	Dual Edge, Shredder, for Model 5026, Replaces 401-024. Bolt Hole 1.5"	1/2" x 4" x 28"	16
404-401026	Updraft, CW, for Models: 5026LH S100LH, S150LH, XH1000LH, XH1500LH, Replaces 401-026. Bolt Hole 1.5"	1/2" x 4" x 24.75"	10
404-401027	For Models: 5026 RH-O/S, S100RH, S150RH, XH1000RH, XH1500RH, Replaces 401-027. Bolt Hole 1.5"	1/2" x 4" x 24.75"	10
404-401028	For Models: 5026 Center & RH-I/S, V1280RH, XH1500 Center, Replaces 401-028. Bolt Hole 1.5"	1/2" x 4" x 27.75"	10
404-401032	For Models: 5026LH Inner, S100 Ctr, S150 Ctr, V1280LH, XH1000 Ctr, XH1500 Ctr, Replaces 401-032. Bolt Hole 1.5"	1/2" x 4.5" x 27.75"	10

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM




ROTARY CUTTER BLADE CONT.

PART NO.	DESCRIPTION / APPLICATION	DIMENSION	WT (LB.)
FOR SERVIS - RHINO			
404-681063	Dual Edge, for Models: 1310, SR166. Bolt Hole 1.375"	1/2" x 4" x 19"	11
404-65201030	Dual Edge, for Models: Flex 10, 15 & 15-Magnum; 260, 272, 284, 472, 484, CY60, CY72, FL10, FL15, FM10, FM15, FS15, SM66, SR10, SR15, V12, Replaces 0652010030. Bolt Hole 1.375"	1/2" x 4" x 25"	14
404-58201030	Dual Edge, for Models: Flex 10, 15 & 15-Magnum; CY72, FL14 & 20; FN14 & 20, SR -10, 12, 14, 15, 18 & 20; Replaces 582013. Bolt Hole 1.375"	1/2" x 4" x 27.25"	15
404-622013F	Left, Updraft, CCW, for Models: Flex 10, 15 & 15-Magnum; Cyclone1008, CY60, CY72, FL10, FL15, FN -10, 15, 120 & 180; FR -10, 15, 120 & 180; FS15, SR10, SR15, V12, Replaces 062010330. Bolt Hole 1.375"	1/2" x 4" x 25"	14
404-652011RF	Right, Updraft, CW, for Models: Flex 10 & 15; Cyclone1008, FL10, FL15, FN -10, 15, 120 & 180; FM10, FM15, FR -10, 15, 120 & 180; FS15, Rhino-128, S128, SM66, SR10, SR15, V12, Replaces 0652010330. Bolt Hole 1.375"	1/2" x 4" x 25"	14
404-582013F	Center, Updraft, CCW, for Models: Flex 10 & 15; 260, 272, 284, 472, 484, 2150, 6140, 6200, CY72, FL -10, 14, 15 & 20; FM10, FM15, FN14, FN20, FR -10, 15, 162 & 240; SR -10, 10M, 12, 14, 15, 15M, 18, 20, 162 & 240; Replaces 0582010330. Bolt Hole 1.375"	1/2" x 4" x 27.25"	15
404-8588	Left, Updraft, CCW, for Models: SuperFlex10 & 15; HF315, PC1547, PC1547A, SE10-4, SE15, SE15-4, SR10M, SR15M, SR60, SR72, TW72, Replaces 8588. Bolt Hole 1.5"	1/2" x 4" x 26.25"	14
404-8589	Left, Updraft, CCW, for Models: SuperFlex10 & 15; HF315, PC1547, PC1547A, SE10-4, SE15, SE15-4, SR10M, SR15M, SR60, SR72, Turbo 120, TW60, Replaces 8589. Bolt Hole 1.5"	1/2" x 4" x 20.125"	11
404-8590	Right, Updraft, CW, for Models: SuperFlex15, HF315, PC1547, PC1547A, SE10-4, SE15, SE15-4, SR10M, SR15M, Turbo 120, TW120, Replaces 8590. Bolt Hole 1.5"	1/2" x 4" x 20.125"	11
404-757572	Dual Edge, for Models: Flex 20, FL14, FL20, Replaces 00757572. Bolt Hole 1.375"	1/2" x 4" x 30.75"	17
404-811200000	CCW, for Models: Flex 20, FL14, FL20, Replaces 0811200000. Bolt Hole 1.375"	1/2" x 4" x 30.5"	17
404-741340330	Updraft, CCW, for Models: Flex 20, CY84, FL14, FL20, Replaces 0741340330. Bolt Hole 1.375"	1/2" x 4" x 30.5"	17
404-582010332	Updraft, CW, for Models: 6140, 6200, FL14, FL20, FN14, FN20, SM72, SR -14, 18, 20, 162 & 240; Replaces 0582010332. Bolt Hole 1.375"	1/2" x 4" x 27.5"	—
404-371102B	CCW, for Model GR84. Bolt Hole 1.375"	1/2" x 4" x 20"	11
404-71103	For Models: FS15, SE6, Saturn 5 & 6. Bolt Hole 1"	.401" x 3" x 24.75"	8
404-761319	CCW, for Models: LT5, PC50, PC515, SE5, Replaces 00761319. Bolt Hole 1.375"	1/2" x 3" x 24.5"	9
404-772302	CCW, for Models: LT6, PC60, PC615, SE6, Replaces 00772302. Bolt Hole 1.375"	1.5" x 3" x 27.5"	10



ROTARY CUTTER BLADE CONT.

NOTE: Rotation CW = ClockWise
CCW = Counter ClockWise



PART NO.	DESCRIPTION / APPLICATION	DIMENSION	WT (LB.)
FOR SERVIS - RHINO			
404-776973	Left Wing, CW, for Models: SE10-4A, SE15-4A, SX15, Replaces 00776973. Bolt Hole 1.516"	1/2" x 4" x 22.5"	13
404-775267	Right Wing, CCW, for Models: SE10-4A, SE15-4A, SX15, TW60, TW72, Replaces 00775267. Bolt Hole 1.516"	1/2" x 4" x 22.5"	13
404-775233	Center, CCW, for Models: SE10-4A, SE15-4A, SX15, TW60, TW72, Replaces 00775233. Bolt Hole 1.516"	1/2" x 4" x 28.5"	16
404-759338	Left, CW, for Models: 2150, 4105, 4150, 4155, FR10, FR15, SR10M, SR15M, Replaces 00759338. Bolt Hole 1.375"	1/2" x 4" x 21.5"	14
404-759339	Right, CCW, for Models: 2150, 4105, 4150, 4155, FR10, FR15, SR10M, SR15M, Replaces 00759339	1/2" x 4" x 21.5"	14
404-753842	Left, Updraft, CCW, for Models: Saturn 8, SR120, Turbo 96, TW96, Replaces 00753842. Bolt Hole 1.5"	1/2" x 4" x 19.875"	11
404-753841	Right, Updraft, CW, for Models: Saturn 8, SR120, Turbo 96, TW96, Replaces 00753841. Bolt Hole 1.5"	1/2" x 4" x 19.875"	11
404-763288	Dual Edge, for Model TW168, Replaces 00763288. Bolt Hole 1.375"	1/2" x 4" x 17.1875"	11

For a Comprehensive Listing of Rotary Blades & Applications Go to WWW.SMALINK.COM

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762



ROTARY CUTTER BLADE CONT.

NOTE: Rotation CW = ClockWise
CCW = Counter ClockWise

PART NO.	DESCRIPTION / APPLICATION	DIMENSIONS	WT (LB.)
FOR SIDEWINDER			
404-15074	CCW, for Models: GB48, GM144, GM66 (Tire Drive), RS160, RS213, SW66. Bolt Hole 1-1/2"	1/2" x 3.5" x 20.25"	11
404-15096	CCW, for Models: 605, 660, GB60, GB602, SW72. Bolt Hole 1-1/2"	1/2" x 3.5" x 22.75"	13
404-15120	CCW, for Models: GB722, GB842, GW842, SW642, 6X6, 7X7. Bolt Hole 1-1/2"	1/2" x 3.5" x 28.75"	14
404-17065	CCW, for Models: K60, SX60, 5X5. Bolt Hole 1-1/2"	3/8" x 3" x 22.375"	7
404-20013	Dual Edge, for Models: FW215, FW216, PG210, Replaces 22334. Bolt Hole 1-1/2"	1/2" x 3.5" x 25.4375"	13
FOR TERRAIN KING			
404-750787	CW, for Models: Hydro 15 Right Wing, TK15, X5, Replaces 00750787. Bolt Hole 1-1/2"	1/2" x 3.5" x 24.75"	12
404-750788	CCW, for Models: Hydro 15 Left Wing & Center, TK15, X5, Replaces 00750788. Bolt Hole 1-1/2"	1/2" x 3.5" x 24.75"	12
FOR TIGER			
404-T1021R	Updraft, CW, for Models: D315-3, HD315, P315-2, R105, MR105, S105, S105-2. Bolt Hole 1-1/2"	1/2" x 4.5" x 20.25"	11
404-TB2031A	CW, for Model Deck Boom 50". Bolt Hole 1-1/2"	1/2" x 5" x 17.375"	—
FOR WOODS			
404-6323	CCW, for Models: 72, 84, 213, 214, 320, B315-4, M72, M84, MD172, MD184, S106, S106-1, S106-2, XT184, 6 & 7 ft. Bolt Hole 1-1/2"	3/8" x 4" x 30-1/4"	16
404-6866	CCW, for Models: 60-2, 60-3, 60-4, E60, M5, M5-3, M54, M60. Bolt Hole 1-1/2"	3/8" x 3" x 22"	6
404-12892	CCW, for Models: 312, 320, 2090, D210R, D315, D315-2, D315-3, HD210R-2, HD210R-3, HD210R-4, HD315, HD315-4, MR105, P315-2, R105, S105, S105-1, S105-2. Bolt Hole 1-1/2"	3/8" x 4" x 24"	12
404-24771	CW, for Models: 320, 2090, D210R, D210R-3, D315, D315-2, D315-3, HD210R-4, HD315, HD315-4, HS105, HS105-1, HS105-2, HS105-3, P210R, P315-2, S105, S105-3. Bolt Hole 1-1/2"	3/8" x 4" x 24"	12
404-17130	CW, For Models: 120Q-1, 120-2, 120-3, 120Q-3, 121, 121-1, 121Q-1, 121-2, 121Q-2, FM121-1, FM121D-1, M121-1. Bolt Hole 1-1/2.	13/32" x 4" x 24"	12
404-19160	CCW, for Models: 2120, 2162, 3180, 3240, HD315-5. Bolt Hole 1-1/2"	1/2" x 4" x 25-1/4"	13
404-19161	CW, for Models: 2120, 2162, 3180, 3240, HD315-5. Bolt Hole 1-1/2"	1/2" x 4" x 25-1/4"	13

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

ROTARY CUTTER BLADE BOLT KITS

PART NO.	REPLACES	DESCRIPTION / APPLICATION
FOR ALAMO		
404-165331P	02782900	Kit for Alamo Boom, Boom Mower. Includes 1-1/8"-12 x 3-1/2" Bolt 165229, Slotted Nut 850181, Lock Washer 85918, Roll Pin RP316x134.
FOR BUSH HOG & OTHERS		
404-165300P	63607BH, 7919	Kit for Regular Duty Models. Also Fits Terrain King TK60 Series, X3, CP180, Marvel 4' to 7', Hico Standard 4' to 6' (63607), King Cutter 501000. Includes 1-1/8"-12 Bolt 16570, Jam Nut 165242, Lock Washer 85918.
404-1659280P	BH 90612, Hardee 10537, KMC 41-057-007	Kit for Bush Hog, KMC, Hardee and Taylor Shredder Mowers. Includes 1-1/8"-12 Bolt 16592, Bushing 16580, Slotted Nut 850181, Cotter Pin CP143.
FOR HARDEE & MODERN		
404-C48KIT	C-48	Kit for Hardee C-48. Includes 1-1/4"-12 x 3-3/4" Bolt 165222, Nut HDN114, Lock Washer LW114EA.
404-C458KIT	412-057-009, Modern 412-8043	Kit for Most Hardee Light Duty; KMC and Modern. Includes 1"-14 LH Bolt 165220, Lock Nut 165250.
FOR HICO (HOWSE)		
404-165301P	HL418N	Kit for HICO Using Square Shoulder Bolt. Includes 1-1/8"-12 Bolt 16575, Jam Nut 165242, Lock Washer 85918.
FOR JOHN DEERE®		
404-165303P	W22237 bolt, H29619 nut	Kit for 509, 609, 709 and 1508 Mowers. Includes 1-1/8"-12 Bolt 165225, Lock Nut 165226.
404-165304P	W38686 bolt, W38134 nut	Kit for 1408, 1418, Some 1508 and 1518. Includes 1"-14 Bolt 165227, Lock Nut 165228.
404-165224P	W38054 bolt, W50958 nut	Kit for Models CX-15 & 20; HX-10, 15 & 20; 4, 5, 403, 506, 516, 606, 613, 717, 1517. Includes 1"-14 Bolt, 1"-14 Lock Nut.
FOR KING CUTTER, TAYLORWAY & OTHERS		
404-165294P	101056, BB55	Kit with Short Staked Bolt for King Cutter, Kodiak, Taylorway and Others. Includes 1-1/8"-12 Bolt 16555, Jam Nut 165242, Lock Washer 85918.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

ROTARY CUTTER BLADE BOLT KITS

PART NO.	REPLACES	DESCRIPTION
FOR LAND PRIDE & UNITED FARM TOOLS (MOHAWK)		
404-165255	LP 802-277C	1-1/8"-12 Bolt Only.
FOR SERVIS / RHINO		
404-165251	8251	Bolt 1"-14 x 3-1/2" Long for Most Newer Servis Models.
404-165305P	571044 bolt	Kit for Cyclone 60, 72, 84, 128, Flex 15, Gyro 60, 72, 84, 128, 160, 1310. Includes 1"-14 LH Bolt 165230, Lock Nut 165250.
404-165266P	7AH8121628 bolt	Kit for model 1310. Includes Bolt 165260, Nut 165261 and 2 ea. Bushing 165262, Washers 165264 & 165265.
404-165268P	7AH8121632 bolt	Kit for model TW168. Includes Bolt 165263, Nut 165261 and 2 ea. Bushing 165262, Washers 165264 & 165265.
404-165306P	36107A2ALH bolt	Kit for All Servis Blades with 1" Hole. Includes 3/4"-16 LH Bolt 165235, Lock Nut 165237.
FOR SIDEWINDER		
404-165290P	15060-01, 27724	Kit for GB602, 607, 722, 725, 842, RS160, RS213, Flexwing 16, 216. Includes 1-1/8"-12 Bolt 165241, Nylon Lock Nut 84618 Nylon Lock Nut.
FOR SIDEWINDER & MONO		
873-16197	16197SW, 22132SW	Bolt Spacer Bushing for 3/8" Blades, Use with 1"-14 x 3" Grade 5 Bolt.
873-22132	16197SW, 22132SW	Bolt Spacer Bushing for 1/2" Blades, Use with 1"-14 x 3" Grade 5 Bolt.
FOR TIGER		
404-165221P	6T1022R bolt, RC2600	Kit Includes 1-1/8"-12 Bolt 6T1022R, Nylon Lock Nut.
404-165354P	34497 bolt, RC26001	Kit Includes 1-1/8"-12 Bolt 34497, Nylon Lock Nut.
404-165256	0653800	Bolt Only for Tiger
404-165244	8227, JD WP8227	Bolt 1"-14 x 4-1/8" Long
FOR WOODS		
404-165249	15331	Bolt 1-1/8"-12 for All Woods, Taylor Pittsburg and Massey Ferguson with 3/8" Thick Blades.
404-32602	32602	Blade Bolt Pin for 6323 Blade
404-32616	32616, BB-36	Bolt Only for 19160, 19161 Blades



WE SUPPLY SUCCESS

WWW.SMALINK.COM

TAIL WHEEL HUBS, FORKS & ACCESSORIES

For Bush Hog, Bushwacker, Hardee, John Deere®, Land Pride, Modern, New Holland, Servis/Rhino, Terrain King, Woods & Most Other Major Brands of Rotary Cutters.

PART NO.	DESCRIPTION / APPLICATION
TAIL WHEEL ASSEMBLIES	
375-348125	Includes 4" x 8" Tire, Fork, Fabricated Hub, 3/4" Axle Bolt and 1-1/4" x 4-3/8" Pin. Replaces Bush Hog 95545. (F002 fork, TW484 wheel, 28012 hub)
375-348150	Includes 4" x 8" Tire, Fork, Fabricated Hub, 1" Axle Bolt and 1-1/2" x 5-3/4" Pin. Replaces Bush Hog 12269. (F003 fork, TW484 wheel, 28016 hub)
375-484TWA	Includes 4" x 8" Tire, Fork, Cast Iron Hub, 1" Axle Bolt and 1-1/2" x 5-3/4" Pin. Replaces Bush Hog 12269. (F003 fork, TW484 wheel, 2801101 hub)
TAIL WHEELS ONLY	
016-TW484	4" x 8" with 4 Bolt-Holes 1/2" on 5" Bolt-Circle, 3-5/8" Pilot Hole, 14-1/2" Overall Diameter. Fits Alamo 373024H, B/Hog 500BH, Ford 220247, Hardee C40-RC, Howse LML311A, JD AW30716, King Kutter KK4X8, Land Pride 814-058C, Modern 401-0048, NH MAG103D209, Servis/Rhino 373024H, Sidewinder 15205, Terrain King 373024H, Woods 4676.
016-TW694	6" x 9" with 4 Bolt-Holes 1/2" on 5" Bolt-Circle, 3-5/8" Pilot Hole, 21" Overall Diameter. Fits JD AW30717, Land Pride 814-059C, Woods 7428.
016-TW695	6" x 9" with 5 Bolt-Holes 1/2" on 5-1/2" Bolt-Circle, 4" Pilot Hole, 21" Overall Diameter. Fits Alamo 373024H, B-Hog 294, JD AW30747, Land Pride 814-265C, Servis/Rhino 025200, Sidewinder 17122SW, Terrain King 025200, Woods 1017040.
016-TW6255	6" x 25" with 5 Bolt-Holes on 5-1/2" Bolt-Circle, 4" Pilot Hole, 16-1/2" Rim.



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

TAIL WHEEL HUBS, FORKS & ACCESSORIES

PART NO.	DESCRIPTION / APPLICATION
375-F002	Tail Wheel Fork for 3/4" Axle. Has 1-3/4" Shaft, 1-1/4" Diameter Pin with 5-3/4" Usable Length. Replaces Bush Hog 95541.
375-F003	Tail Wheel Fork for 1" Axle. Has 1-1/2" Shaft, 1-1/2" Diameter Pin with 5-3/4" Usable Length. Replaces Bush Hog 94489.
982-281101	Cast Iron Hub with Cups and Grease Fitting, 1000 lb. Capacity. 4 Bolt-Holes 1/2" on 5" Bolt-Circle. (L44610 cups)
982-281101BX	Cast Iron Hub with Cups and Grease Fitting, 1000 lb. Capacity. Includes 4 Bolts, 2 Each 1" I.D. Bearings, Seals and Spacers. (L44643 bearings, 906282 seals, 911251 spacers)
016-H2P	Bearing Kit, Includes 2 Each L44643 Bearings, 906282 Seals and 911251 Spacers.
982-906282	Seal 12407CR for Above Hub, 2 Required. Bulk Packaged
982-911251	Spacer 1-1/4" O.D. x 1" I.D. x 1" Long, 2 Required.
016-TWH100	Cast Iron Hub, 1" I.D. and 4 Bolt-Holes 1/2" on 5" Bolt-Circle. Replaces Land Pride 321-020D.
688-28000	Fabricated Hub with Grease Fitting, 4 Bolt-Holes 1/2" on 5" Bolt-Circle. Includes 1/2" -20 Wheel Studs, Lock Washers and Nuts, Uses 2 Sintered Iron Bushings Instead of Tapered Roller Bearings. Order B58, B34 or B1 Bushings to Complete.
688-B58	Bushing for 2800 Hub, 1-3/8" O.D. x 5/8" I.D.
688-B34	Bushing for 2800 Hub, 1-3/8" O.D. x 3/4" I.D.
688-B1	Bushing for 2800 Hub, 1-3/8" O.D. x 1" I.D.
688-28012	Fabricated Hub with Grease Fitting, 4 Bolt-Holes 1/2" on 5" Bolt-Circle. Includes 1/2" -20 Wheel Studs, Lock Washers, Nuts and 3/4" Bushing (B34).
688-28016	Fabricated Hub with Grease Fitting, 4 Bolt-Holes 1/2" on 5" Bolt-Circle. Includes 1/2" -20 Wheel Studs, Lock Washers, Nuts and 1" Bushing (B1). Replaces Woods 1009091



TWH100



28000



281101



28012,
28016



281101BX



F002,
F003

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

MOWER DECK STABILIZER KIT

PART NO.	DESCRIPTION	Card/Pack
519-03441	Smart Lock	25
519-03442	Smart Lock Pack (20 Locks and 5 ft. Cable)	20

873-159335

Contains 2 Brackets & 2 Chains with Smaller Brackets

- Mower Deck Height Stabilizer
- 1/4" Proof Coil Chain
- 1175 Lbs. Working Load Limit
- 1/4" Thick Steel Plates-Chain

CUTTING SECTIONS – MOWER & WINDROWER

Order Multiple 10

PART NO.	REPLACES	SIZE	TYPE	APPLICATION
FOR JOHN DEERE®				
491-204286	SSE45996	3" x 3-3/16"	H 7TS CR OH	Mowers & Windrowers
491-204777	E45996, E76370	3" x 3-3/16"	H TS CR OH	Mowers & Windrowers
491-205246	Z7030H	3" x 3-3/16"	H US	Mowers
491-206344	E76371, H21530H	3" x 3-3/16"	H US CR	Mowers
491-204398	SSBKE45996	3" x 3-1/4"	XH 7TS CR	Windrowers 580, 590, 2360
491-205246	Z7030H	3" x 3-1/4"	XH US	Mowers
FOR HESSTON				
491-204013	049213	3" x 3-1/4"	R TS CR	Mowers & Windrowers
491-203276	MC333H	3" x 3-1/4"	H TS OH	110, 200, 240, 260, 280, 310, 320, 420, 500, 600, 620
491-204564	049254	3" x 3-1/4"	H TS CR OH	Mowers & Windrowers
491-204277	700705300	3" x 3-1/4"	XH TS CR	Mowers & Windrowers
491-203325	SS700705299	3" x 3-1/4"	XH 7TS	Windrowers
491-204268	SS700705300	3" x 3-1/4"	XH 7TS CR	Windrowers
491-204309	SSTS635161	3" x 3-1/4"	XH 7TS CR OH	Windrowers 1170, 8400



TYPE ABBREVIATIONS		
Thickness:	Teeth:	Finish:
R = Regular	7TS = Super 7 Top Serrated	CR = Chrome
H = Heavy	TS = Top Serrated	Rivets:
XH = Extra Heavy	US = Under Serrated	CS = Countersunk / OH = Ovalhead



To Order Call Toll Free 877-55 GO SMA 877-554-6762

CUTTING SECTIONS – MOWER & WINDROWER

Order Multiple **10**

PART NO.	REPLACES	SIZE	TYPE	APPLICATION
FOR CASE IH				
491-203276	MC3331/2S, 826720C3	3" x 3-1/4"	H TS OH	Mowers & Conditioners
491-203325	112074A1	3" x 3-1/4"	XH 7TS OH	Mowers & Conditioners
491-204013	MC333CR	3" x 3-1/4"	R TS CR	Mowers & Windrowers
491-204309	SSTS635161	3" x 3-1/4"	XH 7TS CR OH	Double-Drive Sickle Overlap
491-204268	SS596321R3	3" x 3-1/4"	XH 7TS CR	Mowers & Conditioners
491-204564	596321R1	3" x 3-1/4"	H TS CR OH	Mowers & Windrowers
491-205107	826722C2, M22831	3" x 3-1/4"	XH US	Mowers & Windrowers
491-206339	457607R1	3" x 3-1/4"	H US CR	Mowers & Windrowers
491-203120	—	Twin Point	H TS CR	Mowers & Windrowers
FOR NEW HOLLAND, FORD				
491-205107	29875	3" x 3-1/4"	XH US	Mowers & Conditioners
491-206339	706226	3" x 3-1/4"	H US CR	Mowers & Windrowers
491-204564	604921H	3" x 3-1/4"	H TS CR OH	Mowers & Windrowers
491-204013	604921	3" x 3-1/4"	R TS CR	Mowers & Windrowers
491-203325	SS9622744	3" x 3-1/4"	XH 7TS	Mowers & Conditioners
491-204268	SS604921H	3" x 3-1/4"	XH 7TS CR	Mowers & Conditioners
491-203276	67631H, 9622744	3" x 3-1/4"	H TS OH	Mowers & Conditioners
491-204608	271981CR	3" x 3-1/4"	H TS CR CS	Mowers & Conditioners
491-204277	604291H	3" x 3-1/4"	XH TS CR OH	Mowers & Windrowers
491-204001	HE4001	—	R TS CR CS	Overlap Section Kit for Hay Machines
491-204005	HE4001SS	—	H TS CR CS	Overlap Section Kit for 1100 Series, 2450, 2550
491-204308	SS635162	3" x 3-1/4"	XH 7TS CR CS	Double-Drive Sickles
491-204309	SSTS635161	3" x 3-1/4"	XH 7TS CR OH	Double-Drive Sickles
491-205246	Ford-141198	3" x 3-3/16"	H US	Ford Mowers
491-206344	Ford-141198CR	3" x 3-3/16"	H US CR	Ford Mowers
MACDON				
491-204398	SS34390CR	3" x 3-1/4"	XH 7TS CR Lo-Shoulder	910, 920, 930, 932, 940, 942, 960, 972, 4000, 5000, 7000



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.

CUTTING SECTIONS – MOWER & WINDROWER

Order Multiple 10

PART NO.	REPLACES	SIZE	TYPE	APPLICATION
FOR MASSEY FERGUSON				
491-205107	1036362M1, 683937M1	3" x 3-1/4"	XH US	M/C Hay Tender 81, 725, 925
491-204676	—	3" x 3-1/4"	H TS CR OH	Windrowers 28, 30, 34, 36, 44
491-205246	668010M1	3" x 3-3/16"	H US	Mowers
491-204277	683936M1	3" x 3-1/4"	XH TS CR	Mowers & Windrowers
FOR OWATONNA				
491-205107	340-32049	3" x 3-1/4"	XH US	Mowers & Conditioners
491-206339	340-32049CR	3" x 3-1/4"	H US CR	Mowers & Windrowers
491-204564	340-10315	3" x 3-1/4"	H TS CR OH	Mowers & Windrowers
491-204013	340-16457	3" x 3-1/4"	R TS CR	Mowers & Windrowers
491-203276	340-32015	3" x 3-1/4"	H TS OH	Mowers & Conditioners
491-203325	340-32015	3" x 3-1/4"	XH 7TS OH	Mowers & Conditioners
491-204268	SS340-32015CR	3" x 3-1/4"	XH 7TS CR	200, 206-208, 216-217, 229, 235, 255, 260, 262, 265, 270, 275, 280-282, 285
FOR NEW IDEA, KOSCH, OLIVER, ROWSE & OTHERS				
491-205246	Oliver- Z5739	3" x 3-3/16"	H US	Mowers, Also Cockshutt 7206CR, Detroit 057
491-205107	NI- OU577HS, 826722C2	3" x 3-1/4"	XH US	All Kosh, Rowse, N/Idea Mowers, Kosch K165, Oliver 501017E, MM 220520
491-206339	NI-01188HS	3" x 3-1/4"	H US CR	Mowers & Windrowers, Also Kosch K165CR, MM220520CR, Oliver 501421E

END SECTIONS – UNIVERSAL



PART NO.	TYPE	APPLICATION
491-206640	H US CR RH	All Mowers, Conditioners with Rowers
491-204210	H TS CR RH	All Mowers, Conditioners with Rowers
491-204403	H 7TS CR RH	All Mowers, Conditioners with Rowers
491-204445	H 7TS CR LH	All Mowers, Conditioners with Rowers



TYPE ABBREVIATIONS		
Thickness:	Teeth:	Finish:
R = Regular	7TS = Super 7 Top Serrated	CR = Chrome
H = Heavy	TS = Top Serrated	Rivets:
XH = Extra Heavy	US = Under Serrated	CS = Countersunk / OH = Ovalhead



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SICKLES – MOWER

PART NO.	REPLACES	LEN. / SEC.	TYPE	APPLICATION
FOR FORD, NEW IDEA — MOWERS				
491-353659	240891	7 ft. / 28	XH US	501, 515 Series, 14 - 97, 175, 176, 257, 258, 259, 260, Head 147874
491-353367	241905	7 ft. / 29	H US	515 Series 1, 2, 3, 14 - 280, Head 242063
491-353669	463159R91 & 93	9 ft. / 36	XH US Rivet	Ford 505, 538 Series, New Idea 521, 522, Head 56692C91
491-353672	463182R91	9 ft. / 36	HSM	Ford 505, 538 Series, New Idea 521, 522, Head 56692C91
491-353667	462380R92	9 ft. / 36	H US	Ford 505, 538 Series, New Idea 521, 522, Head 56692C91
491-353940	463159R91TS	9 ft. / 36	XH TS Rivet	Ford 505, 538 Series, New Idea 521, 522, Head 56692C91
491-353292	101988C95	9 ft. / 36	H US	Ford 538, New Idea 509, Head 8224594C91
FOR NEW HOLLAND				
491-353884	228434	7 ft. / 29	XH US Rivet	Mowers 451, 456 with Double Guards. Head 143603
491-353885	228434	9 ft. / 35	XH US Rivet	Mowers 451, 456 with Double Guards. Head 143603
491-353880	228434TS	9 ft. / 35	XH TS Rivet	Mowers 451, 456 with Double Guards. Head 143603
491-351704	858745	9 ft.	XH US Bolt	Mowers 451, 456 with Double Guards
491-352128	SS858745	9 ft.	XH7TSCR Bolt	Mowers 451, 456 with Double Guards
491-353038	SS228434	9 ft.	H 7TS	Mowers 451, 456 2-Prong End Section
491-S351039	—	9 ft. / 39	XH 7TS	Mowers 450, 451, 455, 456; M/C 460, 461, 467, 469, 1469, 472, 477, 478, 479
491-351034	—	9 ft. / 36	XH US Bolt	Haybines 469, 479, 488, 489 Also Some C/IH Headless Models
491-353055	648844, 216709, 144495	9 ft. / 36	H TS	Haybines 469, 490 B-S/N 259714, 1469 B-S/N 220947 Head 219986
491-353864	648832, 577875, 239883	7 ft. / 28	H US	Haybines 472, 477, 478, Head 577868
491-353865	648840, 577869, 239884	9 ft. / 36	H TS	Haybines 479, 488 Head 577868
491-351706	—	9 ft. / 36	H TS	Haybines 479, 488 Head 577868
491-352039	86502116	8 ft.	XH7TSCR Bolt	W/R LH 1475, 2200, 2300, 2450, 2550
491-352040	86502117	8 ft.	XH7TSCR Bolt	W/R RH 1475, 2200, 2300, 2450, 2550

TYPE ABBREVIATIONS		
Thickness:	Teeth:	Finish:
R = Regular	7TS = Super 7 Top Serrated	CR = Chrome
H = Heavy	TS = Top Serrated	Rivets:
XH = Extra Heavy	US = Under Serrated	CS = Countersunk / OH = Ovalhead



SICKLES – MOWER



PART NO.	REPLACES	LEN. / SEC.	TYPE	APPLICATION
FOR CASE IH — MOWERS (with Pin Type Head)				
491-352007	SSBNHTS706417	7 ft.	XH 7TS CR	LH - 100 Series Balanced Head, 1100, 1300
491-352008	SSBNHTS706418	7 ft.	XH 7TS CR	RH - 100 Series Balanced Head, 1100, 1300
491-353669	463159R91 & 93	9 ft.	XH US Rivet	100 Series Balanced Head, 1100, 1300
491-353667	462380R92	7 ft. / 28	H US	100 Series Balanced Head, 1100, 1300
491-351714	463159R91 & 93	9 ft.	XH US Bolt	100 Series Balanced Head, 1100, 1300
491-353012	SS128129C92	9 ft.	XH 7TS Rivet	100 Series Balanced Head, 1100, 1300
491-353940	1281291C92, 463159R91TS	9 ft. / 36	XH TS Rivet	100 Series Balanced Head, 1100, 1300
491-351103	1281291C92	9 ft.	XH TS Bolt	100 Series Balanced Head, 1100, 1300
491-351033	SSBN1281291C2	9 ft.	XH 7TS Bolt	100 Series Balanced Head, 1100, 1300
491-352017	700114894	8 ft. / 32	XH TS CR	8380, 8840, 8870 with 625 Auger Header, SC414DLX, SC416DLX
491-S351039	—	9 ft. / 39	XH 7TS	999 Header & Balanced Head, 990, 1190
491-353292	101988C95	9 ft. / 36	H US	M/Conditioners 1090, Head 8224594C91
FOR JOHN DEERE®				
491-352012	AE34769, AE41758, AE48664	9 ft. / 37	H 7TS	Windrowers 2280, 2320, 2420 using 230, 240 Auger or 130, 135 Draper.
491-353588	AZ3988H	9 ft. / 36	XH US Bolt	Mowers 2, 5, 7B, 7D, 8, 8W, 9, 9W, 11, 20A, 37-39N, 51, Head H28076H
491-353003	AE36102,	9 ft. / 36	H US	Mowers 47, 50, 250, 350, 450, 3700, Needle Bearing Head AE48587
491-353005	AE36102TS	9 ft. / 36	H TS	Mowers 47, 50, 250, 350, 450, 3700, Needle Bearing Head AE48587
491-354873	AE34769, AE48664	9 ft. / 36	H TS	M/Conditioners 1209 A-S/N 285001, 1219
FOR HESSTON — MOWERS, CONDITIONERS				
491-352014	SS700114592	8 ft.	XH7TSCR Bolt	LH - 1170, 1270, 1275, 8400, 8600
491-352015	SS700114593	8 ft.	XH7TSCR Bolt	RH - 1170, 1270, 1275, 8400, 8600
491-352017	700114894	8 ft. / 32	XH TS CR	1170, 1270, 1275, 8020, 8400, 8450, 8600 with 625 Auger Header
491-354060	451955	10 ft. / 38	H TS CR	PT10, 1010
491-S351039	—	9 ft. / 39	XH 7TS	All Single Drives Using Super-7 Sections
FOR KOSCH				
491-353329	KA192	7 ft.	XH US Rivet	All Kosh Mowers
491-353333	KA1790	9 ft.	XH US Rivet	All Kosh Mowers
FOR MACDON				
491-352260	34183, 1057538M91	16 ft. / 65	XH 7TS CR Bolt	5020, 5000, 7000, 912 Single Drive Headless, Also M/F Windrower 885 Using Auger Header MacDon 7000



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SICKLE AND KNIFE CLIP

PART NO.	DESCRIPTION
491-450692	Low Arch Steel for Hay - Riveted or Bolted. Also used on Twin Point Bolt-on Sections. Replaces: DA 232125, 804074, 1116535; C/IH 176722C1, 544274R1, MA812; F/NH -36656, 67357, 137651; GEHL H7542; Hesston 241216; MF 130431M1, 1041469M1, 1055108M1; New Idea 0145HS, 290816.
491-450020	Low Arch Malleable Iron, Same as above.
491-450693	High Arch Steel Knifehead Clip - Riveted or Bolted. Also used on Twin Point Bolt-on Sections. Replaces: C/IH -611759R1, 595648R1; F/NH 67358; Hesston 142984.
491-450022	High Arch Malleable Knifehead Clip. Replaces C/IH 611759R1, MB812; Ford 141008; JD H11121H; Kosch K179B.
491-KC16	Low Arch Malleable Iron for Floating Headers. Replaces C/IH 179757C1; DA 71176540; HC 232125; Love L216, L217, L221; MF 1053175M1.
491-KC36	Low Arch Steel Clip. Replaces Ford 142726; Kosch K188B.
491-KC116	Low Arch Steel Clip. Replaces C/IH 613842R1, 1307280C1; DA 71189684, 71346158; JD H84412, H127081; MF 143241M1, 206195M1.
491-457064	Universal Non-Adjustable, Heavy Duty Hold Down Clip.
491-457200	Non-Adjustable Hold Down Clip.
491-457065	Universal Adjustable, Heavy Duty Hold Down Clip.
798-HD625	Adjustable High Arch Hold Down Clip. Replaces JD AH213058, AH218548
798-HD627	Adjustable Low Arch Hold Down Clip. Replaces JD AH218547



457064



457200



HD625,
HD627



450692



450020



450693



450022



KC16



KC36



KC116



SICKLE REPAIR PARTS

PART NO.	DESCRIPTION	APPLICATION
FOR CASE IH		
491-KP458973	Pin	462378R2
491-820367D	Bushing	462378R11, 540607R11
FOR NEW HOLLAND		
491-820062B	Bushing	Head 143603
491-820211B	Bushing Asby.	Mower/Conditioners 474, 489, 492, 1465; Combines 972 & 973. Replaces 612408A
491-820381B	Bushing	Head 219986
491-820426B	Bushing	Head 577868, 577867
491-KP88966	1/2" x 4" SAE Grade 8	For 479, 490. Ord/Mult. 100



SICKLE RIVET ASSORTMENT – MOWER



PART NO.	DESCRIPTION
491-RA100	Designed for Most 7 ft. Mower Sickles. Has 66 #5-1/2 Pieces, 56 ea. 9/16" and 10 ea. 15/16", All Oval Head.
491-RA200	Designed for Most 9 ft. Mower Sickles. Has 82 #5-1/2 Pieces, 70 ea. 5/8", 7 ea. 15/16" and 5 ea. 1-1/4", All Oval Head.



Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SECTION RIVET – SICKLES

One Pound Packages – Packaged by weight, quantity is approximate.



PART NO.	DIAMETER	LENGTH	QYT	APPLICATION
OVAL HEAD — For Sections with Straight Holes				
491-R10500	#5-1/2 (.211")	1/2"	152	Regular Sections
491-R10563	#5-1/2 (.211")	9/16"	140	Regular & Heavy Sections
491-R10625	#5-1/2 (.211")	5/8"	130	X-Heavy Sections
491-R10750	#5-1/2 (.211")	3/4"	112	—
491-R10875	#5-1/2 (.211")	7/8"	99	—
491-R10938	#5-1/2 (.211")	15/16"	92	For Knifeheads
491-R11000	#5-1/2 (.211")	1"	90	—
491-R11063	#5-1/2 (.211")	1-1/16"	83	—
491-R11250	#5-1/2 (.211")	1-1/4"	74	For Knifeheads
COUNTERSUNK — For Sections with Countersunk Holes				
491-R30563	#5-1/2 (.211")	9/16"	174	Regular & Heavy Sections
491-R30625	#5-1/2 (.211")	5/8"	157	X-Heavy Sections
491-R30938	#5-1/2 (.211")	15/16"	108	For Knifeheads
491-R31000	#5-1/2 (.211")	1"	107	—
491-R31250	#5-1/2 (.211")	1-1/4"	82	—
491-R31375	#5-1/2 (.211")	1-3/8"	74	—



SECTION BOLTS AND NUTS

Packaged



PART NO.	LENGTH	QYT	APPLICATION
BOLT-ON — 7/32" Diameter			
491-SB1	5/8"	50	Bolts/Nuts for Standard Sections
491-SB2	1"	25	Bolts/Nuts for Knifehead
491-550095D	1-1/4"	12	Bolts/Nuts for Knifehead
491-550500D	Asst.	90	Universal for 10 ft. Sickles with Head Bolts
491-830289D	—	20	Nut for Section Bolt
491-SB26	—	—	Assortment fits most 10' Machines
491-SB25	Asst.	25	Knifehead Assortment, 15 ea. 1" & 10 ea. 1.25"
COUNTERSUNK — 7/32" Diameter			
491-550056D	9/16"	20	Bolts/Nuts for Versatile
491-550057D	5/8"	20	Bolts/Nuts for Love/Hart Carter
491-550058D	1"	10	Bolts/Nuts for Knifehead
491-SB8	9/16"	50	For Versatile
491-SB9	5/8"	50	For J.E. Love, Hart Carter
491-SB10	1"	25	For J.E. Love, Hart Carter, Versatile Knife Heads
OVAL-SHOULDER BOLT & JAM NUT			
491-SB6	17/32"	50	C/IH 1010, 1020 3-Hole Sections. 1.5" Cut System
491-SB7	1-1/8"	25	C/IH Knifehead 1.5" Cut System

SECTION BOLT TOOL

Completely Safe Method for Inserting Bolts Into Sickle Bar

Compact reliable tool is designed to insert sickle bolts into, and perpendicular to, the cutter bar without distortion. Bolts go in straight. No hammering, no risk of bending the sickle bar or damaging the bolt head.

Includes all parts and instructions.

859-S2008



SmithTool




RIVET TOOL

Replace Sickle Sections Right On The Machine

The two-way reversible anvil insert gives this tool the capability of replacing both types of rivets quickly and easily. Ideal for the operator who has several machines with varying sickle section fasteners. The narrow body design fits all sickles including new double tooth sections.

Comes complete with all parts and instructions.



859-R3030



REPLACEMENT PARTS

PART NO.	DESCRIPTION
859-R1816	(2) Punch Sleeve
859-R2010	(3) Punch Screw
859-R1623	(4) Riveter Screw
859-R1813	(5) Riveter Sleeve
859-R3035	(6) Reversible Anvil with O-Ring
859-R5002	(1) 5/16" diameter Punch



R1816



R2010



R1623



R1813



R5002



R3035

SmithTool



To Order Call Toll Free 877-55 GO SMA 877-554-6762

MOWER GUARD – FORGED STEEL

Packed 25 Per Box

PART NO.	DESCRIPTION
798-G210	For Case IH and Ford Mower, Windrower, Combine. Replaces Case IH 483500R3.
798-G250	For Case/New Holland, Stub Guard. Also For Gehl and Hesston Mowers/ Windrowers. Replaces CNH257634.
798-G270	For Case IH 175 and 200 Windrowers, Combine 820 Header; Field Queen 620 Windrower. Replaces CIH 613838R1.
798-G240	For John Deere, Replaces 75386, 113571, 145791, 61954; Also for Combines. Replaces Massey Ferguson 228392M1/M2; New Idea 714611; NH 134024.
798-G220	For John Deere and Gehl Mowers. Replaces JD E48093 and E52667; Gehl 059827.
798-G221	For John Deere Mower, Heavy Duty. Replaces E52667 and E62000.
798-G222DH	For John Deere, Double Heat-treated. Replaces E72428
798-G254	For John Deere, Non-clog Stub Guard. For Models 1219, 1380, 1424, 1525, 1600. Replaces E59625, Hesston 700702736.
798-G254DH	For John Deere, Double Heat-treated Non-clog Stub Guard. For Models 1219, 1380, 1424, 1525, 1600. Replaces E59625.

– Continued On Next Page –




WE SUPPLY SUCCESS

WWW.SMALINK.COM

MOWER GUARD – FORGED STEEL CONT.

Packed 25 Per Box

PART NO.	DESCRIPTION
798-G245	For Field Queen Windrower, Hesston, New Holland. Replaces Field Queen 049236, Hesston 049239, NH 604884/65327
798-G231	For Hart Carter Replaces 234006
798-G215	For Hesston, Massey Ferguson, New Holland, White Mowers & Windrowers. Replaces Hesston 049239/049270, Macdon 23064, MF 683476M1, 683994M1, 683184M1; NH 219191, 86615982, 65327; White 895744L.
798-G215DH	For Hesston, Double Heat-treated. Also Fits Massey Ferguson, New Holland, White Mowers & Windrowers. Replaces Hesston 049239/049270, Macdon 23064, MF 683476M1 & 683184M1, NH 219191, White 895744L.
798-G215DHG	For Hesston, Double Heat-treated. Also Fits Massey Ferguson, New Holland, White Mowers & Windrowers. Replaces Hesston 049239/049270, Macdon 23064, MF 683476M1 & 683184M1, NH 219191, White 895744L. Made in Germany
798-G200A	For Hesston, Double Heat-treated, Fits 1030 & 1170 Windrowers. Replaces 700707147, 707716292.
798-G260	For Hesston Windrower. Replaces 049270, C/IH 823025C1.
798-G262	High Plate for G260.
798-G215C	For New Holland Windrowers, Center Guard. Replaces 86615983.
798-G218	For New Holland Mower. Replaces 219190.
798-G218DH	For New Holland, Double Heat-treated. Also Rowse Mowers, Replaces NH 219190.
798-G218DHG	For New Holland, Double Heat-treated. Also Rowse Mowers, Replaces NH 219190. Made in Germany
798-G290	For New Holland, Versatile Windrowers. Replaces SW1605.



MOWER ROCK GUARD MALLEABLE

PART NO.	DESCRIPTION
798-DM700	For 7/16" bar, to replace the following OEM Guards: AC -802495, 804072, IH -MD989, MB2041, MC2041, NH -39653, 144176, Case -MT77, NI -50HS4A, 143HSA, 250064, Cockshutt, MF -LA67, L215, 130455M91, Oliver -Z6610.
798-FD800	For 1/2" bar, to replace the following OEM Guards: Detroit -N12, 15294, Ferguson -PEO-1245/1245A, MF -668597M91, 668016M91, 1501104M1, Ford -140470.
798-FD141009	Heavy Duty version of FD800. Replaces Ford Guard 141009.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

LEDGER & SHOE PLATE, SOLE, GRASSBOARD

PART NO.	DESCRIPTION
LEDGER PLATE O/M 10	
491-LP5110	For John Deere Rock Guard (Z5110H)
491-LP990	For Case IH Rock Guard (MA990)
491-456180	For Case IH Inner Ledger Plate
SHOE PLATE FOR CASE IH	
491-SP330	Outer Shoe Plate (MA330)
491-SP1263	Inner Shoe Plate (MB1263)
491-SP458965	Inner Shoe Plate (458965R1)
SHOE SOLE FOR CASE IH	
491-MF729	Outer Sole
491-456045	Outer Shoe Sole
GRASSBOARD — CLEAN SWEEP	
491-GB490	Adjustable Steel Rods Will Not Dip Into the Ground. For C/IH, Ford, John Deere, Kosch, NH, Massey Ferguson and New Idea Mowers.

UNIVERSAL WEAR PLATE

PART NO.	DESCRIPTION
491-440591	Universal 6" Wear Plate, Heat-treated. Replaces AC 1116532, 1176537, 802506; JD E47954, 926H, H101200; Ford 141021; Gehl H7543; HC 234140; C/IH MC468, 179759C1; Kosch K162; Love L220; MF 206196M1, 31303M1; NH 26616, 271967; NI 290815; OMC 10-10645; White 01015E.
491-457001	Universal Wear Plate 5-1/2"
491-457003	Wear Plate 6"

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.




To Order Call Toll Free 877-55 GO SMA 877-554-6762


TEDDER TEETH

KUHN


.375" Wire - Painted Yellow - 20 per Carton



804-58505210



804-58561900




804-57609000


PZ ZWEEGERS

.343" Wire - Painted Cream - 20 per Carton


Weight 2.2 lb.




804-PZ111



804-PZ110




804-PZ106




804-PZ107


Weight 3 lb.




804-PZ224



804-PZ225



804-PZ339
Left Hand




804-PZ340
Right Hand

ASSORTED

FOR TONUTTI

Replaces 0300116. Also H&S all except 420; M&W PT207, PT 407 & 407H; Rhino PT405H; Sitrex 210574.




804-T2

.375" Wire - Painted Cream - 2.5 lb. 25/Case


FOR TONUTTI & WALTON

Fits all Tonutti except GT660; Walton 0109040, WT-2. Also fits Vermeer, Haymaster, National & John Deere.



804-13030315


.375" Wire - Painted Black - 2.5 lb. 25/Case



804-10370000

.375" Wire - Painted Cream
2.5 lb. 25/Case


GALFRE



804-GT46SBK

.375" Wire - Painted Black
2.5 lb. 25/Case

FAHR



804-110430

.375" Wire - Painted Black
2.5 lb. 25/Case

All measurements are approximate and for comparison purposes only.




WE SUPPLY SUCCESS

WWW.SMALINK.COM

RAKE WHEEL AND PARTS


HEAVY DUTY - FITS COMPETITIVE BRANDS - REPLACEABLE TINES



PART NO.	DESCRIPTION	BOLT PATTERN	CENTER HOLE
For Tonutti P-Series, Vermeer, Eurorake, RCS, Walton and Others			
804-P20AG001	Shaped RH 55" Cream, 6.5mm Tine	131mm	80mm
804-P20AG002	Shaped LH 55" Cream, 6.5mm Tine	131mm	80mm
For Hesston, H&S, M&W, Sitrex, Atlantis, Befco, Long, OMI, Columbia, Dixon, Dons, Rex, Guappo, Panarama			
804-P20BG001	Straight RH 55" Cream, 6.5mm Tine	131mm	80mm
804-P20BG002	Straight LH 55" Cream, 6.5mm Tine	131mm	80mm
For Gehl, John Deere, Sitrex, Vermeer, Vicon, Sitrex, Gramip, Guappo, H&S, Harvestman, Icam, Lorenza, Masler, Massey, Rossi, Olma, Rex, Racolta,			
804-P20BG003	Straight RH 55" Cream, 7mm Tine	131mm	80mm
804-P20BG004	Straight LH 55" Cream, 7mm Tine	131mm	80mm
For Sitrex, M&W, H&S, Ottoman, New Holland, John Day, Westward			
804-210180	Straight RH 55" Cream, 7mm Tine	133mm	81mm
804-210181	Straight LH 55" Cream, 7mm Tine	133mm	81mm
804-210180B	Straight RH 55" Black, 7mm Tine	133mm	81mm
804-210181B	Straight LH 55" Black, 7mm Tine	133mm	81mm
For Kuhn			
804-230339	Straight RH 55" Black, 7mm Tine	135mm	80mm
804-230340	Straight LH 55" Black, 7mm Tine	135mm	80mm
For Sitrex, H&S 1460, 1660			
804-230279	Straight RH 60" Black, 7.5mm Tine	135mm	81mm
804-230280	Straight LH 60" Black, 7.5mm Tine	135mm	81mm
REPLACEMENT PARTS			
804-S10BZ001	Clip Tine Bracket	—	—
804-460651	Center Flange for Sitrex, Replaces 200.010	—	—
804-460654	Center Flange for Tonutti, Replaces 230321	—	—
804-460656	Tine Clip for Sitrex, Replaces P70AG069	—	—
804-460657	Tine Clip for Tonutti	—	—

DARF PINS

USED WITH DARF RAKE TEETH



PART NO.	REPLACES	DESCRIPTION
469-SMA92219H	92219H	Darf Pivot Crank Arm Bracket
469-SMA9082	9082	Darf Link Pin with Nut and Zerk
469-SMA92591	92591	Darf Pivot Pin with Zerk and Cotter Pin
469-SMA95019	95019	Darf Pin for Spindle Crank Arm 3/4" Nut at One End with 7/8" Slotted Nut at Opposite End



To Order Call Toll Free 877-55 GO SMA 877-554-6762

RAKE AND BALER TEETH

RUBBER MOUNTED

Order Multiple 10

PART NO	REPLACES	DESCRIPTION
UNIVERSAL		
469-65609 (USA) 469-6000990 (AgSmart)	—	This tooth fits all round and parallel bar rakes. Single tooth will replace John Deere, New Holland, C/IH, Allis Chalmers, New Idea & others. Yoke opening 1-11/16", hole is for 3/8" diameter bolt & slot for universal fit.
FOR JOHN DEERE®		
469-56204	AE56204	Fits 700, 705 Twin Tooth. Yoke opening is 1-5/8" punched for 3/8" bolt, Tine is heat-treated and hooked.
469-7000900	AE47389, AE24593	Fits 650, 652, 660, 662, 70 and 71 Rakes. Yoke opening is 1-5/8", Tine is heat-treated and hooked.
FOR VERMEER AND JOHN DEERE®		
469-2888001	2888-001, EF2888-001	Fits Vermeer Twin Tooth & John Deere 700 Rakes. Yoke opening is 1-5/8", punched for 3/8" dia. bolt, Tine is heat-treated and hooked.
851-SMA59068	AE59068, 114683-001	Heavy Duty Cast Iron Flange, works with 469-2888001. Fits twin rake models JD 700, 705 and Vermeer R2300, R2800.
FOR INTERNATIONAL HARVESTER		
469-30008091 (USA)	CIH 473378-R91	For Rake Models 14, 15, 16 & 35.
FOR DARF		
469-RRT502 (USA)	92117RLR, 2000839, RPO/17, T16-0190	Fits Rowse, Morrill, New Idea, Piqua, Cirlce C, Sitrex.
FOR TWINSTAR		
469-HR0169 (LH) 469-HR0169 (RH)	HR-0168	Two mounting hole 3/8". Fits Models 2027G2-7, 2027G3-7, 2030G2-6, 2030G2-7, 2030G3-6, 2030G3-7.
FOR VERMEER		
469-51050	510501250	Saddle 1.9". Overall length 9.5". Fits Rakes R2300, R2800.
FOR NEW HOLLAND AND ALLEN		
469-850613 (LH) 469-850614 (RH)	NH850613, 65668, NH850614, 139041	This Tooth fits New Holland & Allen Rolabar Rakes, Available in left & right hand. Yoke opening is 1-55/64", holes are for 3/8" diameter bolt, Tine is heat-treated and hooked.
FOR VERMEER AND MASSEY-FERGUSON		
469-27997 (USA) 469-4000997 (AgSmart)	27997-001, MF 1059176M1	Fits Vermeer Baler and Massey Ferguson 1440, 1445, 1550, 1565.



Universal For John Deere, New Holland, Allen.



For Vermeer and John Deere



For Vermeer and Massey-Ferguson



Twin Rake Bear Assembly



For Twinstar



For International Harvester



For Darf



WE SUPPLY SUCCESS

WWW.SMALINK.COM

RAKE WHEEL TEETH

Order Multiple 100





H & S, OTMA, SITREX & ATLAS

804-HST176
U.S. #OT-1A
.284 (7mm) Wire
0.6 lb.

H & S

804-OT1B
Repl. FR73 Black
.295 (7.5mm) Wire
For 60" Wheel
0.6 lb.




H & S, SITREX

804-OT2B
.295 (7.5mm) Wire
For 60" Wheel
0.6 lb.


KUHN

804-VI1H
Repl. 70176116
U.S. #VI-1H
.275 Wire, Black
0.5 lb.



M & W

804-MWG1
U.S. #MWG-1
.282 Wire
0.6 lb.




OTMA

804-203055
U.S. #OT-1
.262 Wire
0.5 lb.



NOTE: Also fits Sitrex (200011), Rossi (180305), H & S, Hesston, Atlas and Koehn Wheel Rakes.




ROSSI
804-608754
(2222)
U.S. #R-1
6.5mm Wire
0.5 lb.



SITREX, H & S

804-210621


.281 Wire
0.6 lb.



TONUTTI

804-PL015


U.S. #T-1A
Left Hand
.262 Wire
0.5 lb.



TONUTTI

804-PR015

U.S. #T-1
Right hand
.262 Wire
0.5 lb.



VERMEER

804-DW1


Repl. AK01902
.278 Wire, Cream
For DuraBull Wheels
0.6 lb.

VERMEER, VICON, JD



804-E95724

6 Rake Wheel
.281 Wire, 0.6 lb.




VICON

(Short)

804-36133

U.S. #VI-1
6 Rake Wheel
.262 Wire, 0.5 lb.



VICON

(Long)

804-92611

U.S. #VI-2
5 Rake Wheel
.262 Wire, 0.5 lb.

ALL RAKE WHEEL TEETH ARE PAINTED




To Order Call Toll Free 877-55 GO SMA 877-554-6762

HAY RAKE TEETH


FOR BAR RAKES

Order Multiple 50




FARMHAND (MORRILL) DARF, NEW IDEA

804-2117
(ID-4803R, 400341)
U.S. #FH-2 (RH)
Model F-76 Rake
.262 Wire
Black/0.9 lb.




FORD

804-146545
U.S. #F-2
Model 503
Rakes.
.244 Wire
Black
0.8 lb.



JOHN DEERE

804-257SE
U.S. #JD-1
Model 350, 851,
858, 894,
896 Rakers;
Model 24T, 216T
Balers; .244 Wire
Green/0.4 lb.




INTERNATIONAL HARVESTER

804-462978R1
U.S. #IH-1B
Model 11 Rake
.225 Wire
White/0.3 lb.


Order Multiple 100

Interchange with
667530M1




MASSEY FERGUSON

804-668364M1
U.S. #MF-1C
Model 36 Pull-type
side delivery rake
(Massey Harris)
.262 Wire
Red/0.4 lb.



POLLARD

804-1706
U.S. #P1A1
Hay Rake
.262 Wire
Black
0.4 lb.



NEW HOLLAND

804-64562
U.S. #NH-1A
Model 55, 568,
57 Rake and
256, 258, 259,
260 Rotobar;
Also Replaces 46993
.262 Wire
Yellow/0.5 lb.

NEW HOLLAND

RAKE TOOTH HOLDER **792493**

Zinc Plated
Also replaces old
N.H. No. 33970.

Order Multiple 25



RAKE TOOTH HOLDER **792493-KIT**

Zinc Plated
Consists of 10 each 792493 holder, 3/8" round head bolts and 3/8" hex nuts.

Order Multiple 10



All measurements are approximate and for comparison purposes only.



WE SUPPLY SUCCESS

WWW.SMALINK.COM


BALER TEETH

Order Multiple 100

JOHN DEERE

804-E41833


U.S. #JD-1D
Model 336, 346,
337, 437, 467 Balers
.187 Wire
Yellow/0.4 lb.



JOHN DEERE

804-E61295


Also E67036
U.S. #JD-1D Baler
.187 Wire
Yellow/0.4 lb.



JOHN DEERE

804-E90235


JD Models
467, 567 Balers
Mega Wide Pickup
.22 Wire, Green



JOHN DEERE

804-E79475


U.S. #JD1D2
435/535 Baler
Ser. #91000 up
.187 Wire
Green/0.52 lb.



JOHN DEERE

804-276SE


U.S. #JD-2B
Model 14T,
24T, 214T Balers
.187 Wire
Black/0.4 lb.



JOHN DEERE

804-E74678


U.S. #JD1D1
430/530 Baler
Ser. #71000 up
.187 Wire
Green/0.43 lb.



NEW HOLLAND

804-127566


U.S. #NH-1B
Model 78, 67,
Super 68, 69, 268,
269, 270 Baler
.187 Wire
Yellow/0.4 lb.



NEW HOLLAND

804-86551419


U.S. #NH-1D
Supersweep &
large round baler. Also
replaces 131673.
.188 Wire
Yellow/0.5 lb.



VERMEER

804-49001


U.S. #V-3 'E', 'F', 'G'
Series Baler
.207 Wire/
Yellow/0.5 lb.



FREEMAN

804-F1226

Replaces F1226



All measurements are approximate and for comparison purposes only.

BALE SPEAR

- Heat-treated for Longer Wear
- Painted Black

PART NO.	DESCRIPTION	LENGTH	DIAMETER	CAPACITY
023-51444	Bale Spear with Nut	31.5"	38mm	1800 lb.
023-61413	Bale Spear with Nut	32"	45mm	3500 lb.
023-49664	Bale Spear with Nut	39"	36mm	1800 lb.
023-61414	Bale Spear with Nut	39"	45mm	3500 lb.
023-49665	Bale Spear with Nut	43"	36mm	1800 lb.
023-83120	Bale Spear with Nut	43"	45mm	3500 lb.
023-44119	Bale Spear with Nut	49"	45mm	3500 lb.
023-77880	Bale Spear with Nut	49.25"	50mm	4500 lb.
023-69122	Bale Spear, Pin-On	32"	42mm	3200 lb.
023-49667	Bale Spear Pin-On, 12mm Hole	47"	42.93mm	3200 lb.

BALE SPEAR BUSHINGS

023-52080	Tapered Bushing for 51444- 38mm Spear
023-49666	Tapered Bushing for 49664, 49665- 36mm Spears
023-44132	Tapered Bushing for 61413, 61414, 83120, 44119- 45mm Spears
023-77881	Bushing for 77880, 50mm Spear, Heavy Duty
023-49668	Bushing for 49667, 69122 Pin-On Spear, 4" Long, 13mm Hole, 1.69" I.D.
023-49670	Bushing for 49667, 69122 Pin-On Spear, 6" Long, 13mm Hole, 1.69" I.D.
023-52028	Tapered Nut for Models 49664, 49665, 51444
023-52029	Tapered Nut for Models 44119, 61413, 61414, 77880, 83120

STABILIZER SPEAR & SLEEVE



023-85857

17" Long Stabilizer Spear 1.25" Diameter
Uses 85858 Sleeve or Bolt.



023-85858


2-7/8" Long Sleeve, 1-3/4" O.D. x 1.3"
I.D. with Hole for 5/16" Bolt.

BALE SPEAR BRACKET



023-49669

Bolt-On Bracket Mount for 47" Pin-on
Bale Spear 49667 and 69122. Includes
two 5/8" U-Bolts for 3" x 3" Toolbar.



Shown with 49667.

BALER SHEAR BOLT KIT

Shear Bolts & Nuts, Designed to Exact OEM Specifications.

10 Per Pack

PART NO.	DESCRIPTION
JOHN DEERE®	
144-JD10	1/4-20 x 2-1/4 Hex Head GR5, Plain (BT13931)
144-JD11	5/16-18 x 2-1/4 Hex Head GR5, Plain (BP12232)
MASSEY FERGUSON	
144-MF10	5/16-24 x 3-1/8 Hex Head GR2, Zinc
NEW HOLLAND	
144-NH10	5/16-18 x 2 Hex Head GR5, Plain (39716)
144-NH11	1/4-20 x 1-1/2 Hex Head GR5, Plain (46520)
144-NH12	3/16-24 x 1-1/2 Hex Head GR5, Plain (58118)
144-NH15	5/16-18 x 2 Hex Head GR5, Plain (167494)
144-NH16	7/16-14 x 2 Hex Head GR5, Plain (226228) (To fit NH 278, 283, 286)



BALE COUNTER UNIVERSAL

FOR ALL MODELS OF BALERS
USING MECHANICAL COUNTERS

- Counts to 99,999
- Push Button Reset
- 4 Mounting Holes
- Arm Can Be Set In Any Position
- Spring Compensates for Alignment



519-50023

Listed parts are made by various manufacturers and are not original manufacturer's parts. We sell replacement parts for use in equipment of various manufacturers. Original part numbers and products mentioned herein may be trademarks or registered trademarks of the respective companies and the use of are for reference purposes only. Our company and the parts listed herein are not connected in any way with the equipment manufacturers mentioned herein.



To Order Call Toll Free 877-55 GO SMA 877-554-6762



POLY PICK UP BANDS FOR BALERS


Order Multiple 12



Poly Pick Up Bands are made from half inch thick impact resistant plastic with a quarter inch reinforcement ring on the inside for added strength. They will not bend or rust and will help your pick-up teeth last longer.

12 Bands per Box, Mounting Hardware Included. Sold Full Boxes Only

PART NO.	REPLACES	DESCRIPTION / APPLICATION
FOR JOHN DEERE® ROUND BALERS		
804-311772G	FH311772, CC32669, E85043, E65648	Green Band. Fits 330, 335, 375, 385, 430, 435, 447-49, 456, 458-459, 466-469, 535, 545, 546-547, 550, 556, 558-559, 566-570, 572, 580, 582, 590, 592.
804-311994G	FH311994, E96760	Green Band Mega Wide Head-Outer 3. Fits 447, 448, 449, 457, 458, 458S, 459, 467, 468, 468S, 469, 557, 558, 559, 567, 568, 569.
FOR CASE IH ROUND BALERS		
804-86705250	—	Black Band. Fits RB454, RB464, RBX452, RBX453, RBX462, RBX463.
FOR NEW HOLLAND ROUND BALERS WITH EXTRA SWEEP HEAD		
804-87055364	—	Yellow Band. Fits BR740, BR740A, BR750, BR750A, BR780, BR780A, BR7060, BR7090, R7070.
FOR HESSTON, MF, CHALLENGER, OTHERS, ROUND & SQUARE BALERS		
804-700141909	700141909 (Hesston)	For Round Balers MF 2846, 2856, 2946; Challenger RB46, RB56. For Square Balers MF 2140, 2150, 2160, 2170, 2190, 2250, 2270, 2290; Challenger LN23, LN24, LB33, LB34, LB44; AGCO 7423, 7424, 7433, 7434, 7444; Fent 870, 871, 1270.
FOR CASE IH SQUARE BALERS		
804-84801631	84801631, 84468627, 84607815, 84214800, 84274387	Black Band. Fits LB333-334, LB433-434, LBX331-332, LBX421-422, LBX431-432.
FOR CASE IH, HESSTON & OTHER SQUARE BALERS		
804-700129658	700108607, 700129658	Black Band. Fits C/IH 8550, 8570, 8575, 8585; Challenger LB33-34, LB44; Hesston 4750, 4755, 4760, 4790, 4910; New Idea 7233-34, 7244, 7333; MF 1843S, 1844S.
FOR NEW HOLLAND SQUARE BALERS		
804-84801630	—	Yellow Band. Fits 330, 340, 590, 590C, 595, BB940, BB960, BB9050, BB9060, BB9060S, BB9070, BB9080.
804-84274385	84801630, 89837845, 85005357, 84214799, 84274388	Yellow Band. Fits 330, 340, 590, 590C, 595, BB940S, BB960S, BB940AS, BB940AP, BB960AS, BB9060P, BB9060S, BB9080S.



WE SUPPLY SUCCESS

WWW.SMALINK.COM

FOR JOHN DEERE® ROUND BALERS

BALER CHAIN



Works As OEM Replacement, Made in U.S.A. Import Available




PART NO.	REPLACES	DESCRIPTION
803-JD5045	NA	Pickup Drive Chain #50, 45 Links. For 435, 535 Pickup Drive.
803-JD5054	NA	Pickup Drive Chain #50, 54 Links. For 435, 535 Pickup Drive.
803-JD5083	NA	Pickup Drive Chain #50, 83 Links. For 435, 535 Pickup Drive.
803-JD5075	AE21971	50 x 75 Pitches, for 435, 535 Pickup Drive.
803-JD5090	AE51558	50 x 90 Pitches, for 446, 447, 456, 457, 466, 467, 468, 546, 547, 556, 557, 566, 567, 568 Pickup Drive Mega.
803-JD5074	AE51559, AFH208828	50 x 74 Pitches, for 446, 447, 456, 457, 466, 467, 468, 546, 547, 556, 557, 566, 567, 568 Pickup Drive Mega.
803-JD5072	AE49490, AFH208830	50 x 72 Pitches, for 335, 375, 385, 430, 435, 446, 447, 447, 456, 457, 466, 467, 530, 535, 546, 547, 556, 557, 566, 567, 568 Pickup Drive
803-JD60209	AE41074	For 430, 435, 466, 467, 530, 535, 566, 567 Upper Main Drive.
803-JD6037	AE20020	For 335, 375, 385, 430, 435, 530, 535 Starter Roller.
803-JD6083	AE36010	For 335, 375, 385, 430, 435, 445, 456, 466, 530, 535, 546, 556, 566 Lower Roller Drive.
803-JD60H209	AE56351, AE74446, AE74238	60H X 209 Pitches, for 435, 466, 535, 566 Starter Drive Roller.
803-JD60H41	AE59543	60H X 41 Pitches, for 446, 447, 456, 457, 466, 467, 546, 547, 556, 557, 566, 567 Starter Roller Drive.
803-JD60H83	AE59544, AFH205981	60H X 83 Pitches, for 447, 457, 467, 547, 557, 567 Lower Roller Drive.
803-JD80158	AE74237, AFH206114	80 X 158 Pitches, for 468, 568 Upper Main Drive.
803-JD8064	AE74236, AFH206115	80 x 64 Pitches, for 468, 568 Upper Main Drive.
803-JD8070	AE74423	80 x 70 Pitches, for 468, 568 Upper Main Drive.

NOTE: For Baler Bearings See Section 9 & For Baler Drivelines See Section 13 in SMA Catalog Book 2.

SPROCKETS AND IDLERS

PART NO.	REPLACES	DESCRIPTION
520-39650	AE39650	Starter Roller Sprocket, 1-1/2" Hex Bore, 20 Tooth, Fits #60 Chain. For Models 330, 335, 375, 385, 430, 530, 435, 535, 540, 545, 550.
520-54301	AE54301, AFH205816	Starter Roller Sprocket, 1-1/2" Hex Bore, 24 Tooth, Fits #60 Chain. For Models 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 448, 458, 558.
520-88455	E88455, FH304862	Slip Clutch Sprocket for Mega Pickup, 2.63" I.D., 3.32" 4-Bolt Circle, 33 Tooth, Fits # 50 Chain. For Models 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 468, 468s, 568.
520-96714	E96714, FH311899	Slip Clutch Sprocket for Standard Pickup, 2.63" I.D., 3.32" 4-Bolt Circle, 38 Tooth, Fits #50 Chain. For Models 467, 567, 457, 557, 447, 547, 448, 458, 558, 468, 468s, 568.



To Order Call Toll Free 877-55 GO SMA 877-554-6762

SPROCKETS FOR JOHN DEERE® ROUND BALERS



205820



216239



51818



39301,
74597



205832



52633,
39654, 74596



54302,
74598

PART NO.	REPLACES	DESCRIPTION
FOR JOHN DEERE ROUND BALERS		
520-205820	AFH205820 AE13360	Idler Sprocket, .635" I.D., 11 Tooth, Fits #50 Chain. Used on Many Round Balers.
520-216239	AH216239 AXE15284	Idler Sprocket, .635" I.D. with hardened teeth, 12 Tooth, Fits #80 Chain.
520-51818	AE51818	Idler Sprocket for Mega Pickup with Bearings JD9338, 1" Hex Bore, 40 & 22 Tooth, Fits #50 Chain. For Models 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 468, 568.
520-2231	FH312223, L2231C	Idler for Pickup Drive Chains, 17 Tooth, Fits #50 Chain. For Models 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 448, 458, 558, 468, 568. Also Platforms, Mower Conditioners & Forage Harvesters.
520-15521	AN15521	Idler for Main Drive Chains, .625" I.D., 15 Tooth, Fits #60 Chain. For Models 330, 335, 375, 385, 430, 530, 435, 535, 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 448, 458, 558. Also fits Platforms, Mower Conditioners & Forage Harvesters.
520-74597	AE74597	Main Drive Double Sprocket Gear, 1.25" Hex Bore, 13 Tooth, Fits #80 Chain.
520-39301	AFH205784	Main Drive Sprocket from Gear Box, 1.25" Hex Bore, 17 Tooth (Both), Fits #60 Chain. For Models 330, 335, 375, 430, 530, 435, 535, 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 448, 458, 558.
520-205832	AFH205832, AE57757	Header Drive Sprocket, 1.25" Hex Bore, 19 Tooth, For #50 Chain. Used on Many Round Balers.
520-207881	AFH207881	Main Drive Sprocket for New 469 & 569 John Deere Balers. 1-3/8" Hex Bore, 13 Tooth, #80 Chain.
520-52633	AE52633	Drive Sprocket for Mega Pickup, 1.25" Hex Bore, 40 Tooth, Fits #50 Chain. For Models 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 468, 568.
520-58632	AFH205822, AE58632	Drive Sprocket for Standard Pickup, 1.25" Hex Bore, 40 Tooth, Fits #50 Chain. For Models 467, 567, 457, 557, 447, 547, 448, 458, 458 silage, 558, 468, 468s, 568.
520-39654	AFH205815, AE39654	Upper Drive Roller Sprocket, 1.50" Hex Bore, 40 Tooth, Fits #60 Chain. For Models 330, 335, 375, 430, 530, 435, 535, 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 448, 458, 558.
520-74596	AFH207883, AFH207783, AE74596	Upper Drive Roller Sprocket, 1.50" Hex Bore, 30 Tooth, Fits #80 Chain.
520-39652	AE39652	Lower Drive Roller Sprocket, 1.50" Hex Bore, 40 & 20 Tooth, Fits #60 Chain. For Models 330, 335, 375, 385, 430, 530, 435, 535, 540, 545, 550.
520-54302	AFH205819, AE54302	Lower Drive Roller Sprocket, 1.50" Hex Bore, 40 & 24 Tooth, Fits #60 Chain. For Models 466, 566, 446, 546, 456, 556, 467, 567, 457, 557, 447, 547, 448, 458, 558.
520-74598	AE74598	Lower Drive Roller Sprocket, 1.50" Hex Bore, 30 & 24 Tooth, Fits #60 & #80 Chain.




WE SUPPLY SUCCESS

WWW.SMALINK.COM

ROUND BALER BELT

Diamond Top One Side




PART NO.	OEM NO.	SIZE	DESCRIPTION
FOR JOHN DEERE® MODELS 430, 435, 530 & 535			
946-1000388	AE40797	7" x 525"	Furnished with 4-1/2" Rectangular Hi-Tensile Lacing
946-1000389	AE40798	7" x 531"	Furnished with 4-1/2" Rectangular Hi-Tensile Lacing
946-1002940	AE40797	7" x 525"	Furnished with Mato Lacing
946-1002941	AE40798	7" x 531"	Furnished with Mato Lacing
946-1003287	—	7" x 531"	Furnished with Alligator Rivet Plate Lacing.
946-1003288	—	7" x 525"	Furnished with Alligator Rivet Plate Lacing.
FOR VERMEER MODELS 604K, 604S, 604XL, 605K			
946-1000395	—	6.5" x 528"	3-Ply Texture Top
MODELS 504 Super I, 504L, 505I, 505L, 5400-5500 Rebel			
946-1002564	—	14" x 424"	3-Ply Texture Top
946-1002570	—	6" x 424"	3-Ply Texture Top

MATO LACING – FOR ROUND BALERS




PART NO.	REPLACES	DESCRIPTION
946-1701432	AE53298	Heavy Plate Lacing, 7" Segment. For Round Balers 430, 435, 466, 467, 468, 530, 535, 566, 567, 568.
946-1701433	E86147	Notched Pin, 6.5". For Round Balers 430, 435, 466, 467, 468, 530, 535, 566, 567, 568.

BELT LACING AND TOOLS



WISE LACER

PART NO.	DESCRIPTION
519-03018	R-4 Vise Lacer
519-03019	R-7 Vise Lacer
519-03020	R-10 Vise Lacer



BELT SKIVER

519-03239



ROLLER LACER


PART NO.	DESCRIPTION
519-03368	Flexco Microlacer Roll-Lacer
519-04029	Face Strip 4-1/2" to 7" Lacing

BALER BELT LACER



PART NO.	DESCRIPTION
519-03434	Baler Belt Lacer with 7" Vise Lacer
519-03435	Baler Belt Lacer with 10" Vise Lacer

BELT CUTTER



PART NO.	DESCRIPTION
519-03230	Flexco 14"
519-03450	14" Replacement Blade
519-03009	10" Replacement Blade



To Order Call Toll Free 877-55 GO SMA 877-554-6762

BALER BELT HOOK – CLIPPER

Specified by OEMs, Clipper Baler Hooks help provide quick, easy, high-quality splices. Clipper's rectangular high tensile hook design provides high abrasion resistance, added strength, and increased resistance to wire fatigue and fracture. Easily spliced with the Baler Belt Lacer. Special length cards available.



PART NO.	DESCRIPTION
Galvanized	
519-02182	No. 3 Hook
519-02206	No. 3 - 4.5 Hook
519-02216	No. 4 Hook
519-02300	No. 4.5 Hook
519-02323	No. 5 Hook
519-02348	No. 6 Hook

PART NO.	DESCRIPTION
Rectangular High Tensile (RHTX)	
519-02429	No. 4.5 RHTX Hook
519-02432	No. 3 - 4.5 RHTX Hook

**One Dozen 12" Cards
per Box,
Sold Full Boxes Only**



CUT TO LENGTH – POINT OF PURCHASE



– FULL BOXES ONLY –



4" = 8 cards/box
6-1/2" & 7" = 4 cards/box
10" = 10 cards/box

PART NO.	DESCRIPTION	Hooks / Card
Galvanized		
519-01853	No. 3 - 4.5 Hook for 4" Belts	26
519-02209	No. 3 - 4.5 Hook for 10" Belts	67
Rectangular High Tensile (RHTX)		
519-01846	No. 4.5 Hook for 6-1/2" Belts	41
519-01847	No. 4.5 Hook for 7" Belts	45
519-02431	No. 4.5 Hook for 7" Belts (10 cards/bx)	45
CUT TO LENGTH — FULL BOXES		
Galvanized		
519-01615	No. 3 - 4.5 Hook for 4" Belts (80 cards/bx)	24
Rectangular High Tensile (RHTX)		
519-02404	No. 4.5 Hook for 6-1/2" Belts (36 cards/bx)	41
519-01669	No. 4.5 Hook for 7" Belts (18 cards/bx)	45
519-01600	No. 4.5 Hook for 10" Belts (24 cards/bx)	58



**1-Doz.
12" Cd/Bx
Full Boxes Only**

UNIBAR HOOKS

PART NO.	DESCRIPTION
519-01 251	No. 3 Unibar Hook
519-01279	No. 4 Unibar Hook
519-01301	No. 5 Unibar Hook



SMART LOCKS

PART NO.	DESCRIPTION	CARD/PACK
519-03441	Smart Lock	25
519-03442	Smart Lock Pack (20 Locks and 5 ft. Cable)	20

CONNECTING PINS

PART NO.	SIZE AND DESCRIPTION
519-LP211JDP	No. 11 Nylon Covered Solid 7-3/8" Long 10 / Pack
519-02622	No. 12 Nylosteeel Connecting Pin 100 ft./ Box
519-02767	No. 13 Nylon Covered Cable 100 ft./ Box



10/ pack



WE SUPPLY SUCCESS

WWW.SMALINK.COM